

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Embutramide / Mebezonium / Tetracaine Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Serious eye damage/eye irritation : Category 2A  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - single exposure : Category 2 (Nervous system, muscle)  
Specific target organ toxicity - single exposure : Category 3

#### GHS label elements

Hazard pictograms : (A red diamond-shaped hazard pictogram showing a human figure with a cracked torso, and a red diamond-shaped hazard pictogram with a large white exclamation mark inside.)  
Signal Word : Danger  
Hazard Statements : H227 Combustible liquid.  
H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1714272-00023      Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

H360D May damage the unborn child.  
H371 May cause damage to organs (Nervous system, muscle).

### Precautionary Statements

#### : **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylformamide	68-12-2	>= 50 -< 70
Embutramide	15687-14-6	>= 20 -< 30

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

Mebezonium iodide	7681-78-9	>= 5 -< 10
tetracaine hydrochloride	136-47-0	>= 0.1 -< 1

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May damage the unborn child.  
May cause damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1714272-00023      Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

ucts	Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing.

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

	<p>Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p>
Hygiene measures	<p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
Conditions for safe storage	<p>: Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.</p>
Materials to avoid	<p>: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases</p>

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	VLE-PPT	10 ppm	NOM-010-STPS-2014
		TWA	5 ppm	ACGIH
Embutramide	15687-14-6	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		STEL	30 µg/m <sup>3</sup>	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
		STEL	3 µg/m <sup>3</sup> (OEB 4)	Internal

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 1714272-00023 Date of last issue: 04.12.2024 Date of first issue: 25.05.2017

tetracaine hydrochloride	136-47-0	Wipe limit	10 µg/100 cm <sup>2</sup>	Internal
		TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: DSEN, Skin			
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	N-methylformamide	Urine	End of shift	15 mg/l	MX BEI
		N-Acetyl-S-(N-methylcarbamoyl)cysteine	Urine	Prior to the last shift of the work week	40 mg/l	MX BEI
		Total N-Methylformamide	Urine	End of shift (As soon as possible after exposure ceases)	30 mg/l	ACGIH BEI
		N-Acetyl-S-(N-methylcarbamoyl)cysteine	Urine	End of shift at end of work-week	30 mg/l	ACGIH BEI

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017**Personal protective equipment**

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates, ammonia/amines and organic vapor type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: 5 - 6
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 81 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper	: No data available

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Combustible liquid.  
Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed, in contact with skin or if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,224 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 19.41 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1,942 mg/kg  
Method: Calculation method

**Components:****N,N-Dimethylformamide:**

Acute oral toxicity : LD50 (Rat): 3,010 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

**Embutramide:**

Acute oral toxicity : LD50 (Rat): 1,550 mg/kg

Acute toxicity (other routes of administration) : LD50 (Dog): 31 mg/kg  
Application Route: Intravenous  
TDLo (Dog): 15.5 mg/kg  
Application Route: Intravenous  
Symptoms: narcosis

LD50 (Horse): 20 mg/kg  
Application Route: Intravenous

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

LD50 (sheep): 80 mg/kg  
Application Route: Intravenous

LD50 (Pig): 100 mg/kg  
Application Route: Intravenous

**Mebezonium iodide:**

Acute oral toxicity : LD50 (Rat, female): 200 - 300 mg/kg  
Acute toxicity (other routes of administration) : LC50 (Dog): 15 mg/kg  
Application Route: Intravenous

**tetracaine hydrochloride:**

Acute toxicity (other routes of administration) : LD50 (Rat): 6 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 6 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****N,N-Dimethylformamide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1714272-00023      Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

Species : Mouse  
Result : negative

### tetracaine hydrochloride:

Routes of exposure : Dermal  
Result : Sensitizer

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### N,N-Dimethylformamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### tetracaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Result: negative

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017**II****Carcinogenicity**

Not classified based on available information.

**Components:****N,N-Dimethylformamide:**

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 451
Result	:	negative

Species	:	Mouse
Application Route	:	inhalation (vapor)
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451
Result	:	negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****N,N-Dimethylformamide:**

Effects on fertility	:	Test Type: Two-generation study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	---

Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
--

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: inhalation (vapor) Method: OECD Test Guideline 414 Result: positive
------------------------------	---	--

Test Type: Embryo-fetal development Species: Rabbit Application Route: Skin contact Method: OECD Test Guideline 414 Result: positive
--

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

**tetracaine hydrochloride:**

Effects on fertility	:	Test Type: Fertility
----------------------	---	----------------------

**Embutramide / Mebezonium / Tetracaine Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
1714272-00023Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

Species: Rat, male and female  
Application Route: Subcutaneous  
Fertility: NOAEL: 7.5 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 5 mg/kg body weight  
Result: No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects.

**STOT-single exposure**

May cause drowsiness or dizziness.  
May cause damage to organs (Nervous system, muscle).

**Components:****Embutramide:**

Assessment : May cause drowsiness or dizziness.

**Mebezonium iodide:**

Target Organs : Nervous system, muscle  
Assessment : May cause damage to organs.

**tetracaine hydrochloride:**

Target Organs : Central nervous system, Cardio-vascular system  
Assessment : Causes damage to organs.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****N,N-Dimethylformamide:**

Species : Rat  
NOAEL : 238 mg/kg  
LOAEL : 475 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 0.08 mg/l  
LOAEL : 0.3 mg/l  
Application Route : inhalation (vapor)

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1714272-00023      Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

Exposure time : 2 y

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Embutramide:**

Inhalation : Target Organs: Central nervous system  
Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath

##### **Mebezonium iodide:**

Inhalation : Symptoms: Weakness, Fatigue, Breathing difficulties

##### **tetracaine hydrochloride:**

Inhalation : Target Organs: Cardio-vascular system  
Target Organs: Central nervous system  
Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting

Skin contact : Symptoms: Redness, pruritis

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **N,N-Dimethylformamide:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 7,100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13,100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,500 mg/l  
Exposure time: 21 d

##### **Embutramide:**

Toxicity to fish : LC50 : 21 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 24 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **N,N-Dimethylformamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301E

### Bioaccumulative potential

#### Components:

##### **N,N-Dimethylformamide:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.3 - 1.2  
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: -0.93  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

---

### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable  
essential chemical products and machinery for  
producing capsules, tablets and pills.

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
MX BEI : Official Mexican Norm NOM-047-SSA1-2011, Environmental  
Health - Biological exposure indices for workers occupationally  
exposed to chemical agents  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting  
the Work Environment - Identification, Assessment and Con-  
trol - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT

# SAFETY DATA SHEET



## Embutramide / Mebezonium / Tetracaine Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1714272-00023

Date of last issue: 04.12.2024  
Date of first issue: 25.05.2017

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8