

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714278-00026 Date of last issue: 04.12.2024 Date of first issue: 25.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Embutramide / Mebezonium / Tetracaine Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - single exposure, Category 3	H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0

Revision Date: 14.04.2025

SDS Number: 1714278-00026

Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Hazard statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360D May damage the unborn child.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Hazardous components which must be listed on the label:

N,N-Dimethylformamide
Embutramide
Mebezonium iodide

Additional Labelling

EUH208 Contains tetracaine hydrochloride. May produce an allergic reaction.

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

Embutramide / Mebezonium / Tetracaine Formulation

Version
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

N,N-Dimethylformamide	68-12-2 200-679-5 616-001-00-X	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Repr. 1B; H360D	>= 50 - < 70
Embutramide	15687-14-6 239-780-4	Acute Tox. 4; H302 STOT SE 3; H336 Aquatic Chronic 3; H412	>= 20 - < 25
Mebezonium iodide	7681-78-9 231-676-7	Acute Tox. 3; H301 STOT SE 2; H371 (Nervous system, muscle)	>= 1 - < 10
tetracaine hydrochloride	136-47-0 205-248-5	Skin Sens. 1B; H317 STOT SE 1; H370 (Central nervous system, Cardio-vascular system)	>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 1714278-00026	Date of last issue: 04.12.2024 Date of first issue: 25.05.2017
-----------------	------------------------------	------------------------------	---

Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.
Harmful if swallowed, in contact with skin or if inhaled.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the environment.

If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage areas and containers**

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Advice on common storage

: Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives

Gases

7.3 Specific end use(s)**Specific use(s)** : No data available**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N,N-Dimethylformamide	68-12-2	OEL-RL	20 ppm	ZA OEL
		Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B		
		STEL	10 ppm 30 mg/m ³	2009/161/EU

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
10.0

Revision Date:
14.04.2025

SDS Number:
1714278-00026

Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

		TWA	5 ppm 15 mg/m ³	2009/161/EU
		TWA	5 ppm 15 mg/m ³	2004/37/EC
		STEL	10 ppm 30 mg/m ³	2004/37/EC
Embutramide	15687-14-6	TWA	10 µg/m ³ (OEB 3)	Internal
		STEL	30 µg/m ³	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m ³ (OEB 4)	Internal
		STEL	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
tetracaine hydrochloride	136-47-0	TWA	5 µg/m ³ (OEB 4)	Internal
		Further information: DSEN, Skin		
		Wipe limit	50 µg/100 cm ²	Internal

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
N,N-Dimethylformamide	68-12-2	N-Methylformamide: 15 mg/l (Urine)	End of shift	ZA BEI
		N-Acetyl-S-(N-methylcarbamoyl)cysteine: 40 mg/l (Urine)	Prior to last shift of workweek	ZA BEI

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N-Dimethylformamide	Workers	Inhalation	Long-term systemic effects	6 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1,1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,1 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	0,16 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
N,N-Dimethylformamide	Sewage treatment plant	44 mg/l
	Fresh water sediment	111 mg/kg dry weight (d.w.)
	Marine sediment	11,1 mg/kg dry weight (d.w.)

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**8.2 Exposure controls****Engineering measures**

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates, ammonia/amines and organic vapour type (AK-P)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	: liquid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: 5 - 6

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	81 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	Not applicable
Particle size	:	Not applicable

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Combustible liquid.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

||| Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.590 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 19,41 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1.942 mg/kg
Method: Calculation method

Components:**N,N-Dimethylformamide:**

||| Acute oral toxicity : LD50 (Rat): 3.010 mg/kg

||| Acute inhalation toxicity :

Embutramide / Mebezonium / Tetracaine Formulation

Version
10.0

Revision Date:
14.04.2025

SDS Number:
1714278-00026

Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity :
Acute toxicity estimate: 1.100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Embutramide:

Acute oral toxicity : LD50 (Rat): 1.550 mg/kg
Acute toxicity (other routes of administration) : LD50 (Dog): 31 mg/kg
Application Route: Intravenous
TDLo (Dog): 15,5 mg/kg
Application Route: Intravenous
Symptoms: narcosis
LD50 (Horse): 20 mg/kg
Application Route: Intravenous
LD50 (sheep): 80 mg/kg
Application Route: Intravenous
LD50 (Pig): 100 mg/kg
Application Route: Intravenous

Mebezonium iodide:

Acute oral toxicity : LD50 (Rat, female): 200 - 300 mg/kg
Acute toxicity (other routes of administration) : LC50 (Dog): 15 mg/kg
Application Route: Intravenous

tetracaine hydrochloride:

Acute toxicity (other routes of administration) : LD50 (Rat): 6 mg/kg
Application Route: Intravenous
LD50 (Mouse): 6 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Species : Rabbit
Result : No skin irritation

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**Serious eye damage/eye irritation**

|| Causes serious eye irritation.

Components:**N,N-Dimethylformamide:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

|| Not classified based on available information.

Respiratory sensitisation

|| Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

tetracaine hydrochloride:

Exposure routes	:	Dermal
Result	:	Sensitiser

Germ cell mutagenicity

|| Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Application Route: Intraperitoneal injection
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: inhalation (vapour)
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

tetracaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Result: negative

Carcinogenicity

||| Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 2 Years
Method : OECD Test Guideline 451
Result : negative

Species : Mouse
Application Route : inhalation (vapour)
Exposure time : 18 Months
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

||| May damage the unborn child.

Components:**N,N-Dimethylformamide:**

Effects on fertility : Test Type: Two-generation study
Species: Mouse
Application Route: Ingestion
Result: negative

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 1714278-00026	Date of last issue: 04.12.2024 Date of first issue: 25.05.2017
-----------------	------------------------------	------------------------------	---

		Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: inhalation (vapour) Method: OECD Test Guideline 414 Result: positive
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Skin contact Method: OECD Test Guideline 414 Result: positive
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
tetracaine hydrochloride:		
Effects on fertility	:	Test Type: Fertility Species: Rat, male and female Application Route: Subcutaneous Fertility: NOAEL: 7,5 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: No teratogenic effects
		Test Type: Development Species: Rabbit Application Route: Subcutaneous Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Embutramide:

Assessment : May cause drowsiness or dizziness.

Mebezonium iodide:

Target Organs : Nervous system, muscle
Assessment : May cause damage to organs.

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017**tetracaine hydrochloride:**

Target Organs	:	Central nervous system, Cardio-vascular system
Assessment	:	Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.
--

Repeated dose toxicity**Components:****N,N-Dimethylformamide:**

Species	:	Rat
NOAEL	:	238 mg/kg
LOAEL	:	475 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

Species	:	Rat
NOAEL	:	0,08 mg/l
LOAEL	:	0,3 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	2 yr

Aspiration toxicity

Not classified based on available information.
--

Experience with human exposure**Components:****Embutramide:**

Inhalation	:	Target Organs: Central nervous system Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath
------------	---	--

Mebezonium iodide:

Inhalation	:	Symptoms: Weakness, Fatigue, Breathing difficulties
------------	---	---

tetracaine hydrochloride:

Inhalation	:	Target Organs: Cardio-vascular system Target Organs: Central nervous system Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting
Skin contact	:	Symptoms: Redness, pruritis

SECTION 12: Ecological information**12.1 Toxicity****Components:****N,N-Dimethylformamide:**

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714278-00026 Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 7.100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 13.100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l Exposure time: 72 h
	: EC10 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.500 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

Embutramide:

Toxicity to fish	: LC50 : 21 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	: EC50 : > 1.000 mg/l Exposure time: 24 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

N,N-Dimethylformamide:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 21 d Method: OECD Test Guideline 301E
------------------	--

12.3 Bioaccumulative potential

Components:

N,N-Dimethylformamide:

Bioaccumulation	: Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 0,3 - 1,2 Method: OECD Test Guideline 305C
Partition coefficient: n-octanol/water	: log Pow: -0,93 Remarks: Calculation

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714278-00026 Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects**Product:**

Endocrine disrupting potential

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product

: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
-----	-------------------------------------

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 1714278-00026	Date of last issue: 04.12.2024 Date of first issue: 25.05.2017
-----------------	------------------------------	------------------------------	---

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 1714278-00026	Date of last issue: 04.12.2024 Date of first issue: 25.05.2017
-----------------	------------------------------	------------------------------	---

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H226	: Flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H336	: May cause drowsiness or dizziness.
H360D	: May damage the unborn child.
H370	: Causes damage to organs.
H371	: May cause damage to organs.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2009/161/EU	: Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
ZA BEI	: South Africa. The Regulations for Hazardous Chemical Agents, Biological Exposure Indices
ZA OEL	: South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
2004/37/EC / STEL	: Short term exposure limit
2004/37/EC / TWA	: Long term exposure limit
2009/161/EU / TWA	: Limit Value - eight hours
2009/161/EU / STEL	: Short term exposure limit
ZA OEL / OEL-RL	: Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

Embutramide / Mebezonium / Tetracaine FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
1714278-00026Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

batory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H332
Acute Tox. 4	H312
Eye Irrit. 2	H319
Repr. 1B	H360D
STOT SE 3	H336

Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714278-00026 Date of last issue: 04.12.2024
Date of first issue: 25.05.2017
