

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Section 1: Identification

Product identifier : Fluralaner (Cattle Pour-On) Formulation
Other means of identification : EXZOLT POUR-ON FOR CATTLE (92557)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Flammable liquids : Category 3
Serious eye damage/eye irritation : Category 2
Reproductive toxicity : Category 1B
Specific target organ toxicity - single exposure : Category 3
Long-term (chronic) aquatic hazard : Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :    
Signal word : Danger
Hazard statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version
7.1

Revision Date:
02.10.2025

SDS Number:
1688456-00024

Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

H336 May cause drowsiness or dizziness.
H360FD May damage fertility. May damage the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

2-Pyrrolidone	616-45-5	>= 30 -< 50
Propan-2-ol	67-63-0	>= 30 -< 50
L-Menthol	2216-51-5	>= 10 -< 20
Fluralaner	864731-61-3	>= 3 -< 10

Section 4: First-aid measures**Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage fertility. May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version
7.1

Revision Date:
02.10.2025

SDS Number:
1688456-00024

Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Fluorine compounds
Nitrogen oxides (NOx)

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Section 7: Handling and storage**Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	PEL (long term)	400 ppm 983 mg/m ³	SG OEL
		PEL (short term)	500 ppm 1,230 mg/m ³	SG OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
		Further information: Skin		
			Wipe limit	1000 µg/100 cm ²
				Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. Use explosion-proof electrical, ventilating and lighting equipment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Filter type	:	Combined particulates and organic vapour type
Hand protection	:	
Material	:	Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact the selection of hand protection.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	blue green, clear
Odour	:	mint-like
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	25 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 402

Components:

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Assessment: The substance or mixture has no acute dermal toxicity

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 25 mg/l
Exposure time: 6 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No mortality observed at this dose.
No significant adverse effects were reported
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 431
Result : Not corrosive

Components:

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Propan-2-ol:

Species : Rabbit
Result : No skin irritation

L-Menthol:

Species : Rabbit

Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Method : OECD Test Guideline 404
Result : Skin irritation

Fluralaner:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**2-Pyrrolidone:**

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Propan-2-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

L-Menthol:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days
Method : OECD Test Guideline 405

Fluralaner:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429

Components:**2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Propan-2-ol:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

L-Menthol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Fluralaner:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative
Remarks : Based on data from similar materials

Propan-2-ol:

Species : Rat
Application Route : inhalation (vapour)

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1	Revision Date: 02.10.2025	SDS Number: 1688456-00024	Date of last issue: 14.04.2025 Date of first issue: 21.05.2017
----------------	------------------------------	------------------------------	---

Exposure time : 104 weeks
Method : OECD Test Guideline 451
Result : negative

L-Menthol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Fluralaner:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

L-Menthol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Application Route: Ingestion
Result: negative

Fluralaner:

Effects on fertility

: Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 50 mg/kg body weight
General Toxicity F1: LOAEL: 100 mg/kg body weight
Result: No effects on fertility, Postimplantation loss., Adverse neonatal effects.

Effects on foetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Skeletal malformations, Visceral malformations
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rabbit
Application Route: Dermal
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Skeletal malformations

Reproductive toxicity - Assessment

: Suspected of damaging the unborn child.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species : Rat
NOAEL : 207 mg/kg

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025
Date of first issue: 21.05.2017

Application Route : Ingestion
Exposure time : 3 Months
Method : OECD Test Guideline 408

Propan-2-ol:

Species : Rat
NOAEL : 12.5 mg/l
Application Route : inhalation (vapour)
Exposure time : 104 Weeks

L-Menthol:

Species : Mouse
NOAEL : 1,250 mg/kg
Application Route : Ingestion
Exposure time : 91 Days
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Fluralaner:

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Liver
Remarks : No significant adverse effects were reported

Species : Rat
LOAEL : 400 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver, thymus gland

Species : Rat
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90 Days
Target Organs : Liver
Remarks : No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

Not applicable

Experience with human exposure

Components:

Fluralaner:

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Skin contact : Remarks: May irritate skin.
Eye contact : Remarks: May cause eye irritation.

Section 12: Ecological information

Toxicity

Components:

2-Pyrrolidone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h
EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l
Exposure time: 16 h

L-Menthol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15.6 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26.6 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21.4 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Desmodesmus subspicatus (green algae)): 9.65 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Toxicity to microorganisms : EC50: 237 mg/l
Exposure time: 96 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 204
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)
COD: 2,23
BOD/COD: 53 %

L-Menthol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64 %

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.5 - 15
Exposure time: 6 Weeks
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.15

Fluralaner:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79.4
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Mobility in soil

Components:

Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1	Revision Date: 02.10.2025	SDS Number: 1688456-00024	Date of last issue: 14.04.2025 Date of first issue: 21.05.2017
----------------	------------------------------	------------------------------	---

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number	:	UN 1993
UN proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
Transport hazard class(es)	:	3
Packing group	:	III
Labels	:	3
Environmental hazards	:	yes

IATA-DGR

UN/ID No.	:	UN 1993
UN proper shipping name	:	Flammable liquid, n.o.s. (Propan-2-ol)
Transport hazard class(es)	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

IMDG-Code

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, Fluralaner)
Transport hazard class(es)	:	3
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, <u>S-E</u>
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1 Revision Date: 02.10.2025 SDS Number: 1688456-00024 Date of last issue: 14.04.2025 Date of first issue: 21.05.2017

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations
Fire Safety (Petroleum and Flammable Materials) : Isopropanol
Regulations

The components of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
IECSC : not determined

Section 16: Other information

Revision Date : 02.10.2025

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Sheet

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET



Fluralaner (Cattle Pour-On) Formulation

Version 7.1	Revision Date: 02.10.2025	SDS Number: 1688456-00024	Date of last issue: 14.04.2025 Date of first issue: 21.05.2017
----------------	------------------------------	------------------------------	---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN