

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Balıkhisar Mah. Köyiçi Küme Evleri No: 765/A
Çubuk Yolu 2. Km
Akyurt / Ankara / TÜRKİYE

Telephone : +90 312 840 53 00

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

National Poison Control Center (UZEM): 114
Emergency: 1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Specific target organ toxicity - single exposure, Category 3	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

2.2 Label elements

Labelling T.R. SEA No 28848 and subsequent amendments

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H314 Causes severe skin burns and eye damage.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH071 Corrosive to the respiratory tract.

Precautionary statements :

Prevention:

- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
- P391 Collect spillage.

Hazardous components which must be listed on the label:

sulfadiazine

Trimethoprim

Sodium hydroxide

2.3 Other hazards

None known.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2456511-00015 Date of last issue: 28.09.2024
Date of first issue: 13.02.2018

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. KKDIK Registration No.	SEA Classification	Concentration (% w/w)
sulfadiazine	68-35-9 200-685-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	20
Trimethoprim	738-70-5 212-006-2	Acute Tox. 4; H302 Repr. 2; H361d STOT RE 1; H372 (Bone marrow) Aquatic Chronic 2; H411	4
Sodium hydroxide	1310-73-2 215-185-5 011-002-00-6	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 ≥ 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 %	3

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2456511-00015 Date of last issue: 28.09.2024
Date of first issue: 13.02.2018

		EUH071 ≥ 2 %	
2,2'-Iminodiethanol	111-42-2 203-868-0 603-071-00-1	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Repr. 2; H361 STOT RE 2; H373 (Kidney, Blood, Liver, Nervous system)	0,6

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes digestive tract burns.
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.
Causes severe burns.
Corrosive to the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2456511-00015 Date of last issue: 28.09.2024
Date of first issue: 13.02.2018

assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sulfadiazine	68-35-9	TWA	2 mg/m ³ (OEB 1)	Internal
Trimethoprim	738-70-5	TWA	400 µg/m ³ (OEB 2)	Internal
Sodium hydroxide	1310-73-2	TWA (8 Hour)	2 mg/m ³	TR OEL

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2456511-00015 Date of last issue: 28.09.2024
Date of first issue: 13.02.2018

Sodium hydroxide	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Long-term local effects	1 mg/m3
2,2'-Iminodiethanol	Workers	Inhalation	Long-term systemic effects	0,75 mg/m3
	Workers	Inhalation	Long-term local effects	0,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,13 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,125 mg/m3
	Consumers	Inhalation	Long-term local effects	0,125 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,07 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,06 mg/kg bw/day
Sodium hydroxide	Consumers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Long-term local effects	1 mg/m3
2,2'-Iminodiethanol	Workers	Inhalation	Long-term systemic effects	0,75 mg/m3
	Workers	Inhalation	Long-term local effects	0,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,13 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,125 mg/m3
	Consumers	Inhalation	Long-term local effects	0,125 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,07 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,06 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
sulfadiazine	Water	0,01 mg/l
Trimethoprim	Water	0,9 mg/l
2,2'-Iminodiethanol	Fresh water	0,021 mg/l
	Freshwater - intermittent	0,095 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,096 mg/kg dry weight (d.w.)
	Marine sediment	0,009 mg/kg dry weight (d.w.)
	Soil	1,63 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

II	Oral (Secondary Poisoning)	1,04 mg/kg food
----	----------------------------	-----------------

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to TS EN 143
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	off-white to beige
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	10,0 - 10,5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size	:	Not applicable
---------------	---	----------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents Acids
--------------------	---	---------------------------

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

sulfadiazine:

Acute oral toxicity : LD50 (Mouse): 1.500 mg/kg
Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Remarks: Based on data from similar materials
Acute toxicity (other routes of administration) : LD50 (Rat): 880 mg/kg
Application Route: Intravenous
LD50 (Mouse): 180 mg/kg
Application Route: Intravenous

Trimethoprim:

Acute oral toxicity : LD50 (Rat): 1.500 - 5.300 mg/kg
LD50 (Mouse): 1.910 - 7.000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Rat): 400 - 500 mg/kg
Application Route: Intraperitoneal
LD50 (Dog): 90 mg/kg
Application Route: Intravenous
LD50 (Mouse): 132 mg/kg
Application Route: Intravenous

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

II

2,2'-Iminodiethanol:

Acute oral toxicity	: LD50 (Rat): 1.600 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): > 3,35 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Causes severe burns.

Components:

sulfadiazine:

Result	: Skin irritation
Remarks	: Based on data from similar materials

Sodium hydroxide:

Result	: Corrosive after 3 minutes or less of exposure
--------	---

2,2'-Iminodiethanol:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

sulfadiazine:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days
Remarks	: Based on data from similar materials

Sodium hydroxide:

Result	: Irreversible effects on the eye
Remarks	: Based on skin corrosivity.

2,2'-Iminodiethanol:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

sulfadiazine:

Test Type	: Maximisation Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Trimethoprim:

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Sodium hydroxide:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Result	: negative

2,2'-Iminodiethanol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

sulfadiazine:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Remarks: Based on data from similar materials

Trimethoprim:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Genotoxicity in vivo	:	Test Type: Chromosomal aberration Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
	:	Test Type: Micronucleus test Species: Rat Result: negative
	:	Test Type: Chromosomal aberration Species: Humans Result: negative

2,2'-Iminodiethanol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
	:	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Skin contact Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2,2'-Iminodiethanol:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	103 weeks
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Species	: Rat
Application Route	: Skin contact
Exposure time	: 103 weeks
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

sulfadiazine:

Effects on foetal development	: Test Type: Development Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
-------------------------------	--

Trimethoprim:

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 70 mg/kg body weight Result: No effects on fertility
----------------------	--

Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 70 mg/kg body weight Result: Effects on newborn Remarks: Maternal toxicity observed.
-------------------------------	--

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 70 mg/kg body weight
Result: Embryotoxic effects.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: Embryotoxic effects., Teratogenic effects

Test Type: Development
Species: Hamster
Application Route: Oral

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Developmental Toxicity: LOAEL: 1,7 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects., No teratogenic effects

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

2,2'-Iminodiethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: positive

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT - single exposure

May cause respiratory irritation.
Corrosive to the respiratory tract.

Components:

sulfadiazine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Trimethoprim:

Target Organs : Bone marrow
Assessment : Causes damage to organs through prolonged or repeated exposure.

2,2'-Iminodiethanol:

Exposure routes : Ingestion
Target Organs : Kidney, Blood, Liver, Nervous system
Assessment : Shown to produce significant health effects in animals at con-

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

II	centrations of >10 to 100 mg/kg bw.
Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Kidney, Blood
Assessment	: Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.
Exposure routes	: Skin contact
Target Organs	: Blood, Liver, Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

Repeated dose toxicity

Components:

Trimethoprim:

Species	: Rat
NOAEL	: 100 mg/kg
LOAEL	: 300 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Bone marrow, Liver, Pituitary gland, Thyroid
Species	: Rat
LOAEL	: 300 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Bone marrow
Species	: Dog
NOAEL	: 2,5 mg/kg
LOAEL	: 45 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Blood, Thyroid

2,2'-Iminodiethanol:

Species	: Rat, female
LOAEL	: 14 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Species	: Rat
NOAEL	: 0,015 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 90 Days
Method	: OECD Test Guideline 413
Species	: Rat
LOAEL	: 32 mg/kg

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Application Route	: Skin contact
Exposure time	: 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

sulfadiazine:

General Information	: May cause eye, skin, and respiratory tract irritation.
---------------------	--

Trimethoprim:

Ingestion	: Target Organs: Bone marrow Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion
-----------	--

SECTION 12: Ecological information

12.1 Toxicity

Components:

sulfadiazine:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae): 17 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae): 3,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Microcystis aeruginosa (blue-green algae)): 0,135 mg/l

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

	Exposure time: 7 Days Method: ISO 8692
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 : > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC : 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 6,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1

Trimethoprim:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna Straus): 92 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 80,3 mg/l Exposure time: 72 h
	NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l Exposure time: 72 h
	EC50 (Anabaena flos-aquae): 253 mg/l Exposure time: 72 h
	EC10 (Anabaena flos-aquae): 26 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC10 : 16,7 mg/l Exposure time: 3 hrs Test Type: Respiration inhibition Method: OECD Test Guideline 209
	EC50 : > 1.000 mg/l Exposure time: 3 hrs

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,157 mg/l
Exposure time: 21 d
Species: Zebrafish

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

2,2'-Iminodiethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 30,1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 9,5 mg/l
Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 1,1 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC10 (activated sludge): > 1.000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 1,05 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

sulfadiazine:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Trimethoprim:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Result: Not inherently biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

2,2'-Iminodiethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Components:

sulfadiazine:

Partition coefficient: n-octanol/water : log Pow: 0,12

Trimethoprim:

Partition coefficient: n-octanol/water : log Pow: 0,91

2,2'-Iminodiethanol:

Partition coefficient: n-octanol/water : log Pow: -2,46
Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Waste management needs to comply with provisions laid down in Waste Management Regulation (TR Official Gazette, 2015, Number: 29314) and with the respective national provisions legally enforced
Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

II

Contaminated packaging

discussion with the waste disposal authorities.
Do not dispose of waste into sewer.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 1824
ADR	:	UN 1824
RID	:	UN 1824
IMDG	:	UN 1824
IATA	:	UN 1824

14.2 UN proper shipping name

ADN	:	SODIUM HYDROXIDE SOLUTION
ADR	:	SODIUM HYDROXIDE SOLUTION
RID	:	SODIUM HYDROXIDE SOLUTION
IMDG	:	SODIUM HYDROXIDE SOLUTION
II	:	(sulfadiazine, Trimethoprim)
IATA	:	Sodium hydroxide solution

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADN		
Packing group	:	II
Classification Code	:	C5
Hazard Identification Number	:	80
Labels	:	8
ADR		
Packing group	:	II

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

Classification Code : C5
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : II
Classification Code : C5
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 855
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 851
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published) : Not applicable
Regulation on prevention of major industrial accidents. Reg number 30702

E2	ENVIRONMENTAL HAZARDS	Quantity 1 200 t	Quantity 2 500 t
----	-----------------------	---------------------	---------------------

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

Regulation on health and safety measures regarding working with chemicals (Number:28733, 2013 as amended (Nr. 32345, 2023). Occupational Exposure Limit Values (Annex 1)

Regulation on Import and Export of Certain Hazardous Chemicals, No. 32087, 2023 : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

are highlighted in the body of this document by two vertical lines.

The SDS has been prepared by: Name: Gökhan Ardiç; Contact email: sds@chemleg.com; Telephone number: +90 216 706 1307; Certificate Number: Lonca KDU 34 / 2020.08; Certificate Date: 22 September 2020; Valid Until: 22 September 2025

Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H361	: Suspected of damaging fertility or the unborn child.
H361d	: Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

The Turkish SDS has been prepared according to the Regulation on Safety Data Sheets for Hazardous Substances and Mixtures No. 29204.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Repr.	: Reproductive toxicity
Resp. Sens.	: Respiratory sensitisation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
TR OEL	: Türkiye. Chemical Agents at Work - Annex I: Indicative occupational exposure limit values
TR OEL / TWA (8 Hour)	: Measured or calculated in relation to a reference period of eight-hour time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Corr. 1B	H314
Eye Dam. 1	H318
Resp. Sens. 1	H334
Repr. 2	H361d
STOT SE 3	H335
STOT RE 2	H373
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sulfadiazine (20%) / Trimethoprim (4%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	2456511-00015	Date of first issue: 13.02.2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TR / EN