

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin / Cloxacillin Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : suspension
Colour : white
Odour : No data available

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May damage the unborn child. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

GHS Classification

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Hazard pictograms	:	Two hazard pictograms are shown. The first is a red diamond with a black silhouette of a person with a cracked head, representing a health hazard (H317). The second is a red diamond with a black silhouette of a tree with a cracked trunk, representing an aquatic hazard (H412).
Signal word	:	Danger
Hazard statements	:	<p>H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H360D May damage the unborn child. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p>Prevention: P203 Obtain, read and follow all safety instructions before use. P233 Keep container tightly closed. P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. P284 Wear respiratory protection.</p> <p>Response: P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P318 IF exposed or concerned, get medical advice. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P333 + P317 If skin irritation or rash occurs: Get medical help. P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.</p> <p>Storage: P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.</p>

Physical and chemical hazards

Not classified based on available information.

Health hazards

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May damage the unborn child.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Environmental hazards

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate)	139-44-6	=> 1 < 10
cloxacillin	61-72-3	=> 1 < 10
Gentamicin	1403-66-3	=> 0.3 < 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0	Revision Date: 2025/06/17	SDS Number: 1936037-00020	Date of last issue: 2025/04/14 Date of first issue: 2017/09/11
----------------	------------------------------	------------------------------	---

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Sulphur compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate)	139-44-6	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

cloxacillin	61-72-3	TWA	100 µg/m3 (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				

Engineering measures

- : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hand protection	
Material	: Chemical-resistant gloves
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Colour	: white
Odour	: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
-----------------------	--

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

cloxacillin:

Acute oral toxicity	: LD50 (Rat): 5,000 mg/kg LD50 (Mouse): 5,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 1,117 mg/kg Application Route: Intramuscular LD50 (Mouse): 916 mg/kg Application Route: Intravenous LD50 (Mouse): 1,500 mg/kg Application Route: Subcutaneous

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

LD50 (Rat): 1,660 mg/kg
Application Route: Intravenous

LD50 (Rat): 4,200 mg/kg
Application Route: Subcutaneous

Gentamicin:

Acute oral toxicity	: LD50 (Rat): 8,000 - 10,000 mg/kg LD50 (Mouse): 10,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	: LD50 (Rat): 67 - 96 mg/kg Application Route: Intravenous LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

cloxacillin:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

Gentamicin:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

cloxacillin:

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

Gentamicin:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

cloxacillin:

Exposure routes	:	Dermal
Assessment	:	Probability or evidence of skin sensitisation in humans
Result	:	positive
Assessment	:	Probability of respiratory sensitisation in humans based on animal testing
Result	:	positive

Gentamicin:

Remarks	:	No data available
---------	---	-------------------

Germ cell mutagenicity

Not classified based on available information.

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

cloxacillin:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intravenous injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage the unborn child.

Components:

cloxacillin:

Effects on fertility : Test Type: Multi-generation study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 500 mg/kg body weight
Result: No effects on fertility, No effects on reproduction parameters

Effects on foetal development : Test Type: Development

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

ment

Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: No malformations were observed.

Test Type: Development
Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Result: No effects on foetal development

Gentamicin:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment

: Positive evidence of adverse effects on development from human epidemiological studies.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Components:

Gentamicin:

Target Organs	:	Kidney, inner ear
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

cloxacillin:

Species	:	Rat
LOAEL	:	7,000 mg/kg
Application Route	:	Intravenous
Exposure time	:	4 Weeks
Symptoms	:	Hypoglycemia

Gentamicin:

Species	:	Dog
LOAEL	:	3 mg/kg
Application Route	:	Intramuscular
Exposure time	:	12 Months
Target Organs	:	Kidney
Symptoms	:	Vomiting, Salivation

Species	:	Monkey
LOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	3 Weeks
Target Organs	:	Kidney, inner ear

Species	:	Monkey
LOAEL	:	6 mg/kg
Application Route	:	Intramuscular
Exposure time	:	3 Weeks
Target Organs	:	Blood, Kidney, inner ear, Liver

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Intramuscular
Exposure time	:	52 Weeks
Target Organs	:	Kidney, Blood

Species	:	Rat
NOAEL	:	12.5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Intramuscular
Exposure time	:	13 Weeks

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

|| Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

cloxacillin:

Inhalation	: Remarks: May cause sensitisation of susceptible persons.
Skin contact	: Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	: Remarks: May irritate eyes.
Ingestion	: Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitisation of susceptible persons.

Gentamicin:

Ingestion	: Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness
-----------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

	LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Gentamicin:

Biodegradability	: Result: rapidly degradable Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---

Bioaccumulative potential

Components:

cloxacillin:

Partition coefficient: n-octanol/water	: log Pow: 2.44
--	-----------------

Gentamicin:

Partition coefficient: n-octanol/water	: log Pow: < -2
--	-----------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Gentamicin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Gentamicin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Gentamicin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version
5.0

Revision Date:
2025/06/17

SDS Number:
1936037-00020

Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0 Revision Date: 2025/06/17 SDS Number: 1936037-00020 Date of last issue: 2025/04/14
Date of first issue: 2017/09/11

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import : Not listed
and Export

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/06/17

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Cloxacillin Formulation

Version 5.0	Revision Date: 2025/06/17	SDS Number: 1936037-00020	Date of last issue: 2025/04/14 Date of first issue: 2017/09/11
----------------	------------------------------	------------------------------	---

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN