

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Section 1: Identification

Product name : Dexamethasone Formulation

Other means of identification : DEXAFORT AQUEOUS SUSPENSION OF DEXAMETHASONE AS MIXED ESTERS (37231)

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Skin sensitisation : Category 1

Reproductive toxicity : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 3

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H412 Harmful to aquatic life with long lasting effects.

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	17.06.2025	1842865-00017	14.04.2025
			Date of first issue: 20.07.2017

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	≥ 1 -< 10
dexamethasone	50-02-2	≥ 0.25 -< 1

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	17.06.2025	1842865-00017	14.04.2025
			Date of first issue: 20.07.2017

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	17.06.2025	1842865-00017	14.04.2025
			Date of first issue: 20.07.2017

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dexamethasone	50-02-2	TWA	10 µg/m ³ (OEB 3)	Internal

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

	Further information: Skin			
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

Appearance : suspension

Colour : white to off-white

Odour Threshold : No data available

pH : 7.0 - 7.8

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation
-----------------	---	------------

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Benzyl alcohol:**

Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	Acute toxicity estimate: 1,100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

dexamethasone:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 6,500 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 14 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

dexamethasone:

Species	:	Rabbit
---------	---	--------

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

|| Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

|| Species : Rabbit
|| Result : Irritation to eyes, reversing within 21 days
|| Method : OECD Test Guideline 405

dexamethasone:

|| Species : Rabbit
|| Result : Mild eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Benzyl alcohol:**

|| Test Type : Human repeat insult patch test (HRIPT)
|| Exposure routes : Skin contact
|| Species : Humans
|| Result : positive

|| Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Benzyl alcohol:**

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
|| Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

II**dexamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro assay
Test system: mouse lymphoma cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

dexamethasone:

Effects on foetal development : Test Type: Development
Species: Mouse
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: Specific developmental abnormalities, Cleft palate

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 0.025 mg/kg body weight
Result: Specific developmental abnormalities

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: ≥ 0.062 mg/kg body weight
Result: Specific developmental abnormalities

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: ≥ 0.02 mg/kg body weight
Result: Skeletal and visceral variations, Fetal growth retardation

Reproductive toxicity - Assessment : May damage the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**dexamethasone:**

Exposure routes : Oral
Target Organs : Adrenal gland, Immune system, thymus gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Benzyl alcohol:**

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

dexamethasone:

Species : Rat
NOAEL : 0.0015 mg/kg
Application Route : Oral
Exposure time : 7 d
Target Organs : Liver
Remarks : Significant toxicity observed in testing

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Species	: Rat
LOAEL	: 0.003 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Blood, Adrenal gland, thymus gland
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 0.125 mg/kg
Application Route	: Oral
Exposure time	: 6 Weeks
Target Organs	: Adrenal gland
Remarks	: Significant toxicity observed in testing

Species	: Rat
LOAEL	: 0.4 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****dexamethasone:**

Ingestion	: Target Organs: Immune system
	Target Organs: Adrenal gland
	Target Organs: Bone
	Symptoms: muscle weakness

Section 12: Ecological information**Ecotoxicity****Components:****Benzyl alcohol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 230 mg/l

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

dexamethasone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 56 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	--

dexamethasone:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 3.54 d Method: OECD Test Guideline 314
------------------	---	--

Bioaccumulative potential**Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water	:	log Pow: 1.05
--	---	---------------

dexamethasone:

Partition coefficient: n-octanol/water	:	log Pow: 1.83
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 17.06.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

Dexamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.0	17.06.2025	1842865-00017	Date of first issue: 20.07.2017

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN