

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Progesterone Formulation (Veterinary)

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Carcinogenicity : Category 2

Carcinogenicity (Inhalation) : Category 1A

Reproductive toxicity : Category 1A

##### Effects on or via lactation

Specific target organ toxicity - : Category 1 (Lungs)  
repeated exposure  
(Inhalation)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H350 May cause cancer by inhalation. H351 Suspected of causing cancer. H360FD May damage fertility. May damage the unborn child. H362 May cause harm to breast-fed children. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P263 Avoid contact during pregnancy and while nursing. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b> P318 IF exposed or concerned, get medical advice. P391 Collect spillage.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.</p>

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (%) w/w)
Quartz	14808-60-7	>= 30 - < 50
Silicon dioxide	7631-86-9	>= 20 - < 30
Progesterone	57-83-0	>= 5 - < 10
Bis(alpha,alpha-dimethylbenzyl) peroxide	80-43-3	>= 0.3 - < 1

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

	vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause cancer by inhalation. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause harm to breast-fed children. Causes damage to organs through prolonged or repeated exposure if inhaled.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Silicon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing. Do not get on skin or clothing. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz	14808-60-7	TWA (Total)	30 mg/m <sup>3</sup> / (%)	IN OEL

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

		dust)	quartz+3)	
		TWA (Respirable dust)	10 mg/m3 / (% quartz+2)	IN OEL
		TWA (Dust)	10,600 mppcm / % Quartz + 10	IN OEL
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
Silicon dioxide	7631-86-9	TWA (Total dust)	10 mg/m3 (Silica)	IN OEL
Progesterone	57-83-0	TWA	6 µg/m3 (OEB 4)	Internal
		Wipe limit	60 µg/100 cm2	Internal

### Engineering measures

- Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type

- Self-contained breathing apparatus

Hand protection

Material

- Chemical-resistant gloves

Remarks

- Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

- Wear the following personal protective equipment:  
Safety glasses

Skin and body protection

- Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures

- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : light green

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
8.0 14.04.2025 2190085-00016 Date of first issue: 15.11.2017

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	1.1 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classifi
Molecular weight	:	Not applicable
Particle characteristics		
Particle size	:	Not applicable

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Quartz:

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

##### Silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

##### Progesterone:

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

##### Bis(alpha,alpha-dimethylbenzyl) peroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 0.224 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

||| Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Quartz:

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

##### Silicon dioxide:

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### Progesterone:

||| Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

##### Bis(alpha,alpha-dimethylbenzyl) peroxide:

||| Result : Skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Quartz:

||| Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
Remarks : Based on data from similar materials

##### Silicon dioxide:

||| Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

##### Progesterone:

||| Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

||| Remarks : Based on data from similar materials

### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

||| Species : Rabbit  
||| Method : OECD Test Guideline 405  
||| Result : Irritation to eyes, reversing within 7 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **Progesterone:**

||| Test Type : Maximisation Test  
||| Exposure routes : Skin contact  
||| Species : Rabbit  
||| Method : OECD Test Guideline 406  
||| Result : negative  
||| Remarks : Based on data from similar materials

##### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

||| Test Type : Local lymph node assay (LLNA)  
||| Exposure routes : Skin contact  
||| Species : Mouse  
||| Method : OECD Test Guideline 429  
||| Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **Silicon dioxide:**

||| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

||| Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **Progesterone:**

||| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Method: OECD Test Guideline 482

Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Monkey  
Application Route: Subcutaneous  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Bis(alpha,alpha-dimethylbenzyl) peroxide:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

### Carcinogenicity

May cause cancer by inhalation.  
Suspected of causing cancer.

### Components:

#### Quartz:

Species : Humans  
Application Route : inhalation (dust/mist/fume)  
Result : positive

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

#### Silicon dioxide:

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

#### Progesterone:

Species : Mouse, female  
Application Route : Subcutaneous  
Exposure time : 104 weeks

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Reproductive toxicity

May damage fertility. May damage the unborn child.  
May cause harm to breast-fed children.

### Components:

#### **Silicon dioxide:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Progesterone:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Subcutaneous  
Result: positive

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Subcutaneous  
Result: positive

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies., Clear evidence of adverse effects on development, based on animal experiments., Studies indicating a hazard to babies during the lactation period

#### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

### Components:

#### **Quartz:**

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Lungs
Assessment	:	Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

#### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Exposure routes	:	Ingestion
Assessment	:	No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### **Repeated dose toxicity**

### Components:

#### **Quartz:**

Species	:	Humans
NOAEL	:	0.053 mg/m <sup>3</sup>
Application Route	:	Inhalation

#### **Silicon dioxide:**

Species	:	Rat
NOAEL	:	1.3 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks

#### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Species	:	Rat
NOAEL	:	60 mg/kg
LOAEL	:	200 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 407

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### Components:

#### **Progesterone:**

General Information	:	Target Organs: Endocrine system Symptoms: Effects on fertility
---------------------	---	---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

###### Quartz:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 508 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 731 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

###### Silicon dioxide:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 ( Desmodesmus subspicatus (green algae)): > 10,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	: NOEC ( Desmodesmus subspicatus (green algae)): 10,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

###### Progesterone:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC: 0.000010 mg/l Exposure time: 21 d Species: Pimephales promelas (fathead minnow)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.1 mg/l Exposure time: 26 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1,000

### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.397 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 20 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	: NOEC ( Pseudokirchneriella subcapitata (green algae)): 8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: NOEC: > 1,000 mg/l Exposure time: 30 min Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.177 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

### **Persistence and degradability**

#### **Components:**

##### **Progesterone:**

Biodegradability	: Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---

##### **Bis(alpha,alpha-dimethylbenzyl) peroxide:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 20.2 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

### **Bioaccumulative potential**

#### **Components:**

##### **Progesterone:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

Partition coefficient: n-octanol/water : Pow: 3.65  
Method: OECD Test Guideline 117

### Bis(alpha,alpha-dimethylbenzyl) peroxide:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 137 - 1,470  
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 5.6

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Progesterone)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2190085-00016      Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Progesterone)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 14.04.2025

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.  
  
ACGIH / TWA : 8-hour, time-weighted average  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Progesterone Formulation (Veterinary)

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2190085-00016

Date of last issue: 28.09.2024  
Date of first issue: 15.11.2017

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN