

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Serious eye damage/eye irritation : Category 2B

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - single exposure : Category 2 (Nervous system, Heart)

Specific target organ toxicity - repeated exposure : Category 1 (Kidney, inner ear)

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract)

Short-term (acute) aquatic hazard : Category 1

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H360D May damage the unborn child.
H371 May cause damage to organs (Nervous system, Heart).
H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.
H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ at-

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 12.0 Revision Date: 2025/04/14 SDS Number: 2449558-00026 Date of last issue: 2024/09/28 Date of first issue: 2018/02/13

tention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 3 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Benzylpenicillin	61-33-6	>= 10 - < 20	-
Streptomycin sulphate	3810-74-0	>= 10 - < 20	-
Procaine hydrochloride	51-05-8	>= 1 - < 10	-
Piroxicam	36322-90-4	>= 1 - < 3	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

In case of eye contact	<p>Wash clothing before reuse.</p> <p>Thoroughly clean shoes before reuse.</p> <p>: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</p> <p>If easy to do, remove contact lens, if worn.</p> <p>Get medical attention.</p>
If swallowed	<p>: If swallowed, DO NOT induce vomiting.</p> <p>Get medical attention.</p> <p>Rinse mouth thoroughly with water.</p> <p>Never give anything by mouth to an unconscious person.</p>
Most important symptoms and effects, both acute and delayed	<p>: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).</p> <p>May cause an allergic skin reaction.</p> <p>Causes eye irritation.</p> <p>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>May damage the unborn child.</p> <p>May cause damage to organs.</p> <p>Causes damage to organs through prolonged or repeated exposure.</p>
Protection of first-aiders	<p>: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	<p>: Treat symptomatically and supportively.</p>

5. FIREFIGHTING MEASURES

Suitable extinguishing media	<p>: Water spray</p> <p>Alcohol-resistant foam</p> <p>Carbon dioxide (CO₂)</p> <p>Dry chemical</p>
Unsuitable extinguishing media	<p>: None known.</p>
Specific hazards during fire-fighting	<p>: Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	<p>: Carbon oxides</p> <p>Nitrogen oxides (NO_x)</p> <p>Sulphur oxides</p> <p>Oxides of phosphorus</p> <p>Metal oxides</p>
Specific extinguishing methods	<p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p> <p>Use water spray to cool unopened containers.</p> <p>Remove undamaged containers from fire area if it is safe to do so.</p>

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 12.0 Revision Date: 2025/04/14 SDS Number: 2449558-00026 Date of last issue: 2024/09/28 Date of first issue: 2018/02/13

Avoidance of contact Hygiene measures	<p>sessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p> <p>: Oxidizing agents : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
Storage	
Conditions for safe storage	<p>: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types: Strong oxidizing agents</p>
Packaging material	<p>: Unsuitable material: None known.</p>

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Benzylpenicillin	61-33-6	TWA	600 µg/m ³ (OEB 2)	Internal
	Further information: RSEN, DSEN			
Streptomycin sulphate	3810-74-0	Wipe limit TWA	100 µg/100 cm ² OEB 2 (>= 100 < 1,000 µg/m ³)	Internal
	Further information: DSEN			

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid FormulationVersion
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Procaine hydrochloride	51-05-8	TWA	60 µg/m ³ (OEB 3)	Internal
		Wipe limit	600 µg/100 cm ²	Internal
Piroxicam	36322-90-4	TWA	100 µg/m ³ (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	--

Components:**Benzylpenicillin:**

Acute oral toxicity	: LD50 (Rat): 8,000 mg/kg LD50 (Mouse): > 5,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 3,500 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 329 mg/kg Application Route: Intravenous

Streptomycin sulphate:

Acute oral toxicity	: LD50 (Hamster): 400 mg/kg LD50 (Rat): 430 mg/kg LD50 (Mouse): 25,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 85 - 111 mg/kg Application Route: Intravenous LD50 (Mouse): 575 - 610 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 500 - 600 mg/kg

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Application Route: Subcutaneous

TDLo (Dog): 220 - 440 mg/kg
Application Route: Intravenous
Symptoms: Lowered blood pressureLDLo (Monkey): 110 mg/kg
Application Route: IntravenousTDLo (Monkey): 30 - 70 mg/kg
Application Route: Subcutaneous
Symptoms: respiratory depression**Procaine hydrochloride:**

Acute oral toxicity	: LD50 (Rat): 200 mg/kg
	LD50 (Mouse): 350 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 43 mg/kg Application Route: Intravenous
	LD50 (Mouse): 33 mg/kg Application Route: Intravenous
	LD50 (Dog): 33 mg/kg Application Route: Intravenous

Piroxicam:

Acute oral toxicity	: LD50 (Rat): 216 mg/kg
	LD50 (Dog): 108 mg/kg
	LD50 (Hamster): 170 mg/kg
	LD50 (Guinea pig): 388 mg/kg
	LD50 (Monkey): 1,000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes eye irritation.

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13**Components:****Streptomycin sulphate:**

Result	: Mild eye irritation
--------	-----------------------

Procaine hydrochloride:

Result	: Moderate eye irritation
--------	---------------------------

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Benzylpenicillin:**

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Dermal
Species	: Mouse
Result	: Weak sensitizer
Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: positive
Remarks	: Based on data from similar materials
Result	: Strong sensitizer
Remarks	: Based on human experience.

Streptomycin sulphate:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Dermal
Species	: Humans
Result	: Weak sensitizer

Procaine hydrochloride:

Exposure routes	: Dermal
Result	: Sensitiser
Remarks	: Based on human experience. Based on data from similar materials

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid FormulationVersion
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13**Germ cell mutagenicity**

Not classified based on available information.

Components:**Benzylpenicillin:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Streptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
Cell type: Human lymphocytes
Result: negative

Procaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: equivocal

Piroxicam:

Genotoxicity in vivo : Test Type: sister chromatid exchange assay
Species: Humans
Cell type: Human lymphocytes
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Streptomycin sulphate:**

Species : Rat
Application Route : Oral
NOAEL : 5 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

May damage the unborn child.

Components:**Benzylpenicillin:**

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**

Version 12.0 Revision Date: 2025/04/14 SDS Number: 2449558-00026 Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Effects on fertility	: Test Type: Fertility Species: Mouse Result: No effects on fertility
	: Test Type: Fertility Species: Rat Result: No effects on fertility
	: Test Type: Fertility Species: Rabbit Result: No effects on fertility
Effects on foetal development	: Test Type: Development Species: Mouse Result: No effects on foetal development
	: Test Type: Development Species: Rat Result: No effects on foetal development
	: Test Type: Development Species: Rabbit Result: No effects on foetal development
Streptomycin sulphate:	
Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Intraperitoneal Fertility: LOAEL: 40 mg/kg body weight Symptoms: male reproductive effects
	: Test Type: Development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 250 mg/kg body weight Symptoms: fetal deafness, Embryo-foetal toxicity
	: Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects
Reproductive toxicity - Assessment	: May damage the unborn child.
Procaine hydrochloride:	
Reproductive toxicity - Assessment	: May damage the unborn child.

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Piroxicam:

Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects, Fetal growth retardation
	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 30 mg/kg body weight Symptoms: foetal mortality Result: Embryo-foetal toxicity, No teratogenic effects, Fetal growth retardation Remarks: Maternal toxicity observed.
	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 0.4 - 4 mg/kg body weight Result: Effects on foetal development
	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No embryo-foetal toxicity
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.

STOT - single exposure

May cause damage to organs (Nervous system, Heart).

Components:

Procaine hydrochloride:

Target Organs	: Nervous system, Heart
Assessment	: Causes damage to organs.

STOT - repeated exposure

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.
May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.

Components:

Streptomycin sulphate:

Target Organs	: Kidney, inner ear
Assessment	: Causes damage to organs through prolonged or repeated

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

II

exposure.

Piroxicam:

Target Organs
Assessment

: Gastrointestinal tract
: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Streptomycin sulphate:

Species
NOAEL

: Rat
: 100 mg/kg

Application Route

: Subcutaneous

Exposure time

: 72 Days

Remarks

: No significant adverse effects were reported

Species
LOAEL

: Cat
: 200 mg/kg

Application Route

: Oral

Exposure time

: 90 Days

Target Organs

: inner ear

Species
LOAEL

: Dog
: 44 mg/kg

Application Route

: Intramuscular

Exposure time

: 14 Days

Target Organs

: inner ear

Species
LOAEL

: Dog
: 50 - 100 mg/kg

Application Route

: Intramuscular

Exposure time

: 20 Days

Target Organs

: inner ear, Kidney

Symptoms

: ataxia

Species
NOAEL

: Monkey
: 50 mg/kg

LOAEL

: 100 mg/kg

Application Route

: Intramuscular

Exposure time

: 5 Days

Target Organs

: Liver, Kidney

Species
NOAEL

: Rat
: 5 mg/kg

Application Route

: Oral

Exposure time

: 2 yr

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13**Remarks** : No significant adverse effects were reported

Species	: Monkey
LOAEL	: 25 mg/kg
Application Route	: Subcutaneous
Exposure time	: 66 Days
Target Organs	: Blood, Liver, Kidney
Symptoms	: anemia

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Benzylpenicillin:**

Inhalation	: Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash
-------------------	---

Streptomycin sulphate:

Inhalation	: Target Organs: inner ear Symptoms: hearing loss
	: Target Organs: Kidney Symptoms: hearing loss
Skin contact	: Symptoms: skin rash

Procaine hydrochloride:

Inhalation	: Target Organs: Central nervous system Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat Remarks: May cause harm to the unborn child. Based on clinical use Target Organs: Heart Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat Remarks: May cause harm to the unborn child. Based on clinical use
-------------------	---

Piroxicam:

Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Diarrhoea, constipation, flatulence, Headache, Dizziness, tinnitus, skin rash, Ulceration, chest pain, Abdominal pain
------------------	--

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

||

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Benzylpenicillin:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 hrs Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201
	NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201
	EC50 (blue-green algae): 0.74 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201
	NOEC (blue-green algae): 0.14 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 500 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC: 5 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Streptomycin sulphate:

	Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 487 mg/l
--	-------------------------------	---

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l Exposure time: 72 h Method: ISO 8692
	EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 32 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 100

Procaine hydrochloride:**Ecotoxicology Assessment**

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded

Piroxicam:**Ecotoxicology Assessment**

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded

Persistence and degradability**Components:****Benzylpenicillin:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 70.10 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

Bioaccumulative potential**Components:****Streptomycin sulphate:**

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**

Version 12.0 Revision Date: 2025/04/14 SDS Number: 2449558-00026 Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Partition coefficient: n-octanol/water : log Pow: -3.2

Procaine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 2.14

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzylpenicillin, Streptomycin sulphate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Benzylpenicillin, Streptomycin sulphate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 12.0 Revision Date: 2025/04/14 SDS Number: 2449558-00026 Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzylpenicillin, Streptomycin sulphate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

**Benzylpenicillin / Streptomycin Sulphate /
Procaine Hydrochloride / Piroxicam Liquid
Formulation**Version
12.0Revision Date:
2025/04/14SDS Number:
2449558-00026Date of last issue: 2024/09/28
Date of first issue: 2018/02/13**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance
Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)
Not applicable
Specific Narcotic or Psychotropic Raw Material (Export / Import permission)
Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

SAFETY DATA SHEET



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version
12.0

Revision Date:
2025/04/14

SDS Number:
2449558-00026

Date of last issue: 2024/09/28
Date of first issue: 2018/02/13

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN