

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (5%) Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Central nervous system, Immune system)  
Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Central nervous system)  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 2333287-00020	Date of last issue: 06.07.2024 Date of first issue: 12.12.2017
----------------	------------------------------	------------------------------	---

Hazard Statements	: H226 Flammable liquid and vapor. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed. H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
Precautionary Statements	: <b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P331 Do NOT induce vomiting. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. <b>Storage:</b> P405 Store locked up. <b>Disposal:</b>

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 2333287-00020	Date of last issue: 06.07.2024 Date of first issue: 12.12.2017
----------------	------------------------------	------------------------------	---

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C9, aromatics	Not Assigned	>= 30 -< 50
2-Methoxy-1-methylethyl acetate	108-65-6	>= 20 -< 30
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 5 -< 10
2-Methyl-1-propanol	78-83-1	>= 5 -< 10
Deltamethrin (ISO)	52918-63-5	>= 5 -< 10

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air. Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 2333287-00020	Date of last issue: 06.07.2024 Date of first issue: 12.12.2017
----------------	------------------------------	------------------------------	---

Protection of first-aiders	: May cause drowsiness or dizziness. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Causes damage to organs through prolonged or repeated exposure if inhaled.
Notes to physician	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Bromine compounds Sulfur oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

**Deltamethrin (5%) Formulation**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 2333287-00020	Date of last issue: 06.07.2024 Date of first issue: 12.12.2017
----------------	------------------------------	------------------------------	---

oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up :

- Non-sparking tools should be used.
- Soak up with inert absorbent material.
- Suppress (knock down) gases/vapors/mists with a water spray jet.
- For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
- Clean up remaining materials from spill with suitable absorbent.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures :

- See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation :

- If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling :

- Do not get on skin or clothing.
- Do not breathe mist or vapors.
- Do not swallow.
- Do not get in eyes.
- Wash skin thoroughly after handling.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Non-sparking tools should be used.
- Keep container tightly closed.
- Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Take precautionary measures against static discharges.
- Do not eat, drink or smoke when using this product.
- Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures :

- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-Methyl-1-propanol	78-83-1	VLE-PPT	50 ppm	NOM-010- STPS-2014
		TWA	50 ppm	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapor type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: 3 - 5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 45 - 51 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.963 - 0.967 g/cm<sup>3</sup>

Solubility(ies)

    Water solubility : completely miscible

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

    Particle size : Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapor.  
Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**Deltamethrin (5%) Formulation**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,108 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****Hydrocarbons, C9, aromatics:**

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.193 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**2-Methoxy-1-methylethyl acetate:**

Acute oral toxicity : LD50 (Rat, female): 5,155 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 9.34 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

**Deltamethrin (5%) Formulation**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**2-Methyl-1-propanol:**

Acute oral toxicity : LD50 (Rat, female): 3,350 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 18.18 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit, female): 2,460 mg/kg  
Method: OECD Test Guideline 402

**Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Hydrocarbons, C9, aromatics:**

Assessment : Repeated exposure may cause skin dryness or cracking.

**2-Methoxy-1-methylethyl acetate:**

Species : Rabbit  
Result : No skin irritation

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0

Revision Date: 14.04.2025

SDS Number: 2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

### 2-Methyl-1-propanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Hydrocarbons, C9, aromatics:

Species	:	Rabbit
Result	:	No eye irritation

#### 2-Methoxy-1-methylethyl acetate:

Species	:	Rabbit
Result	:	No eye irritation

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

#### 2-Methyl-1-propanol:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

#### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Hydrocarbons, C9, aromatics:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### 2-Methoxy-1-methylethyl acetate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Test Type	:	Magnusson-Kligman-Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Remarks	:	Based on data from similar materials

### 2-Methyl-1-propanol:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Deltamethrin (ISO):

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	negative
Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Dermal
Species	:	Humans
Result	:	positive

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Hydrocarbons, C9, aromatics:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapor) Result: negative

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

### 2-Methoxy-1-methylethyl acetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex V, B.13/14. Result: negative Remarks: Based on data from similar materials
-----------------------	--

### 2-Methyl-1-propanol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

### Deltamethrin (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA Repair Test system: Escherichia coli Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2-Methoxy-1-methylethyl acetate:

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	Based on data from similar materials

#### Deltamethrin (ISO):

Species	:	Mouse, male and female
Application Route	:	oral (feed)
Exposure time	:	104 weeks
NOAEL	:	8 mg/kg body weight
LOAEL	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Lymph nodes

Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative

Species	:	Dog, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	1 mg/kg body weight
Result	:	negative

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### Hydrocarbons, C9, aromatics:

**Deltamethrin (5%) Formulation**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 2333287-00020	Date of last issue: 06.07.2024 Date of first issue: 12.12.2017
----------------	------------------------------	------------------------------	---

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: inhalation (vapor) Result: negative

**2-Methoxy-1-methylethyl acetate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Result: negative

**2-Methyl-1-propanol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Method: OPPTS 870.3800 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 414 Result: negative

**Deltamethrin (ISO):**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility., Embryo-fetal toxicity. Remarks: Significant toxicity observed in testing
	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility., Embryo-fetal toxicity.
	: Test Type: Fertility

**Deltamethrin (5%) Formulation**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility.  
Target Organs: Testes

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on fetal development.

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**STOT-single exposure**

May cause respiratory irritation.  
May cause drowsiness or dizziness.

**Components:****Hydrocarbons, C9, aromatics:**

Assessment : May cause drowsiness or dizziness.  
Assessment : May cause respiratory irritation.

**2-Methoxy-1-methylethyl acetate:**

Assessment : May cause drowsiness or dizziness.

**2-Methyl-1-propanol:**

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

**Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

**Deltamethrin (5%) Formulation**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

**Components:****Deltamethrin (ISO):**

Routes of exposure	:	Ingestion
Target Organs	:	Central nervous system, Immune system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.
Routes of exposure	:	inhalation (dust/mist/fume)
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Hydrocarbons, C9, aromatics:**

Species	:	Rat, female
NOAEL	:	900 mg/m <sup>3</sup>
Application Route	:	inhalation (vapor)
Exposure time	:	12 Months
Remarks	:	Based on data from similar materials

**2-Methoxy-1-methylethyl acetate:**

Species	:	Rat
NOAEL	:	>= 1,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	41 - 45 Days
Method	:	OECD Test Guideline 422

Species	:	Rat
NOAEL	:	> 1 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	2 y
Method	:	OECD Test Guideline 453
Remarks	:	Based on data from similar materials

Species	:	Rabbit
NOAEL	:	> 200 mg/kg
Application Route	:	Skin contact
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

**2-Methyl-1-propanol:**

Species	:	Rat
NOAEL	:	> 1,450 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

Species	:	Rat
NOAEL	:	>= 7.5 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	17 Weeks

### Deltamethrin (ISO):

Species	:	Rat, male and female
NOAEL	:	1 mg/kg
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	hyperexcitability

Species	:	Rat
LOAEL	:	3 mg/m3
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system

Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

### Components:

#### **Hydrocarbons, C9, aromatics:**

||| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **2-Methyl-1-propanol:**

||| The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### **Experience with human exposure**

### Components:

#### **Deltamethrin (ISO):**

Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

#### **Hydrocarbons, C9, aromatics:**

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  NOELR (Pseudokirchneriella subcapitata (green algae)): 0.22 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 99 mg/l Exposure time: 10 min

**Deltamethrin (5%) Formulation**Version  
8.0Revision Date:  
14.04.2025SDS Number:  
2333287-00020Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

II

**2-Methoxy-1-methylethyl acetate:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 - 180 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
	NOEC (Raphidocelis subcapitata (freshwater green alga)): >= 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): >= 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC10 (activated sludge): > 1,000 mg/l Exposure time: 30 min

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Toxicity to fish	: LC50 : > 1 - < 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
	NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 72 d Remarks: Based on data from similar materials
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): > 1 mg/l

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2333287-00020 Date of last issue: 06.07.2024 Date of first issue: 12.12.2017

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d  
Remarks: Based on data from similar materials

### 2-Methyl-1-propanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 117 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 16 h

### Deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d

**Deltamethrin (5%) Formulation**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d

**Persistence and degradability****Components:****Hydrocarbons, C9, aromatics:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**2-Methoxy-1-methylethyl acetate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**2-Methyl-1-propanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

**Bioaccumulative potential****Components:****Hydrocarbons, C9, aromatics:**

Partition coefficient: n-octanol/water : log Pow: 3.7 - 4.5

**2-Methoxy-1-methylethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 1.2

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Partition coefficient: n- : log Pow: 2.89

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 2333287-00020 Date of last issue: 06.07.2024 Date of first issue: 12.12.2017

---

||| octanol/water

### 2-Methyl-1-propanol:

||| Partition coefficient: n-octanol/water : log Pow: 1  
Method: OECD Test Guideline 117

### Deltamethrin (ISO):

||| Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

||| Partition coefficient: n-octanol/water : log Pow: 4.6

### Mobility in soil

### Components:

### Deltamethrin (ISO):

||| Distribution among environmental compartments : log Koc: 7.2

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)

Class : 3

Packing group : III

Labels : 3

Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version 8.0      Revision Date: 14.04.2025      SDS Number: 2333287-00020      Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

(Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)

Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate, Deltamethrin (ISO))  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)  
Class : 3  
Packing group : III  
Labels : 3

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

### SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
2333287-00020

Date of last issue: 06.07.2024  
Date of first issue: 12.12.2017

---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8