

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Section 1: Identification

Product name : Deltamethrin (5%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Central nervous system)

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Aspiration hazard : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protec-

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

tion/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C9, aromatics	Not Assigned	>= 30 -< 50
2-Methoxy-1-methylethyl acetate	108-65-6	>= 20 -< 30
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 3 -< 10
2-Methyl-1-propanol	78-83-1	>= 3 -< 10
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 10

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure if inhaled.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
11.0	14.04.2025	2333311-00021	06.07.2024
			Date of first issue: 12.12.2017

Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Bromine compounds
Sulphur oxides
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : 3Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Section 7: Handling and storage

- | | | |
|-----------------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition. |
| Materials to avoid | : | Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases |

Deltamethrin (5%) Formulation

Version 11.0 Revision Date: 14.04.2025 SDS Number: 2333311-00021 Date of last issue: 06.07.2024
 Date of first issue: 12.12.2017

Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Poisonous gases
 Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C9, aromatics	Not Assigned	WES-TWA	300 ppm 890 mg/m ³	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m ³	NZ OEL
2-Methyl-1-propanol	78-83-1	WES-TWA	50 ppm 152 mg/m ³	NZ OEL
		TWA	50 ppm	ACGIH
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: 3 - 5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 45 - 51 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.963 - 0.967 g/cm ³
Solubility(ies)	

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,334 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
11.0	14.04.2025	2333311-00021	06.07.2024
			Date of first issue: 12.12.2017

Method: Calculation method

Components:**Hydrocarbons, C9, aromatics:**

Acute oral toxicity	: LD50 (Rat, female): 3,492 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 6.193 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

2-Methoxy-1-methylethyl acetate:

Acute oral toxicity	: LD50 (Rat, female): 5,155 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 9.34 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Acute oral toxicity	: LD50 (Rat): 4,445 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

2-Methyl-1-propanol:

Acute oral toxicity	: LD50 (Rat, female): 3,350 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 18.18 mg/l Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit, female): 2,460 mg/kg Method: OECD Test Guideline 402

deltamethrin (ISO):

Acute oral toxicity	: LD50 (Rat): 66.7 mg/kg
---------------------	--------------------------

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

	LD50 (Rat): 9 - 139 mg/kg
	LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 2,000 mg/kg LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 2.5 mg/kg Application Route: Intravenous LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

Components:**Hydrocarbons, C9, aromatics:**

Assessment	: Repeated exposure may cause skin dryness or cracking.
------------	---

2-Methoxy-1-methylethyl acetate:

Species	: Rabbit
Result	: No skin irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

2-Methyl-1-propanol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

deltamethrin (ISO):

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Components:**Hydrocarbons, C9, aromatics:**

Species	: Rabbit
Result	: No eye irritation

2-Methoxy-1-methylethyl acetate:

Species	: Rabbit
Result	: No eye irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

2-Methyl-1-propanol:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

deltamethrin (ISO):

Species	: Rabbit
Result	: Moderate eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Hydrocarbons, C9, aromatics:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

2-Methoxy-1-methylethyl acetate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Remarks	: Based on data from similar materials

2-Methyl-1-propanol:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

deltamethrin (ISO):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: negative

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Dermal
Species	: Humans
Result	: positive

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Hydrocarbons, C9, aromatics:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapour) Result: negative

2-Methoxy-1-methylethyl acetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	: Test Type: Chromosome aberration test in vitro Result: negative

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative
Remarks: Based on data from similar materials

2-Methyl-1-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: in vitro micronucleus test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Concentration: LOAEL: 20 mg/kg
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: dominant lethal test

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Species: Mouse
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**2-Methoxy-1-methylethyl acetate:**

Species	: Rat
Application Route	: inhalation (vapour)
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

deltamethrin (ISO):

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 104 weeks
NOAEL	: 8 mg/kg body weight
LOAEL	: 4 mg/kg body weight
Result	: positive
Target Organs	: Lymph nodes

Species	: Rat, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative

Species	: Dog, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
NOAEL	: 1 mg/kg body weight
Result	: negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**Hydrocarbons, C9, aromatics:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study
	Species: Rat

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
11.0	14.04.2025	2333311-00021	06.07.2024
			Date of first issue: 12.12.2017

	Application Route: inhalation (vapour)
	Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Mouse
	Application Route: inhalation (vapour)
	Result: negative

2-Methoxy-1-methylethyl acetate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OECD Test Guideline 416
	Result: negative
	Remarks: Based on data from similar materials

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative

2-Methyl-1-propanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OPPTS 870.3800
	Result: negative

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OECD Test Guideline 414
	Result: negative

deltamethrin (ISO):

Effects on fertility	: Test Type: Three-generation reproduction toxicity study
	Species: Rat
	Application Route: oral (feed)
	Early Embryonic Development: NOAEL: 50 mg/kg body weight
	Symptoms: No effects on fertility, Embryo-foetal toxicity
	Remarks: Significant toxicity observed in testing
	Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Oral
	Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
	Symptoms: No effects on fertility, Embryo-foetal toxicity

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 1 mg/kg body weight Symptoms: Effects on fertility Target Organs: Testes
Effects on foetal development	: Test Type: Development Species: Mouse Application Route: oral (gavage) Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Skeletal malformations Remarks: Maternal toxicity observed. Test Type: Development Species: Rat, female Developmental Toxicity: NOAEL: 10 mg/kg body weight Symptoms: No effects on foetal development Test Type: Development Species: Rabbit, female Application Route: oral (gavage) Developmental Toxicity: NOAEL: 16 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT - single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.

Components:**Hydrocarbons, C9, aromatics:**

|| Assessment : May cause drowsiness or dizziness.

|| Assessment : May cause respiratory irritation.

2-Methoxy-1-methylethyl acetate:

|| Assessment : May cause drowsiness or dizziness.

2-Methyl-1-propanol:

|| Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

deltamethrin (ISO):

|| Assessment : May cause respiratory irritation.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Components:**deltamethrin (ISO):**

Exposure routes	: Ingestion
Target Organs	: Central nervous system, Immune system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Hydrocarbons, C9, aromatics:**

Species	: Rat, female
NOAEL	: 900 mg/m3
Application Route	: inhalation (vapour)
Exposure time	: 12 Months
Remarks	: Based on data from similar materials

2-Methoxy-1-methylethyl acetate:

Species	: Rat
NOAEL	: >= 1,000 mg/kg
Application Route	: Ingestion
Exposure time	: 41 - 45 Days
Method	: OECD Test Guideline 422

Species	: Rat
NOAEL	: > 1 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 2 yr
Method	: OECD Test Guideline 453
Remarks	: Based on data from similar materials

Species	: Rabbit
NOAEL	: > 200 mg/kg
Application Route	: Skin contact
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

2-Methyl-1-propanol:

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Species	: Rat
NOAEL	: > 1,450 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Species	: Rat
NOAEL	: >= 7.5 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 17 Weeks

deltamethrin (ISO):

Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: hyperexcitability

Species	: Rat
LOAEL	: 3 mg/m ³
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 wk / 5 d/wk / 6 h/d
Symptoms	: Local irritation, respiratory tract irritation

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species	: Rat
NOAEL	: 14 mg/kg
LOAEL	: 54 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Target Organs	: Nervous system

Species	: Mouse
LOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 12 Weeks
Target Organs	: Immune system
Symptoms	: immune system effects

Aspiration toxicity

May be fatal if swallowed and enters airways.

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:**Hydrocarbons, C9, aromatics:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****deltamethrin (ISO):**

Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

Section 12: Ecological information**Ecotoxicity****Components:****Hydrocarbons, C9, aromatics:**

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 3.2 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

	NOELR (Pseudokirchneriella subcapitata (green algae)): 0.22 mg/l
	Exposure time: 72 h
	Test substance: Water Accommodated Fraction
	Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 99 mg/l
	Exposure time: 10 min

2-Methoxy-1-methylethyl acetate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 - 180 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l
	Exposure time: 48 h
	Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1,000 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 201
	NOEC (Raphidocelis subcapitata (freshwater green alga)): >= 1,000 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): >= 100 mg/l
	Exposure time: 21 d
	Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC10 (activated sludge): > 1,000 mg/l
	Exposure time: 30 min

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Toxicity to fish	: LC50 : > 1 - < 10 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202
	Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l
	Exposure time: 96 h
	Remarks: Based on data from similar materials

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
11.0	14.04.2025	2333311-00021	06.07.2024
			Date of first issue: 12.12.2017

	NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 72 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

2-Methyl-1-propanol:

Toxicity to fish	: LC50 (<i>Pimephales promelas</i> (fathead minnow)): 1,430 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia pulex</i> (Water flea)): 1,100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 1,799 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 117 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 20 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 16 h

deltamethrin (ISO):

Toxicity to fish	: LC50 (<i>Cyprinodon variegatus</i> (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h
	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Mysidopsis bahia</i> (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h
	EC50 (<i>Daphnia magna</i> (Water flea)): 0.0035 mg/l Exposure time: 48 h
	LC50 (<i>Gammarus fasciatus</i> (freshwater shrimp)): 0.0003 µg/l

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

	Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	: 1,000,000
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l Exposure time: 36 d NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l Exposure time: 260 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0041 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1,000,000

Persistence and degradability**Components:****Hydrocarbons, C9, aromatics:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

2-Methoxy-1-methylethyl acetate:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 83 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

2-Methyl-1-propanol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 74 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

II**deltamethrin (ISO):****Stability in water** : Hydrolysis: 0 %(30 d)**Bioaccumulative potential****Components:****Hydrocarbons, C9, aromatics:****Partition coefficient: n-octanol/water** : log Pow: 3.7 - 4.5**2-Methoxy-1-methylethyl acetate:****Partition coefficient: n-octanol/water** : log Pow: 1.2**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:****Partition coefficient: n-octanol/water** : log Pow: 2.89**2-Methyl-1-propanol:****Partition coefficient: n-octanol/water** : log Pow: 1
Method: OECD Test Guideline 117**deltamethrin (ISO):****Bioaccumulation** : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,800**Partition coefficient: n-octanol/water** : log Pow: 4.6**Mobility in soil****Components:****deltamethrin (ISO):****Distribution among environmental compartments** : log Koc: 7.2**Other adverse effects**

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex-

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)
Class	: 3
Packing group	: III
Labels	: 3
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: UN 1993
Proper shipping name	: Flammable liquid, n.o.s. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate, deltamethrin (ISO))
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)
Class	: 3
Packing group	: III

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

Labels : 3
Hazchem Code : 3Y
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Chemical name	Environmental compartment	Reference concentration
deltamethrin	Water	0.0004 µg/l

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
11.0	14.04.2025	2333311-00021	Date of first issue: 12.12.2017

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN