

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024 Date of first issue: 29.03.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Deltamethrin (2.5%) Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|--|--|
| Flammable liquids, Category 3 | H226: Flammable liquid and vapour. |
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Germ cell mutagenicity, Category 1B | H340: May cause genetic defects. |
| Carcinogenicity, Category 1B | H350: May cause cancer. |
| Reproductive toxicity, Category 2 | H361: Suspected of damaging fertility or the unborn child. |
| Specific target organ toxicity - single exposure, Category 3 | H336: May cause drowsiness or dizziness. |
| Specific target organ toxicity - repeated exposure, Category 2 | H373: May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard, Category 1 | H304: May be fatal if swallowed and enters airways. |
| Short-term (acute) aquatic hazard, Cate- | H400: Very toxic to aquatic life. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

gory 1

Long-term (chronic) aquatic hazard, Category 1

Endocrine disruptor for environment, Category 1

H410: Very toxic to aquatic life with long lasting effects.

EUH430: May cause endocrine disruption in the environment

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

| | | |
|--------------------------|---|---|
| Hazard pictograms | : |      |
| Signal word | : | Danger |
| Hazard statements | : | H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H350 May cause cancer. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. EUH430 May cause endocrine disruption in the environment |
| Precautionary statements | : | Prevention: P201 Obtain special instructions before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P391 Collect spillage. |

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), light aromatic

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

4-Nonylphenol, branched, ethoxylated

deltamethrin (ISO)

Restricted to professional users.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024 Date of first issue: 29.03.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).
Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|--|--------------------------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 265-199-0 649-356-00-4 | Flam. Liq. 3; H226 Skin Irrit. 2; H315 Muta. 1B; H340 Carc. 1B; H350 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 | >= 50 - < 70 |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Not Assigned 271-529-4 | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | >= 3 - < 10 |
| 4-Nonylphenol, branched, ethoxylated | 127087-87-0 | Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ED ENV 1; EUH430 | >= 3 - < 10 |
| deltamethrin (ISO) | 52918-63-5 | M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 Acute Tox. 3; H301 | >= 2,5 - < 3 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

| | | | |
|----------------------------|---------------------------|--|--------------|
| | 258-256-6 607-319-00-X | Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 204-881-4 | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | >= 1 - < 2,5 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

| | |
|-------------------------|---|
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. |
| If swallowed | : If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|-------|--|
| Risks | : This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
|------------------------------|--|

| | |
|--------------------------------|-------------------------|
| Unsuitable extinguishing media | : High volume water jet |
|--------------------------------|-------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Bromine compounds
Sulphur oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absor-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | |
|-------------------------|--|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

| | |
|---|---|
| Requirements for storage areas and containers | : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. |
|---|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures, which in contact with water, emit flammable gases
Explosives
Gases
Very acutely toxic substances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|------------|-------------------------------|---------------------------------|---------------------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | TWA | 25 ppm 120 mg/m ³ | FOR-2011-12-06-1358 |
| deltamethrin (ISO) | 52918-63-5 | TWA | 15 µg/m ³ (OEB 3) | Internal |
| Further information: DSEN, Skin | | | | |
| | | Wipe limit | 100 µg/100 cm ² | Internal |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|-----------|-----------------|----------------------------|------------------------|
| 2,6-Di-tert-butyl-p-cresol | Workers | Inhalation | Long-term systemic effects | 3,5 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 0,5 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0,86 mg/m ³ |
| | Consumers | Dermal | Long-term systemic effects | 0,25 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 0,25 mg/kg bw/day |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Workers | Skin contact | Long-term systemic effects | 1,7 mg/kg bw/day |
| | Consumers | Skin contact | Long-term systemic | 85 mg/kg |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

| | | | effects | bw/day |
|--------------------------------|-----------|--------------|----------------------------|-------------------|
| | Consumers | Ingestion | Long-term systemic effects | 89 mg/kg bw/day |
| Polyethylene glycol castor oil | Workers | Inhalation | Long-term systemic effects | 16,4 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 4,67 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 2,9 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 1,67 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 1,67 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value |
|---|-----------------------------|---------------------------------|
| 2,6-Di-tert-butyl-p-cresol | Fresh water | 0,199 µg/l |
| | Intermittent use/release | 0,02 µg/l |
| | Marine water | 0,02 µg/l |
| | Sewage treatment plant | 0,17 mg/l |
| | Fresh water sediment | 0,0996 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,00996 mg/kg dry weight (d.w.) |
| | Soil | 0,04769 mg/kg dry weight (d.w.) |
| | Oral (Secondary Poisoning) | 8,33 mg/kg food |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Fresh water | 0,023 mg/l |
| | Marine water | 0,002 mg/l |
| | Sewage treatment plant | 3 mg/l |
| | Fresh water sediment | 0,174 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,017 mg/kg dry weight (d.w.) |
| | Soil | 0,62 mg/kg dry weight (d.w.) |
| Polyethylene glycol castor oil | Fresh water | 0,000 mg/l |
| | Freshwater - intermittent | 0,0661 mg/l |
| | Marine water | 0,000 mg/l |
| | Marine water - intermittent | 0,00661 mg/l |
| | Fresh water sediment | 0,0129 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,00129 mg/kg dry weight (d.w.) |
| | Soil | 0,00258 mg/kg dry weight (d.w.) |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : < -5 °C

Initial boiling point and boiling range : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

Flammability (solid, gas) : Not applicable
Flammability (liquids) : Not applicable
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Flash point : 40 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available
pH : 4 - 5
Viscosity
Viscosity, kinematic : No data available
Solubility(ies)
Water solubility : partly miscible
Partition coefficient: n-octanol/water : Not applicable
Vapour pressure : No data available
Relative density : No data available
Density : 0,909 - 0,927 g/cm³ (20 °C)
Relative vapour density : No data available
Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.
Evaporation rate : No data available
Molecular weight : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

||| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Solvent naphtha (petroleum), light aromatic:

||| Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

||| Acute inhalation toxicity : LC50 (Rat): > 5,61 mg/l
Exposure time: 4 h
Test atmosphere: vapour

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

||| Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

||| Acute oral toxicity : LD50 (Rat): 4.445 mg/kg

||| Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

||| Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

deltamethrin (ISO):

||| Acute oral toxicity : LD50 (Rat): 66,7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

||| Acute inhalation toxicity : LC50 (Rat): 0,8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

||| Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg

LD50 (Rat): > 800 mg/kg

||| Acute toxicity (other routes of administration) : LD50 (Rat): 2,5 mg/kg
Application Route: Intravenous

LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

2,6-Di-tert-butyl-p-cresol:

||| Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg
Method: OECD Test Guideline 401

||| Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

||| Causes skin irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

||| Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Method : OECD Test Guideline 404
Result : Skin irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

4-Nonylphenol, branched, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

deltamethrin (ISO):

Species : Rabbit
Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

4-Nonylphenol, branched, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on data from similar materials

deltamethrin (ISO):

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 13.09.2024
6.0 14.04.2025 2656227-00018 Date of first issue: 29.03.2018

Result : Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

| | | |
|---------|---|--------------------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |
| Remarks | : | Based on data from similar materials |

Respiratory or skin sensitisation

Skin sensitisation

|| May cause an allergic skin reaction.

Respiratory sensitisation

|| Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

| | | |
|-----------------|---|--------------------------------------|
| Test Type | : | Magnusson-Kligman-Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Remarks | : | Based on data from similar materials |

4-Nonylphenol, branched, ethoxylated:

| | | |
|-----------------|---|--------------------------------------|
| Test Type | : | Maximisation Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

deltamethrin (ISO):

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : negative

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Dermal
Species : Humans
Result : positive

2,6-Di-tert-butyl-p-cresol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 13.09.2024
6.0 14.04.2025 2656227-00018 Date of first issue: 29.03.2018

| | | |
|-----------------|---|--|
| Test Type | : | Human repeat insult patch test (HRIPT) |
| Exposure routes | : | Skin contact |
| Species | : | Humans |
| Result | : | negative |

Germ cell mutagenicity

|| May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

| | |
|------------------------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Result: positive |
| Genotoxicity in vivo | : Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive |
| Germ cell mutagenicity- Assessment | : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative
Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials |
| | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials |
| | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials |

deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Concentration: LOAEL: 20 mg/kg
Result: positive

| | |
|----------------------|---|
| Genotoxicity in vivo | : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative |
| | : Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative |
| | : Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative |

2,6-Di-tert-butyl-p-cresol:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | : Test Type: Chromosome aberration test in vitro Result: negative |

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

|| May cause cancer.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Components:

Solvent naphtha (petroleum), light aromatic:

| | | |
|------------------------------|---|--|
| Species | : | Mouse |
| Application Route | : | Skin contact |
| Exposure time | : | 2 Years |
| Result | : | positive |
| Carcinogenicity - Assessment | : | Sufficient evidence of carcinogenicity in animal experiments |

deltamethrin (ISO):

| | | |
|-------------------|---|------------------------|
| Species | : | Mouse, male and female |
| Application Route | : | oral (feed) |
| Exposure time | : | 104 weeks |
| NOAEL | : | 8 mg/kg body weight |
| LOAEL | : | 4 mg/kg body weight |
| Result | : | positive |
| Target Organs | : | Lymph nodes |
| Species | : | Rat, male and female |
| Application Route | : | oral (feed) |
| Exposure time | : | 2 Years |
| Result | : | negative |
| Species | : | Dog, male and female |
| Application Route | : | oral (feed) |
| Exposure time | : | 2 Years |
| NOAEL | : | 1 mg/kg body weight |
| Result | : | negative |

2,6-Di-tert-butyl-p-cresol:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 22 Months |
| Result | : | negative |

Reproductive toxicity

■ Suspected of damaging fertility or the unborn child.

Components:

Solvent naphtha (petroleum), light aromatic:

| | | |
|-------------------------------|---|---|
| Effects on fertility | : | Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Result: negative

4-Nonylphenol, branched, ethoxylated:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
Early Embryonic Development: NOAEL: 50 mg/kg body weight
Symptoms: No effects on fertility, Embryo-foetal toxicity
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 1 mg/kg body weight
Symptoms: Effects on fertility
Target Organs: Testes

Effects on foetal development

: Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on foetal development

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)
Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

2,6-Di-tert-butyl-p-cresol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

| | |
|-------------------------------|---|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |

STOT - single exposure

| |
|------------------------------------|
| May cause drowsiness or dizziness. |
|------------------------------------|

Components:

Solvent naphtha (petroleum), light aromatic:

| | |
|------------|--------------------------------------|
| Assessment | : May cause drowsiness or dizziness. |
|------------|--------------------------------------|

deltamethrin (ISO):

| | |
|------------|-------------------------------------|
| Assessment | : May cause respiratory irritation. |
|------------|-------------------------------------|

STOT - repeated exposure

| |
|--|
| May cause damage to organs through prolonged or repeated exposure. |
|--|

Components:

deltamethrin (ISO):

| | |
|-----------------|---|
| Exposure routes | : Ingestion |
| Target Organs | : Central nervous system, Immune system |
| Assessment | : Causes damage to organs through prolonged or repeated exposure. |

| | |
|-----------------|---|
| Exposure routes | : inhalation (dust/mist/fume) |
| Target Organs | : Central nervous system |
| Assessment | : Causes damage to organs through prolonged or repeated exposure. |

2,6-Di-tert-butyl-p-cresol:

| | |
|------------|--|
| Assessment | : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. |
|------------|--|

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

| | |
|-------------------|-------------|
| Species | : Rat |
| LOAEL | : 500 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 28 Days |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

4-Nonylphenol, branched, ethoxylated:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| NOAEL | : | 150 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |
| Method | : | OPPTS 870.3100 |
| Remarks | : | Based on data from similar materials |

deltamethrin (ISO):

| | | |
|-------------------|---|---|
| Species | : | Rat, male and female |
| NOAEL | : | 1 mg/kg |
| LOAEL | : | 2,5 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 13 Weeks |
| Target Organs | : | Nervous system |
| Symptoms | : | hyperexcitability |
| Species | : | Rat |
| LOAEL | : | 3 mg/m ³ |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time | : | 2 wk / 5 d/wk / 6 h/d |
| Symptoms | : | Local irritation, respiratory tract irritation |
| Species | : | Dog |
| NOAEL | : | 0,1 mg/kg |
| LOAEL | : | 1 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 13 Weeks |
| Target Organs | : | Nervous system |
| Symptoms | : | Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation |
| Species | : | Rat |
| NOAEL | : | 14 mg/kg |
| LOAEL | : | 54 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 91 d |
| Target Organs | : | Nervous system |
| Species | : | Mouse |
| LOAEL | : | 6 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 12 Weeks |
| Target Organs | : | Immune system |
| Symptoms | : | immune system effects |

2,6-Di-tert-butyl-p-cresol:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 25 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 22 Months |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

Aspiration toxicity

||| May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), light aromatic:

||| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

||| Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

deltamethrin (ISO):

| | |
|--------------|---|
| Inhalation | : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching |
| Skin contact | : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions |
| Ingestion | : Symptoms: muscle pain, Small pupils |

SECTION 12: Ecological information

12.1 Toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

| | |
|-------------------------------|---|
| Toxicity to fish | : LC50 (Pimephales promelas (fathead minnow)): 8,2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction |
| Toxicity to daphnia and other | : EL50 (Daphnia magna (Water flea)): 4,5 mg/l |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024 Date of first issue: 29.03.2018

| | |
|--|--|
| aquatic invertebrates | Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| | NOELR (Pseudokirchneriella subcapitata (microalgae)): 0,5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOELR: 2,6 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211 |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

| | |
|--|---|
| Toxicity to fish | : LC50 : > 1 - < 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| | NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity) | : NOEC: > 0,1 - 1 mg/l Exposure time: 72 d Species: Oncorhynchus mykiss (rainbow trout) Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials |

4-Nonylphenol, branched, ethoxylated:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|--|------------------------------|---|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia dubia (water flea)): > 0,1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials | |
| Toxicity to algae/aquatic plants | : | ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials | |
| | | EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials | |
| M-Factor (Acute aquatic toxicity) | : | 1 | |
| Toxicity to fish (Chronic toxicity) | : | NOEC: > 0,1 - 1 mg/l Exposure time: 100 d Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials | |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: > 0,001 - 0,01 mg/l Exposure time: 28 d Species: Mysidopsis bahia (opossum shrimp) Remarks: Based on data from similar materials | |
| M-Factor (Chronic aquatic toxicity) | : | 10 | |
| deltamethrin (ISO): | | | |
| Toxicity to fish | : | LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l Exposure time: 96 h | |
| | | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l Exposure time: 96 h | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l Exposure time: 48 h | |
| | | EC50 (Daphnia magna (Water flea)): 0,0035 mg/l Exposure time: 48 h | |
| | | LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l Exposure time: 96 h | |
| Toxicity to algae/aquatic | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

| | |
|--|---|
| plants | mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility |
| M-Factor (Acute aquatic toxicity) | : 1.000.000 |
| Toxicity to fish (Chronic toxicity) | : NOEC: 0,000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow) |
| | NOEC: 0,000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0,0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : 1.000.000 |

2,6-Di-tert-butyl-p-cresol:

| | |
|---|--|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): > 0,57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1. |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 0,48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : 1 |
| Toxicity to microorganisms | : EC50 : > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity) | : NOEC: 0,053 mg/l Exposure time: 30 d Species: Oryzias latipes (Japanese medaka) Method: OECD Test Guideline 210 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

| | | |
|--|---|--|
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,316 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

12.2 Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

| | | |
|------------------|---|--|
| Biodegradability | : | Result: Inherently biodegradable. Biodegradation: 94 % Exposure time: 25 d |
|------------------|---|--|

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

| | | |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301B |
|------------------|---|--|

4-Nonylphenol, branched, ethoxylated:

| | | |
|------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable. Remarks: Based on data from similar materials |
|------------------|---|---|

deltamethrin (ISO):

| | | |
|--------------------|---|-----------------------|
| Stability in water | : | Hydrolysis: 0 %(30 d) |
|--------------------|---|-----------------------|

2,6-Di-tert-butyl-p-cresol:

| | | |
|------------------|---|--|
| Biodegradability | : | Result: Not readily biodegradable. Biodegradation: 4,5 % Exposure time: 28 d Method: OECD Test Guideline 301C |
|------------------|---|--|

12.3 Bioaccumulative potential

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

| | | |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 2,89 |
|--|---|---------------|

deltamethrin (ISO):

| | | |
|-----------------|---|---|
| Bioaccumulation | : | Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1.800 |
|-----------------|---|---|

| | | |
|--|---|--------------|
| Partition coefficient: n-octanol/water | : | log Pow: 4,6 |
|--|---|--------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

2,6-Di-tert-butyl-p-cresol:

||| Bioaccumulation : Species: Cyprinus carpio (Carp)
||| Bioconcentration factor (BCF): 330 - 1.800
||| Partition coefficient: n-octanol/water : log Pow: 5,1

12.4 Mobility in soil

Components:

deltamethrin (ISO):

||| Distribution among environmental compartments : log Koc: 7,2

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:

4-Nonylphenol, branched, ethoxylated:

||| Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version 6.0 Revision Date: 14.04.2025 SDS Number: 2656227-00018 Date of last issue: 13.09.2024 Date of first issue: 29.03.2018

Contaminated packaging : Do not dispose of waste into sewer.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

| | | |
|-------------|---|---------|
| ADN | : | UN 3295 |
| ADR | : | UN 3295 |
| RID | : | UN 3295 |
| IMDG | : | UN 3295 |
| IATA | : | UN 3295 |

14.2 UN proper shipping name

| | | |
|-------------|---|--|
| ADN | : | HYDROCARBONS, LIQUID, N.O.S. |
| ADR | : | HYDROCARBONS, LIQUID, N.O.S. |
| RID | : | HYDROCARBONS, LIQUID, N.O.S. |
| IMDG | : | HYDROCARBONS, LIQUID, N.O.S. (deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol) |
| IATA | : | Hydrocarbons, liquid, n.o.s. |

14.3 Transport hazard class(es)

| | Class | Subsidiary risks |
|-------------|-------|------------------|
| ADN | : | 3 |
| ADR | : | 3 |
| RID | : | 3 |
| IMDG | : | 3 |
| IATA | : | 3 |

14.4 Packing group

| | | |
|------------------------------|---|-----|
| ADN | | |
| Packing group | : | III |
| Classification Code | : | F1 |
| Hazard Identification Number | : | 30 |
| Labels | : | 3 |
| ADR | | |
| Packing group | : | III |
| Classification Code | : | F1 |
| Hazard Identification Number | : | 30 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 13.09.2024 |
| 6.0 | 14.04.2025 | 2656227-00018 | Date of first issue: 29.03.2018 |

Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo aircraft) : 366
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft) : 355
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Conditions of restriction for the following entries should be considered:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

mixtures and articles (Annex XVII)

Number on list 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 28: Solvent naphtha (petroleum), light aromatic

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 29: Solvent naphtha (petroleum), light aromatic

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Number on list 46b: 4-Nonylphenol, branched, ethoxylated

REACH - List of substances subject to authorisation (Annex XIV)

Number on list 46a: 4-Nonylphenol, branched, ethoxylated

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: 4-Nonylphenol, branched, ethoxylated

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: 4-Nonylphenol, branched, ethoxylated

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: 4-Nonylphenol, branched, ethoxylated

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c

FLAMMABLE LIQUIDS

Quantity 1

Quantity 2

5.000 t

50.000 t

E1

ENVIRONMENTAL
HAZARDS

100 t

200 t

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

34

Petroleum products: (a)

2.500 t

25.000 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018

gasolines and naphthas,
(b) kerosenes (including jet
fuels), (c) gas oils (includ-
ing diesel fuels, home
heating oils and gas oil
blending streams),(d)
heavy fuel oils (e) alterna-
tive fuels serving the same
purposes and with similar
properties as regards
flammability and environ-
mental hazards as the
products referred to in
points (a) to (d)

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

| | |
|--------|---|
| EUH430 | : May cause endocrine disruption in the environment |
| H226 | : Flammable liquid and vapour. |
| H301 | : Toxic if swallowed. |
| H304 | : May be fatal if swallowed and enters airways. |
| H315 | : Causes skin irritation. |
| H317 | : May cause an allergic skin reaction. |
| H318 | : Causes serious eye damage. |
| H319 | : Causes serious eye irritation. |
| H331 | : Toxic if inhaled. |
| H335 | : May cause respiratory irritation. |
| H336 | : May cause drowsiness or dizziness. |
| H340 | : May cause genetic defects. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

| | |
|--------|--|
| H350 | : May cause cancer. |
| H361 | : Suspected of damaging fertility or the unborn child. |
| H361fd | : Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H372 | : Causes damage to organs through prolonged or repeated exposure if inhaled. |
| H372 | : Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H400 | : Very toxic to aquatic life. |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects. |

Full text of other abbreviations

| | |
|-----------------------|--|
| Acute Tox. | : Acute toxicity |
| Aquatic Acute | : Short-term (acute) aquatic hazard |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Asp. Tox. | : Aspiration hazard |
| Carc. | : Carcinogenicity |
| ED ENV | : Endocrine disruptor for environment |
| Eye Dam. | : Serious eye damage |
| Eye Irrit. | : Eye irritation |
| Flam. Liq. | : Flammable liquids |
| Muta. | : Germ cell mutagenicity |
| Repr. | : Reproductive toxicity |
| Skin Irrit. | : Skin irritation |
| Skin Sens. | : Skin sensitisation |
| STOT RE | : Specific target organ toxicity - repeated exposure |
| STOT SE | : Specific target organ toxicity - single exposure |
| FOR-2011-12-06-1358 | : Norway. Occupational Exposure limits |
| FOR-2011-12-06-1358 / | : Long term exposure limit |
| TWA | |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 14.04.2025 | SDS Number: 2656227-00018 | Date of last issue: 13.09.2024 Date of first issue: 29.03.2018 |
|----------------|------------------------------|------------------------------|---|

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

| | |
|-------------------|--------|
| Flam. Liq. 3 | H226 |
| Skin Irrit. 2 | H315 |
| Eye Dam. 1 | H318 |
| Skin Sens. 1 | H317 |
| Muta. 1B | H340 |
| Carc. 1B | H350 |
| Repr. 2 | H361 |
| STOT SE 3 | H336 |
| STOT RE 2 | H373 |
| Asp. Tox. 1 | H304 |
| Aquatic Acute 1 | H400 |
| Aquatic Chronic 1 | H410 |
| ED ENV 1 | EUH430 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method |
| Based on product data or assessment |
| Calculation method |
| Calculation method |
| Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin (2.5%) Formulation

Version
6.0

Revision Date:
14.04.2025

SDS Number:
2656227-00018

Date of last issue: 13.09.2024
Date of first issue: 29.03.2018
