

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Dexamethasone (0.085%) Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements :

Prevention:

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Benzyl alcohol	100-51-6	$\geq 1 - < 10$	3-1011
dexamethasone	50-02-2	$\geq 0.025 - < 0.1$	-

4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Dry chemical

- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

7. HANDLING AND STORAGE**Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Benzyl alcohol	100-51-6	OEL-C	25 mg/m3	JP OEL JSOH
	Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.			
dexamethasone	50-02-2	TWA	10 µg/m3 (OEB 3)	Internal

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

	Further information: Skin			
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Impermeable protective gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : Not applicable

Dexamethasone (0.085%) Formulation

Version 9.0	Revision Date: 2025/04/14	SDS Number: 2708658-00016	Date of last issue: 2025/02/20 Date of first issue: 2018/04/13
----------------	------------------------------	------------------------------	---

Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	7.0 - 7.8 No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density and / or relative density	:	
Relative density	:	No data available
Density	:	1.01 g/cm ³
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics	:	
Particle size	:	Not applicable

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Benzyl alcohol:**

Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

dexamethasone:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 6,500 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 14 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Components:**Benzyl alcohol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

dexamethasone:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

dexamethasone:

Species	: Rabbit
Result	: Mild eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--

Germ cell mutagenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

dexamethasone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: in vitro assay Test system: mouse lymphoma cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/14	2708658-00016	2025/02/20
			Date of first issue: 2018/04/13

dexamethasone:

Effects on foetal development	:	Test Type: Development
		Species: Mouse
		Application Route: Subcutaneous
		Developmental Toxicity: LOAEL: 6 mg/kg body weight
		Result: Specific developmental abnormalities, Cleft palate
		Species: Rabbit
		Application Route: Intramuscular
		Developmental Toxicity: NOAEL: 0.025 mg/kg body weight
		Result: Specific developmental abnormalities
		Species: Rabbit
		Application Route: Intramuscular
		Developmental Toxicity: LOAEL: ≥ 0.062 mg/kg body weight
		Result: Specific developmental abnormalities
		Species: Rat
		Application Route: Subcutaneous
		Developmental Toxicity: LOAEL: ≥ 0.02 mg/kg body weight
		Result: Skeletal and visceral variations, Fetal growth retardation
Reproductive toxicity - Assessment	:	May damage the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**dexamethasone:**

Exposure routes	:	Oral
Target Organs	:	Adrenal gland, Immune system, thymus gland
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

dexamethasone:

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Species	: Rat
NOAEL	: 0.0015 mg/kg
Application Route	: Oral
Exposure time	: 7 d
Target Organs	: Liver
Remarks	: Significant toxicity observed in testing

Species	: Rat
LOAEL	: 0.003 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Blood, Adrenal gland, thymus gland
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 0.125 mg/kg
Application Route	: Oral
Exposure time	: 6 Weeks
Target Organs	: Adrenal gland
Remarks	: Significant toxicity observed in testing

Species	: Rat
LOAEL	: 0.4 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****dexamethasone:**

Ingestion	: Target Organs: Immune system
	Target Organs: Adrenal gland
	Target Organs: Bone
	Symptoms: muscle weakness

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/14	2708658-00016	2025/02/20
			Date of first issue: 2018/04/13

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Benzyl alcohol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

dexamethasone:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 56 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/14	2708658-00016	2025/02/20
			Date of first issue: 2018/04/13

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

dexamethasone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 3.54 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

dexamethasone:

Partition coefficient: n-octanol/water : log Pow: 1.83

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Dexamethasone (0.085%) Formulation

Version 9.0	Revision Date: 2025/04/14	SDS Number: 2708658-00016	Date of last issue: 2025/02/20 Date of first issue: 2018/04/13
----------------	------------------------------	------------------------------	---

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Benzyl alcohol	>=1 - <10	-

Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
benzyl alcohol	-

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
benzyl alcohol

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/14	2708658-00016	2025/02/20
			Date of first issue: 2018/04/13

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET



Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/20
9.0	2025/04/14	2708658-00016	Date of first issue: 2018/04/13

JP / EN