

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fenbendazole Solid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

Hazard pictograms :  

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damag-

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

ing the unborn child.

H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

**Prevention:**

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name      | CAS-No.    | Concentration (% w/w) |
|--------------------|------------|-----------------------|
| fenbendazole       | 43210-67-9 | $\geq 50$ - $< 70$    |
| Starch             | 9005-25-8  | $\geq 30$ - $< 50$    |
| Magnesium stearate | 557-04-0   | $\geq 1$ - $< 5$      |

### 4. FIRST AID MEASURES

|                         |                                                                                                                                                                                                                         |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.                                                                |
| If inhaled              | : If inhaled, remove to fresh air.<br>Get medical attention.                                                                                                                                                            |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

|                                                             |                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of eye contact                                      | : If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.                                                                                                                                                                                                         |
| If swallowed                                                | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.                                                                                                                                                                                                    |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                                                                                                              |
| Notes to physician                                          | : Treat symptomatically and supportively.                                                                                                                                                                                                                                                                  |

### 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                   |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                      |
| Unsuitable extinguishing media                | : None known.                                                                                                                                                                                                                                     |
| Specific hazards during fire-fighting         | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health.                   |
| Hazardous combustion products                 | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sulphur oxides<br>Silicon oxides<br>Metal oxides                                                                                                                                         |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.                                                                                                                                            |

### 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                        |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of | Control parameters / Permissible | Basis |
|------------|---------|------------------------|----------------------------------|-------|
|------------|---------|------------------------|----------------------------------|-------|

## Fenbendazole Solid Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 2736747-00014      Date of last issue: 30.09.2023  
Date of first issue: 26.04.2018

|                    |            | exposure)                           | concentration                 |          |
|--------------------|------------|-------------------------------------|-------------------------------|----------|
| fenbendazole       | 43210-67-9 | TWA                                 | 100 µg/m <sup>3</sup> (OEB 2) | Internal |
| Starch             | 9005-25-8  | TWA                                 | 10 mg/m <sup>3</sup>          | ACGIH    |
| Magnesium stearate | 557-04-0   | TWA (Inhalable particulate matter)  | 10 mg/m <sup>3</sup>          | ACGIH    |
|                    |            | TWA (Respirable particulate matter) | 3 mg/m <sup>3</sup>           | ACGIH    |

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

**Colour** : No data available

**Odour** : No data available

**Odour Threshold** : No data available

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

---

|                                                  |   |                                                                                 |
|--------------------------------------------------|---|---------------------------------------------------------------------------------|
| pH                                               | : | No data available                                                               |
| Melting point/freezing point                     | : | No data available                                                               |
| Initial boiling point and boiling range          | : | No data available                                                               |
| Flash point                                      | : | Not applicable                                                                  |
| Evaporation rate                                 | : | Not applicable                                                                  |
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | No data available                                                               |
| Upper explosion limit / Upper flammability limit | : | No data available                                                               |
| Lower explosion limit / Lower flammability limit | : | No data available                                                               |
| Vapour pressure                                  | : | Not applicable                                                                  |
| Relative vapour density                          | : | Not applicable                                                                  |
| Relative density                                 | : | No data available                                                               |
| Density                                          | : | No data available                                                               |
| Solubility(ies)<br>Water solubility              | : | soluble                                                                         |
| Partition coefficient: n-octanol/water           | : | Not applicable                                                                  |
| Auto-ignition temperature                        | : | No data available                                                               |
| Decomposition temperature                        | : | No data available                                                               |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable                                                                  |
| Explosive properties                             | : | Not explosive                                                                   |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing.                        |
| Molecular weight                                 | : | No data available                                                               |
| Particle characteristics<br>Particle size        | : | No data available                                                               |

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

### 10. STABILITY AND REACTIVITY

|                                    |   |                                                                                                                            |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.                                                                                     |
| Chemical stability                 | : | Stable under normal conditions.                                                                                            |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.<br>Avoid dust formation.                                                                          |
| Incompatible materials             | : | Oxidizing agents                                                                                                           |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.                                                                             |

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

|                     |   |                              |
|---------------------|---|------------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 10,000 mg/kg   |
|                     |   | LD50 (Mouse): > 10,000 mg/kg |

##### **Starch:**

|                       |   |                              |
|-----------------------|---|------------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 5,000 mg/kg    |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg |

##### **Magnesium stearate:**

|                       |   |                                                                                                                                                                                  |
|-----------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Assessment: The substance or mixture has no acute oral toxicity<br>Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg<br>Remarks: Based on data from similar materials                                                                                                    |

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **fenbendazole:**

|         |   |        |
|---------|---|--------|
| Species | : | Rabbit |
|---------|---|--------|

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

---

**Result** : No skin irritation

**Magnesium stearate:**

**Species** : Rabbit  
**Result** : No skin irritation  
**Remarks** : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:**

**fenbendazole:**

**Species** : Rabbit  
**Result** : No eye irritation

**Starch:**

**Species** : Rabbit  
**Result** : No eye irritation

**Magnesium stearate:**

**Species** : Rabbit  
**Result** : No eye irritation  
**Remarks** : Based on data from similar materials

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**Starch:**

**Test Type** : Maximisation Test  
**Exposure routes** : Skin contact  
**Species** : Guinea pig  
**Result** : negative

**Magnesium stearate:**

**Test Type** : Maximisation Test  
**Exposure routes** : Skin contact  
**Species** : Guinea pig  
**Method** : OECD Test Guideline 406  
**Result** : negative  
**Remarks** : Based on data from similar materials

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

|                       |   |                                                                                                                                   |
|-----------------------|---|-----------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative                                                            |
|                       |   | Test Type: DNA Repair<br>Result: negative                                                                                         |
|                       |   | Test Type: Chromosomal aberration<br>Result: negative                                                                             |
|                       |   | Test Type: in vitro assay<br>Test system: mouse lymphoma cells<br>Metabolic activation: Metabolic activation<br>Result: equivocal |

##### **Starch:**

|                       |   |                                                                        |
|-----------------------|---|------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|-----------------------|---|------------------------------------------------------------------------|

##### **Magnesium stearate:**

|                       |   |                                                                                                                                                        |
|-----------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br>Remarks: Based on data from similar materials                             |
|                       |   | Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials |
|                       |   | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br>Remarks: Based on data from similar materials                                |

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **fenbendazole:**

|                   |   |                       |
|-------------------|---|-----------------------|
| Species           | : | Mouse                 |
| Application Route | : | oral (feed)           |
| Exposure time     | : | 2 Years               |
| NOAEL             | : | 405 mg/kg body weight |
| Result            | : | negative              |

|                   |   |         |
|-------------------|---|---------|
| Species           | : | Rat     |
| Application Route | : | Oral    |
| Exposure time     | : | 2 Years |

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

|               |                       |
|---------------|-----------------------|
| NOAEL         | : 5 mg/kg body weight |
| Result        | : negative            |
| Target Organs | : Lymph nodes, Liver  |

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### **fenbendazole:**

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility               | : Test Type: Three-generation reproduction toxicity study<br>Species: Rat<br>Application Route: oral (feed)<br>General Toxicity - Parent: NOAEL: 15 mg/kg body weight<br>Fertility: LOAEL: 45 mg/kg body weight<br>Result: Effects on fertility                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Effects on foetal development      | : Test Type: Development<br>Species: Dog, female<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 100 mg/kg body weight<br>Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 25 mg/kg body weight<br>Result: Fetotoxicity<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 63 mg/kg body weight<br><br>Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 120 mg/kg body weight<br>Result: No effects on foetal development |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

##### **Magnesium stearate:**

|                      |                                                                                                                                                                                                                       |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

### Components:

#### fenbendazole:

Exposure routes : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### fenbendazole:

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Kidney, Liver

Species : Rat  
NOAEL : > 2,500 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 1,600 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Exposure time : 6 Months  
Target Organs : Stomach, Nervous system, Lymph nodes

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

### Starch:

|                   |                           |
|-------------------|---------------------------|
| Species           | : Rat                     |
| NOAEL             | : $\geq 2,000$ mg/kg      |
| Application Route | : Skin contact            |
| Exposure time     | : 28 Days                 |
| Method            | : OECD Test Guideline 410 |

### Magnesium stearate:

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Rat                                  |
| NOAEL             | : $> 100$ mg/kg                        |
| Application Route | : Ingestion                            |
| Exposure time     | : 90 Days                              |
| Remarks           | : Based on data from similar materials |

### Aspiration toxicity

Not classified based on available information.

### Components:

#### fenbendazole:

|| No aspiration toxicity classification

### Experience with human exposure

### Components:

#### fenbendazole:

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### fenbendazole:

|                                                                        |                                                                                                                          |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l<br>Exposure time: 21 d                                       |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202               |
| M-Factor (Acute aquatic toxicity)                                      | : 100                                                                                                                    |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0.00113 mg/l<br>Exposure time: 21 Days<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 211 |
| M-Factor (Chronic aquatic                                              | : 10                                                                                                                     |

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

toxicity)

### Magnesium stearate:

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l<br>Exposure time: 48 h<br>Method: DIN 38412<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                                                                                                                                                        |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 47 h<br>Test substance: Water Accommodated Fraction<br>Method: Directive 67/548/EEC, Annex V, C.2.<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility                                                                                                                                                                                                                                         |
| Toxicity to algae/aquatic plants                    | : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility<br><br>NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to microorganisms                          | : EC10 (Pseudomonas putida): > 100 mg/l<br>Exposure time: 16 h<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials                                                                                                                                                                                                                                                                                                                                        |

### Persistence and degradability

#### Components:

### Magnesium stearate:

|                  |                                                                              |
|------------------|------------------------------------------------------------------------------|
| Biodegradability | : Result: Not biodegradable<br>Remarks: Based on data from similar materials |
|------------------|------------------------------------------------------------------------------|

### Bioaccumulative potential

#### Components:

### fenbendazole:

|                                        |                 |
|----------------------------------------|-----------------|
| Partition coefficient: n-octanol/water | : log Pow: 3.32 |
|----------------------------------------|-----------------|

### Magnesium stearate:

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

Partition coefficient: n-octanol/water : log Pow: > 4

### Mobility in soil

### Components:

#### fenbendazole:

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fenbendazole)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

|                  |                          |
|------------------|--------------------------|
|                  | N.O.S.<br>(fenbendazole) |
| Class            | : 9                      |
| Packing group    | : III                    |
| Labels           | : 9                      |
| EmS Code         | : F-A, S-F               |
| Marine pollutant | : yes                    |

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

|       |                  |
|-------|------------------|
| AICS  | : not determined |
| DSL   | : not determined |
| IECSC | : not determined |

## 16. OTHER INFORMATION

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Fenbendazole Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 30.09.2023  |
| 4.0     | 14.04.2025     | 2736747-00014 | Date of first issue: 26.04.2018 |

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN