

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Fenbendazole (10%) Liquid Formulation

Other means of identification : COOPERS PANACUR 100 ORAL ANTHELMINTIC FOR CATTLE AND HORSES (37088)

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**



Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, Stomach, Nervous system)

Fenbendazole (10%) Liquid Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 3572228-00018	Date of last issue: 2024/09/28 Date of first issue: 2018/10/24
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

system, Lymph nodes) through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
fenbendazole	43210-67-9	$\geq 10 - < 20$	
Benzyl alcohol	100-51-6	$\geq 0.1 - < 1$	3-1011

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	2025/04/14	3572228-00018	2024/09/28
			Date of first issue: 2018/10/24

In case of eye contact	: Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Sulphur oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Internal
Benzyl alcohol	100-51-6	OEL-C	25 mg/m ³	JP OEL JSOH
Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.				

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Colour : white

Odour : characteristic

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Odour Threshold	:	No data available
Melting point/freezing point	:	< 2 °C
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	6 - 7
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	No data available
Viscosity, dynamic	:	100 - 300 mPa.s
Viscosity, kinematic	:	No data available
Solubility(ies)	:	No data available
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density	:	No data available
Relative density	:	No data available
Density	:	1.062 - 1.072 g/cm³
Relative vapour density	:	No data available
Explosive properties	:	Not explosive

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
LD50 (Mouse): > 10,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Components:**fenbendazole:**

Species	: Rabbit
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**fenbendazole:**

Species	: Rabbit
Result	: No eye irritation

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--------------------------------------------------------------------------------

Germ cell mutagenicity

Not classified based on available information.

Components:**fenbendazole:**

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: DNA Repair
		Result: negative
		Test Type: Chromosomal aberration
		Result: negative
		Test Type: in vitro assay
		Test system: mouse lymphoma cells
		Metabolic activation: Metabolic activation
		Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
		Species: Mouse
		Application Route: Intraperitoneal injection
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**fenbendazole:**

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	405 mg/kg body weight
Result	:	negative

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	5 mg/kg body weight
Result	:	negative
Target Organs	:	Lymph nodes, Liver

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**fenbendazole:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) General Toxicity - Parent: NOAEL: 15 mg/kg body weight Fertility: LOAEL: 45 mg/kg body weight Result: Effects on fertility
Effects on foetal development	: Test Type: Development Species: Dog, female Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: Fetotoxicity Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 63 mg/kg body weight Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 120 mg/kg body weight Result: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:**fenbendazole:**

Exposure routes	: Ingestion
Target Organs	: Liver, Stomach, Nervous system, Lymph nodes
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****fenbendazole:**

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Kidney, Liver

Species	: Rat
NOAEL	: > 2,500 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Remarks	: No significant adverse effects were reported

Species	: Rat
LOAEL	: 1,600 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system
Symptoms	: Tremors

Species	: Dog
NOAEL	: 4 mg/kg
LOAEL	: 8 mg/kg
Exposure time	: 6 Months
Target Organs	: Stomach, Nervous system, Lymph nodes

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Components:**fenbendazole:**

No aspiration toxicity classification

Experience with human exposure**Components:****fenbendazole:**

Ingestion	: Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea
-----------	----------------------------------------------------------------

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****fenbendazole:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0088 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.00113 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	2025/04/14	3572228-00018	2024/09/28
			Date of first issue: 2018/10/24

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil**Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7
Method: FDA 3.08

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Contaminated packaging : Do not dispose of waste into sewer.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(fenbendazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

ERG Code : 171

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.0	2025/04/14	3572228-00018	Date of first issue: 2018/10/24

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN