

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fenbendazole (10%) Liquid Formulation
Other means of identification : COOPERS PANACUR 100 ORAL ANTHELMINTIC FOR CATTLE AND HORSES (37088)

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 2
Specific target organ toxicity : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Fenbendazole (10%) Liquid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 3572227-00016 Date of last issue: 28.09.2024
Date of first issue: 24.10.2018

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	≥ 10 - < 20
Benzyl alcohol	100-51-6	≥ 0.1 - < 1

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves
- Material

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	6 - 7
Melting point/freezing point	:	< 2 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.062 - 1.072 g/cm ³
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	100 - 300 mPa.s
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**fenbendazole:**

Acute oral toxicity	:	LD50 (Rat): > 10,000 mg/kg
		LD50 (Mouse): > 10,000 mg/kg

Benzyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.4 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**fenbendazole:**

Species	: Rabbit
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**fenbendazole:**

Species	: Rabbit
Result	: No eye irritation

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
------------	--

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Germ cell mutagenicity

Not classified based on available information.

Components:**fenbendazole:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA Repair Result: negative
	Test Type: Chromosomal aberration Result: negative
	Test Type: in vitro test Test system: mouse lymphoma cells Metabolic activation: Metabolic activation Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:**fenbendazole:**

Species	: Mouse
Application Route	: oral (feed)
Exposure time	: 2 Years
NOAEL	: 405 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 5 mg/kg body weight
Result	: negative
Target Organs	: Lymph nodes, Liver

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**fenbendazole:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) General Toxicity Parent: NOAEL: 15 mg/kg body weight Fertility: LOAEL: 45 mg/kg body weight Result: Effects on fertility.
Effects on fetal development	: Test Type: Development Species: Dog, female Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects. Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: Fetotoxicity. Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 63 mg/kg body weight Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 120 mg/kg body weight Result: No effects on fetal development.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:**fenbendazole:**

Routes of exposure	: Ingestion
Target Organs	: Liver, Stomach, Nervous system, Lymph nodes
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****fenbendazole:**

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Kidney, Liver

Species	: Rat
NOAEL	: > 2,500 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Remarks	: No significant adverse effects were reported

Species	: Rat
LOAEL	: 1,600 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system
Symptoms	: Tremors

Species	: Dog
NOAEL	: 4 mg/kg
LOAEL	: 8 mg/kg
Exposure time	: 6 Months
Target Organs	: Stomach, Nervous system, Lymph nodes

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Aspiration toxicity

Not classified based on available information.

Components:**fenbendazole:**

|| No aspiration toxicity classification

Experience with human exposure**Components:****fenbendazole:**

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****fenbendazole:**

|| Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l
Exposure time: 21 d

|| Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

|| Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l
aquatic invertebrates (Chron- : Exposure time: 21 Days
ic toxicity) : Method: OECD Test Guideline 211

Benzyl alcohol:

|| Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

|| Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

|| Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

|| Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil**Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7
Method: FDA 3.08

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Class : 9

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(fenbendazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	14.04.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET



Fenbendazole (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	3572227-00016	Date of first issue: 24.10.2018

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8