

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

SECTION 1. IDENTIFICATION

Product identifier : Albendazole Sulfoxide (10%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 2 (Gastrointestinal tract, Central nervous system)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Gastrointestinal tract, Central nervous system, Immune system, Liver)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Albendazole Sulfoxide (10%) Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 3884312-00021 Date of last issue: 28.09.2024
Date of first issue: 30.11.2018

H361d Suspected of damaging the unborn child.
H371 May cause damage to organs (Gastrointestinal tract, Central nervous system) if swallowed.
H373 May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Albendazole Sulfoxide	54029-12-8	Acute Tox. (Oral), 4 Skin Sens., 1B Repr., 2 STOT SE, (Oral)(Gastrointestinal tract, Central nervous system) , 2 STOT RE, (Oral)(Gastrointestinal tract, Central nervous system, Immune system, Liver) , 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.
Suspected of damaging the unborn child.
May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Nitrogen oxides (NO _x)
Sulfur oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment | : | In the event of fire, wear self-contained breathing apparatus. |

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

for fire-fighters

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.

Albendazole Sulfoxide (10%) Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 3884312-00021 Date of last issue: 28.09.2024
 Date of first issue: 30.11.2018

- Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Albendazole Sulfoxide	54029-12-8	TWA	45 µg/m ³ (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: suspension
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Albendazole Sulfoxide:**

Acute oral toxicity	:	LD50 (Mouse): 1.500 mg/kg LD50 (Rat): 2.400 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 265 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
Result	: positive

Test Type	: Maximization Test
Routes of exposure	: Dermal
Result	: Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative

Carcinogenicity

Not classified based on available information.

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Components:**Albendazole Sulfoxide:**

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 400 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 20 mg/kg body weight
Result	: negative

Carcinogenicity - Assessment	: No evidence of carcinogenicity in animal studies.
------------------------------	---

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Albendazole Sulfoxide:**

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 30 mg/kg body weight Result: No effects on fertility.
----------------------	---

Effects on fetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations.
------------------------------	---

	: Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations., Maternal toxicity observed.
--	---

	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 5,8 mg/kg body weight Result: Effects on postnatal development.
--	--

	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected.
--	--

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT-single exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system) if swallowed.

Components:**Albendazole Sulfoxide:**

Routes of exposure	: Oral
Target Organs	: Gastrointestinal tract, Central nervous system
Assessment	: May cause damage to organs.

STOT-repeated exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged or repeated exposure if swallowed.

Components:**Albendazole Sulfoxide:**

Routes of exposure	: Oral
Target Organs	: Gastrointestinal tract, Central nervous system, Immune system, Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Albendazole Sulfoxide:**

Species	: Rat
LOAEL	: 168 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract, Testis
Symptoms	: Diarrhea, Vomiting

Species	: Dog
LOAEL	: 48 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract
Symptoms	: Diarrhea, Vomiting

Species	: Mouse
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Blood, Liver, Nose
Symptoms	: Hematologic effects, Liver effects

Species	: Rat
LOAEL	: ≥ 30 mg/kg
Application Route	: Oral

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Exposure time	: 6 Months
Target Organs	: Blood
Symptoms	: Hematologic effects
Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood, Liver
Symptoms	: Hematologic effects, Liver effects
Species	: Rat
NOAEL	: 7 mg/kg
Application Route	: Oral
Exposure time	: 60 d
Target Organs	: Liver, Testis
Symptoms	: Liver effects, male reproductive effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Albendazole Sulfoxide:

General Information	: Symptoms: Allergic reactions, hair loss, Gastrointestinal disturbance, Headache, Dizziness
Skin contact	: Target Organs: Skin Symptoms: Allergic reactions Remarks: May cause sensitization by skin contact.
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Diarrhea, Abdominal pain Target Organs: Central nervous system Symptoms: Headache, Dizziness Target Organs: Liver Symptoms: liver function change Target Organs: Immune system Symptoms: immune system effects

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Albendazole Sulfoxide:

Toxicity to fish	: EC50 (Brachydanio rerio (zebrafish)): 0,042 mg/l Exposure time: 144 hrs
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,068 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)):
0,024 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Albendazole Sulfoxide:**

Partition coefficient: n-octanol/water : log Pow: 1,27
pH: 7

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Albendazole Sulfoxide)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Albendazole Sulfoxide)

Class : 9

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Albendazole Sulfoxide)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Albendazole Sulfoxide)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 14.04.2025
Date format	: dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided

Albendazole Sulfoxide (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	14.04.2025	3884312-00021	Date of first issue: 30.11.2018

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8