

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Estradiol (with Peanut Oil) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : Aqueous solution  
**Colour** : yellow  
**Odour** : No data available

May cause an allergic skin reaction. Causes serious eye irritation. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

II

### GHS label elements

Hazard pictograms	:	Three hazard pictograms: a person with an exclamation mark, a large exclamation mark, and a tree with a dead ground area.
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. <b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P318 IF exposed or concerned, get medical advice. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P333 + P317 If skin irritation or rash occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. <b>Storage:</b> P405 Store locked up. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

### Health hazards

Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

### Environmental hazards

Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	>= 10 -< 20
Estradiol	50-28-2	>= 0.25 -< 0.3
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 -< 0.25

---

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.  
Thoroughly clean eyes with water.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause cancer.  
May damage fertility. May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Estradiol	50-28-2	TWA	0.05 µg/m <sup>3</sup> (OEB 5)	Internal
	Further information: Skin			
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction and vapor)	0.5 µg/100 cm <sup>2</sup> 2 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

ing place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.920 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	insoluble

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

### Components:

#### Benzyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
---------------------	---	-------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Estradiol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

### 2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Benzyl alcohol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

### **Estradiol:**

Result : No eye irritation

### **2,6-Di-tert-butyl-p-cresol:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

#### **Estradiol:**

Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	negative

#### **2,6-Di-tert-butyl-p-cresol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

**Genotoxicity in vivo**

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Estradiol:

**Genotoxicity in vitro**

: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: mammalian cells  
Result: positive

Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells  
Result: positive

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: positive

**Genotoxicity in vivo**

: Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Chromosomal aberration  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

### 2,6-Di-tert-butyl-p-cresol:

**Genotoxicity in vitro**

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Genotoxicity in vivo**

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

May cause cancer.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

### Components:

#### **Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

#### **Estradiol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	24 Months
LOAEL	:	100 µg/kg
Result	:	positive
Target Organs	:	female reproductive organs

  

Species	:	Rat
Application Route	:	Subcutaneous
Exposure time	:	13 weeks
LOAEL	:	20 mg/kg body weight
Result	:	positive
Target Organs	:	Endocrine system

  

Carcinogenicity - Assessment	:	Positive evidence from human epidemiological studies
------------------------------	---	--

#### **2,6-Di-tert-butyl-p-cresol:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	22 Months
Result	:	negative

### **Reproductive toxicity**

May damage fertility. May damage the unborn child.

### Components:

#### **Benzyl alcohol:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

### Estradiol:

#### Effects on fertility

: Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Fertility: LOAEL: 0.5 mg/kg body weight

Result: Effects on fertility

Test Type: One-generation reproduction toxicity study

Species: Rat

Duration of Single Treatment: 90 d

Fertility: LOAEL: 0.69 mg/kg body weight

Result: Effects on fertility

Test Type: Two-generation study

Species: Mouse

Application Route: Oral

Fertility: LOAEL: 0.1 mg/kg body weight

Result: Effects on fertility

#### Effects on foetal development

: Test Type: Embryo-foetal development

Species: Mouse, female

Application Route: Subcutaneous

Teratogenicity: LOAEL: 4 mg/kg body weight

Symptoms: Malformations were observed.

Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Subcutaneous

Teratogenicity: LOAEL: 2.5 µg/kg body weight

Symptoms: Reduced body weight

Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.2 mg/kg body weight

Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

#### Reproductive toxicity - Assessment

: May damage fertility. May damage the unborn child.

### 2,6-Di-tert-butyl-p-cresol:

#### Effects on fertility

: Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Components:

#### **Estradiol:**

Target Organs  
Assessment

: Liver, Bone, Blood, Endocrine system  
: Causes damage to organs through prolonged or repeated exposure.

#### **2,6-Di-tert-butyl-p-cresol:**

Assessment

: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

### Components:

#### **Benzyl alcohol:**

Species  
NOAEL  
Application Route  
Exposure time  
Method

: Rat  
: 1.072 mg/l  
: inhalation (dust/mist/fume)  
: 28 Days  
: OECD Test Guideline 412

#### **Estradiol:**

Species  
LOAEL  
Application Route  
Exposure time  
Target Organs

: Rat  
: >= 0.17 mg/kg  
: Ingestion  
: 90 d  
: Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

#### **2,6-Di-tert-butyl-p-cresol:**

Species  
NOAEL  
Application Route  
Exposure time

: Rat  
: 25 mg/kg  
: Ingestion  
: 22 Months

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Estradiol:**

Inhalation	: Symptoms: tingling, Nose bleeding
Skin contact	: Symptoms: Skin irritation, Redness, pruritis
Ingestion	: Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Benzyl alcohol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

##### **Estradiol:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	: NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version 4.0      Revision Date: 2025/04/14      SDS Number: 4150757-00014      Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

plants	mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l Exposure time: 160 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.2 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1,000
Toxicity to microorganisms	: EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC: 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
<b>2,6-Di-tert-butyl-p-cresol:</b>	
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 0.57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l Exposure time: 30 d

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

##### **Estradiol:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

##### **2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4.01

##### **2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 4150757-00014 Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

### Mobility in soil

#### Components:

##### **Estradiol:**

Distribution among environmental compartments : log Koc: 3.81

#### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Estradiol, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Estradiol, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### **IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Estradiol, 2,6-Di-tert-butyl-p-cresol)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version 4.0      Revision Date: 2025/04/14      SDS Number: 4150757-00014      Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Estradiol, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWs : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

---

### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Estradiol (with Peanut Oil) Formulation

Version  
4.0

Revision Date:  
2025/04/14

SDS Number:  
4150757-00014

Date of last issue: 2024/12/04  
Date of first issue: 2019/04/15

ACGIH / TWA

: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN