

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Estradiol (with Peanut Oil) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	4150774-00013	04.12.2024
			Date of first issue: 15.04.2019

Hazard pictograms	:	  
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe mist or vapours. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P318 IF exposed or concerned, get medical advice. P333 + P317 If skin irritation or rash occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Estradiol (with Peanut Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 4150774-00013 Date of last issue: 04.12.2024
Date of first issue: 15.04.2019

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	$\geq 10 - < 20$
Estradiol	50-28-2	$\geq 0.25 - < 0.3$
2,6-Di-tert-butyl-p-cresol	128-37-0	$\geq 0.1 - < 0.25$

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
May cause cancer.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.

Estradiol (with Peanut Oil) Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 4150774-00013 Date of last issue: 04.12.2024
Date of first issue: 15.04.2019

Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.

Materials to avoid : Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Estradiol	50-28-2	TWA	0.05 µg/m ³ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Filter type	:	sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Combined particulates and organic vapour type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

SAFETY DATA SHEET

according to the Globally Harmonized System



Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.920 g/cm ³
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Estradiol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg
Application Route: Subcutaneous

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

||Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Estradiol:

||Result : No eye irritation

2,6-Di-tert-butyl-p-cresol:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

||Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Estradiol:

Exposure routes	: Skin contact
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative

2,6-Di-tert-butyl-p-cresol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: negative

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Estradiol:

Genotoxicity in vitro	: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: mammalian cells Result: positive Test Type: Chromosome aberration test in vitro Test system: mammalian cells Result: positive Test Type: Chromosomal aberration Test system: mammalian cells Result: positive
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative Test Type: Chromosomal aberration Species: Mouse Cell type: Bone marrow Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

SAFETY DATA SHEET

according to the Globally Harmonized System



Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

May cause cancer.

Components:

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Estradiol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 24 Months
LOAEL	: 100 µg/kg
Result	: positive
Target Organs	: female reproductive organs

Species	: Rat
Application Route	: Subcutaneous
Exposure time	: 13 weeks
LOAEL	: 20 mg/kg body weight
Result	: positive
Target Organs	: Endocrine system

Carcinogenicity - Assessment	: Positive evidence from human epidemiological studies
------------------------------	--

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 22 Months
Result	: negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal develop-	: Test Type: Embryo-foetal development

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

ment

Species: Mouse
Application Route: Ingestion
Result: negative

Estradiol:

Effects on fertility

: Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Fertility: LOAEL: 0.5 mg/kg body weight
Result: Effects on fertility

Test Type: One-generation reproduction toxicity study
Species: Rat
Duration of Single Treatment: 90 d
Fertility: LOAEL: 0.69 mg/kg body weight
Result: Effects on fertility

Test Type: Two-generation study
Species: Mouse
Application Route: Oral
Fertility: LOAEL: 0.1 mg/kg body weight
Result: Effects on fertility

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Mouse, female
Application Route: Subcutaneous
Teratogenicity: LOAEL: 4 mg/kg body weight
Symptoms: Malformations were observed.
Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Subcutaneous
Teratogenicity: LOAEL: 2.5 µg/kg body weight
Symptoms: Reduced body weight
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight
Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment

: May damage fertility. May damage the unborn child.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

	Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Components:

Estradiol:

Target Organs	: Liver, Bone, Blood, Endocrine system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

2,6-Di-tert-butyl-p-cresol:

Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	--

Repeated dose toxicity

Components:

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Estradiol:

Species	: Rat
LOAEL	: ≥ 0.17 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Target Organs	: Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
NOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 22 Months

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Estradiol:

Inhalation	: Symptoms: tingling, Nose bleeding
Skin contact	: Symptoms: Skin irritation, Redness, pruritis
Ingestion	: Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Estradiol:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l Exposure time: 72 h

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

	Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 100 mg/l
	Exposure time: 3 h
	Test Type: Respiration inhibition
	Method: OECD Test Guideline 209
	NOEC: 100 mg/l
	Exposure time: 3 h
	Test Type: Respiration inhibition
	Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0.000003 mg/l
	Exposure time: 160 d
	Species: Oryzias latipes (Japanese medaka)
	Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.2 mg/l
	Exposure time: 21 d
	Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1,000

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 0.57 mg/l
	Exposure time: 96 h
	Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.48 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 10,000 mg/l
	Exposure time: 3 h
	Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to the Globally Harmonized System



Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Toxicity to fish (Chronic toxicity)	:	NOEC: 0.053 mg/l Exposure time: 30 d Species: <i>Oryzias latipes</i> (Japanese medaka) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.316 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	--

Estradiol:

Biodegradability	:	Result: rapidly degradable Biodegradation: 84 % Exposure time: 24 hrs
------------------	---	---

2,6-Di-tert-butyl-p-cresol:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 4.5 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	---	--

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water	:	log Pow: 1.05
--	---	---------------

Estradiol:

Partition coefficient: n-octanol/water	:	log Pow: 4.01
--	---	---------------

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation	:	Species: <i>Cyprinus carpio</i> (Carp) Bioconcentration factor (BCF): 330 - 1,800
Partition coefficient: n-octanol/water	:	log Pow: 5.1

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

II

Mobility in soil

Components:

Estradiol:

Distribution among environmental compartments : log K_{oc}: 3.81

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	14.04.2025
---------------	---	------------

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
-------------	---	------------

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

SAFETY DATA SHEET

according to the Globally Harmonized System



Estradiol (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
4.0	14.04.2025	4150774-00013	Date of first issue: 15.04.2019

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN