

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

**Section 1: Identification**

Product name : Multivitamin (with Soy Oil) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Reproductive toxicity : Category 1

Specific target organ toxicity - repeated exposure : Category 1 (Liver)

Hazardous to the aquatic environment - chronic hazard : Category 4

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360 May damage fertility or the unborn child.  
H372 Causes damage to organs (Liver) through prolonged or repeated exposure.  
H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements : **Prevention:**

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

P201 Obtain special instructions before use.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Soya oil	8001-22-7	>= 70 -< 90
Vitamin A Palmitate	79-81-2	>= 20 -< 25
(dl)-a-Tocopheryl acetate	7695-91-2	>= 1 -< 10
Colecalciferol	67-97-0	>= 0.1 -< 0.25

**Section 4: First-aid measures**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Most important symptoms and effects, both acute and delayed	:	May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**Section 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

---

## Multivitamin (with Soy Oil) Formulation

Version 6.0      Revision Date: 14.04.2025      SDS Number: 4257974-00013      Date of last issue: 30.09.2023  
Date of first issue: 06.05.2019

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Vitamin A Palmitate	79-81-2	TWA	$\geq 1 < 10$ ug/m <sup>3</sup> (OEB 4)	Internal
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m <sup>3</sup> (OEB 1)	Internal

## Multivitamin (with Soy Oil) Formulation

Version 6.0      Revision Date: 14.04.2025      SDS Number: 4257974-00013      Date of last issue: 30.09.2023  
Date of first issue: 06.05.2019

Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Section 9: Physical and chemical properties**

Appearance : Aqueous solution

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : -5 °C

Initial boiling point and boiling range : 194 °C

Flash point : 244 °C

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.9 - 0.94
Density	:	No data available
Solubility(ies)		
Water solubility	:	practically insoluble
Solubility in other solvents	:	slightly soluble Solvent: Ethanol
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	68.41 - 68.81 mPa.s ( 25 °C) Method: Brookfield
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
------------	---	--

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
-----------------------	---	--

**Components:****Vitamin A Palmitate:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
---------------------	---	--

**(dl)-a-Tocopheryl acetate:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 3,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Colecalciferol:**

Acute oral toxicity	:	LD50 (Rat, male): 35 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0.05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Vitamin A Palmitate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**(dl)-a-Tocopheryl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Vitamin A Palmitate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**(dl)-a-Tocopheryl acetate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Colecalciferol:**

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Vitamin A Palmitate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact

## Multivitamin (with Soy Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

**(dl)-a-Tocopheryl acetate:**

Test Type	: Draize Test
Exposure routes	: Skin contact
Species	: Humans
Result	: negative

**Colecalciferol:**

Test Type	: Maurer optimisation test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Vitamin A Palmitate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

**(dl)-a-Tocopheryl acetate:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative  Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

**Colecalciferol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: equivocal  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative  Test Type: In vivo mammalian alkaline comet assay Species: Rat Application Route: Ingestion Result: positive
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen. Remarks: Based on national or regional regulation.

**Carcinogenicity**

Not classified based on available information.

**Components:****(dl)-a-Tocopheryl acetate:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative

**Reproductive toxicity**

May damage fertility or the unborn child.

**Components:****Vitamin A Palmitate:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Monkey Application Route: Ingestion Result: positive
Reproductive toxicity - As-	: Positive evidence of adverse effects on development from

## Multivitamin (with Soy Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

Assessment human epidemiological studies.

**(dl)-a-Tocopheryl acetate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

**Colecalciferol:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.  
Remarks: Based on national or regional regulation.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Liver) through prolonged or repeated exposure.

**Components:****Vitamin A Palmitate:**

Exposure routes : Ingestion  
Target Organs : Liver  
Assessment : Causes damage to organs through prolonged or repeated exposure.  
Remarks : Based on data from similar materials

**Colecalciferol:**

Exposure routes : Ingestion  
Target Organs : Kidney, Blood, Bone  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Soya oil:**

Species : Rat  
NOAEL : 4,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 h

## Multivitamin (with Soy Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

**Vitamin A Palmitate:**

Species	: Rat
LOAEL	: > 1 - 10 mg/kg
Application Route	: Ingestion
Exposure time	: 3 Months
Remarks	: Based on data from similar materials

**(dl)-a-Tocopheryl acetate:**

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Colecalciferol:**

Species	: Rat
NOAEL	: 0.06 mg/kg
LOAEL	: 0.3 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Vitamin A Palmitate:**

Ingestion	: Symptoms: liver impairment Remarks: Based on data from similar materials Symptoms: Embryo-foetal toxicity Remarks: Based on data from similar materials
-----------	--

---

**Section 12: Ecological information****Ecotoxicity****Components:****Vitamin A Palmitate:**

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 96 h Method: DIN 38412 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

## Multivitamin (with Soy Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 152.94 mg/l  
Exposure time: 72 h

**(dl)-a-Tocopheryl acetate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 927 mg/l  
Exposure time: 30 min  
Method: ISO 8192

**Colecalciferol:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Vitamin A Palmitate:**

Biodegradability : Result: Not readily biodegradable.

## Multivitamin (with Soy Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	4257974-00013	30.09.2023
			Date of first issue: 06.05.2019

Biodegradation: 40 - 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**(dl)-a-Tocopheryl acetate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 21.7 - 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Colecalciferol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Bioaccumulative potential****Components:****Soya oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

**Vitamin A Palmitate:**

Partition coefficient: n-octanol/water : log Pow: > 6.2

**Colecalciferol:**

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

**Special precautions for user**

Not applicable

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 14.04.2025

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

**Multivitamin (with Soy Oil) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	14.04.2025	4257974-00013	Date of first issue: 06.05.2019

---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN