

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	4834917-00011	2024/08/14
			Date of first issue: 2019/09/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diminazene / Phenazone Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Skin corrosion/irritation : Category 2

Specific target organ toxicity - : Category 1 (Brain)
single exposure (Oral)

Specific target organ toxicity - : Category 1 (Brain)
repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H370 Causes damage to organs (Brain) if swallowed.
H372 Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diminazene	536-71-0	>= 30 -< 60
Phenazone	60-80-0	< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Most important symptoms and effects, both acute and delayed	: Never give anything by mouth to an unconscious person. Causes skin irritation. Causes damage to organs if swallowed. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	: Soak up with inert absorbent material.

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

containment and cleaning up

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diminazene	536-71-0	TWA	150 µg/m ³ (OEB 2)	Internal

- | | | |
|-----------------------------|---|--|
| Engineering measures | : | Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. |
|-----------------------------|---|--|

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow-orange
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	5.0 - 7.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
---------------------------------	---	------------

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Diminazene:**

Acute toxicity (other routes of administration) : LD50 (Rat): 663 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 258 mg/kg
Application Route: Subcutaneous

LDLo (Dog): 20 mg/kg
Application Route: Intramuscular

Phenazone:

Acute oral toxicity : LD50 (Cat): 1,250 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:**Diminazene:**

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:**Diminazene:**

Diminazene / Phenazone Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 4834917-00011	Date of last issue: 2024/08/14 Date of first issue: 2019/09/10
----------------	------------------------------	------------------------------	---

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Test Type: Micronucleus test Test system: Mouse Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Phenazone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**Diminazene:**

Effects on foetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 800 mg/kg body weight Developmental Toxicity: LOAEL: 800 mg/kg body weight
-------------------------------	--

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	2025/04/14	4834917-00011	2024/08/14
			Date of first issue: 2019/09/10

Symptoms: Skeletal malformations, Embryo-foetal toxicity

Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 400 mg/kg body weight
Developmental Toxicity: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Experiments have shown reproductive toxicity effects on laboratory animals.

Phenazone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Causes damage to organs (Brain) if swallowed.

Components:**Diminazene:**

Exposure routes : Oral
Target Organs : Brain
Assessment : Shown to produce significant health effects in animals at concentrations of 1000 mg/kg bw or less.

STOT - repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Components:**Diminazene:**

Exposure routes : Oral
Target Organs : Brain
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Diminazene:**

Species : Rat
NOAEL : 63 mg/kg
Application Route : Oral
Exposure time : 3 Months

Species : Rat
NOAEL : 300 mg/kg

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Application Route	: Oral
Exposure time	: 9 Months

Species	: Dog
LOAEL	: 60 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Target Organs	: Brain, Testis
Symptoms	: Disorder

Phenazone:

Species	: Dog
NOAEL	: 63 mg/kg
Application Route	: Ingestion
Exposure time	: 6 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Diminazene:**

Ingestion	: Target Organs: Stomach Symptoms: Vomiting Target Organs: Central nervous system Symptoms: paralysis Target Organs: Immune system Symptoms: Fever
-----------	---

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Phenazone:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): >= 1,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

	NOEC (Selenastrum capricornutum (green algae)): 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: 16,900 mg/l Exposure time: 48 h

Persistence and degradability**Components:****Phenazone:**

Biodegradability	: Result: Not inherently biodegradable. Biodegradation: 50 % Exposure time: 20 d
------------------	--

Bioaccumulative potential**Components:****Phenazone:**

Partition coefficient: n-octanol/water	: log Pow: 0.38
--	-----------------

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable
Prohibited substances : Not applicable
Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/14
4.0	2025/04/14	4834917-00011	Date of first issue: 2019/09/10

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN