

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Section 1: Identification

Product name : Fipronil Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system, Kidney)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 4789411-00015	Date of last issue: 04.12.2024 Date of first issue: 27.08.2019
-----------------	------------------------------	------------------------------	---

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H373 May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<p>Prevention:</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Response:</p> <p>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage.</p> <p>Storage:</p> <p>P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.</p>

Fipronil Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 4789411-00015	Date of last issue: 04.12.2024 Date of first issue: 27.08.2019
-----------------	------------------------------	------------------------------	---

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	>= 70 -< 90
Ethanol#	64-17-5	>= 10 -< 20
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5

Voluntarily-disclosed substance

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : There may be delayed neurological effects, including brain oedema.
Must not be confused with organophosphorous compounds!
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Toxic if inhaled.

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 4789411-00015	Date of last issue: 04.12.2024 Date of first issue: 27.08.2019
-----------------	------------------------------	------------------------------	---

Protection of first-aiders	May cause damage to organs through prolonged or repeated exposure. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Nitrogen oxides (NO _x) Sulphur oxides Carbon oxides Chlorine compounds Fluorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 3W

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).

Fipronil Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 4789411-00015	Date of last issue: 04.12.2024 Date of first issue: 27.08.2019
-----------------	------------------------------	------------------------------	---

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up :

- Non-sparking tools should be used.
- Soak up with inert absorbent material.
- Suppress (knock down) gases/vapours/mists with a water spray jet.
- For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
- Clean up remaining materials from spill with suitable absorbent.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures :

- See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation :

- If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling :

- Do not get on skin or clothing.
- Do not breathe mist or vapours.
- Do not swallow.
- Do not get in eyes.
- Wash skin thoroughly after handling.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Non-sparking tools should be used.
- Keep container tightly closed.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Take precautionary measures against static discharges.
- Do not eat, drink or smoke when using this product.
- Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures :

- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025

SDS Number: 4789411-00015

Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	WES-TWA	25 ppm 121 mg/m ³	NZ OEL
Further information: Skin absorption				
Ethanol	64-17-5	WES-TWA	20 ppm 200 ppm 380 mg/m ³	ACGIH NZ OEL
Further information: Ototoxin				
		WES-STEL	800 ppm 1,520 mg/m ³	NZ OEL
Further information: Ototoxin				
		STEL	1,000 ppm	ACGIH
Fipronil (ISO)	120068-37-3	TWA	2 µg/m ³ (OEB 4)	Internal
Further information: Skin		Wipe limit		Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-Butoxyethanol	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible)	200 mg/g creatinine	ACGIH BEI

SAFETY DATA SHEET



Fipronil Formulation

Version
10.0

Revision Date:
14.04.2025

SDS Number:
4789411-00015

Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

				after exposure ceases)		
--	--	--	--	------------------------------	--	--

Engineering measures

: Use explosion-proof electrical, ventilating and lighting equipment.

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Section 9: Physical and chemical properties

Appearance : liquid
Colour : yellow
Odour : characteristic
Odour Threshold : No data available
pH : No data available
Melting point/freezing point : No data available
Initial boiling point and boiling range : 78.5 °C
Flash point : 29 °C
Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Flammability (liquids) : Not applicable
Upper explosion limit / Upper flammability limit : No data available
Lower explosion limit / Lower flammability limit : No data available
Vapour pressure : No data available
Relative vapour density : 0.91 - 0.95
Relative density : 0.91 - 0.95
Density : No data available
Solubility(ies)
Water solubility : slightly soluble
Partition coefficient: n-octanol/water : Not applicable
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity
Viscosity, kinematic : No data available

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed.
Toxic if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,290 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

Components:

2-Butoxyethanol:

Acute oral toxicity	:	LD50 (Guinea pig): 1,200 mg/kg
---------------------	---	--------------------------------

Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement
Acute dermal toxicity	:	LD50 (Guinea pig): > 2,000 mg/kg

Ethanol:

Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male): 116.9 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 15,800 mg/kg

Fipronil (ISO):

Acute oral toxicity	:	LD50 (Rat): 92 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.36 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 354 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:**2-Butoxyethanol:**

Species	:	Rabbit
Method	:	Directive 67/548/EEC, Annex V, B.4.
Result	:	Skin irritation

Ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Fipronil (ISO):

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Fipronil FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
4789411-00015Date of last issue: 04.12.2024
Date of first issue: 27.08.2019**Components:****2-Butoxyethanol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Ethanol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Fipronil (ISO):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**2-Butoxyethanol:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Ethanol:

Test Type	:	Mouse ear swelling test (MEST)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Fipronil (ISO):

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Fipronil FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
4789411-00015Date of last issue: 04.12.2024
Date of first issue: 27.08.2019**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

Components:**2-Butoxyethanol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: equivocal
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Ethanol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Result: negative

Fipronil (ISO):

Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**2-Butoxyethanol:**

Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	2 Years
Result	:	negative

Fipronil (ISO):

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	78 weeks
Method	:	Directive 67/548/EEC, Annex V, B.32.
Result	:	negative

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Method	:	Directive 67/548/EEC, Annex, B.33
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Fipronil FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
4789411-00015Date of last issue: 04.12.2024
Date of first issue: 27.08.2019**Reproductive toxicity**

Not classified based on available information.

Components:**2-Butoxyethanol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

Ethanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

Fipronil (ISO):

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.

Components:**Fipronil (ISO):**

Exposure routes	: Ingestion
Target Organs	: Central nervous system, Kidney

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024 Date of first issue: 27.08.2019

Assessment

: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Ethanol:

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Fipronil (ISO):

Species	:	Rabbit
NOAEL	:	5 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Skin contact
Exposure time	:	21 Days
Method	:	OECD Test Guideline 410

Species	:	Rat, male
NOAEL	:	0.059 mg/kg
LOAEL	:	0.019 mg/kg
Application Route	:	Ingestion
Exposure time	:	89 Weeks
Method	:	Directive 67/548/EEC, Annex, B.33

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information

Ecotoxicity

Components:

2-Butoxyethanol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,464 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,840 mg/l

Fipronil FormulationVersion
10.0Revision Date:
14.04.2025SDS Number:
4789411-00015Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

Exposure time: 72 h
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 679 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 134 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l
Exposure time: 100 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l
Exposure time: 4 h

Fipronil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 µg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024 Date of first issue: 27.08.2019

M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10,000
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h

Persistence and degradability

Components:

2-Butoxyethanol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 90.4 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

Ethanol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---	---

Fipronil (ISO):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 47 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

Bioaccumulative potential

Components:

2-Butoxyethanol:

Partition coefficient: n-octanol/water	:	log Pow: 0.81
--	---	---------------

Ethanol:

Partition coefficient: n-octanol/water	:	log Pow: -0.35
--	---	----------------

Fipronil (ISO):

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 321
-----------------	---	---

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024 Date of first issue: 27.08.2019

Partition coefficient: n-octanol/water : log Pow: 4

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethanol, Fipronil (ISO))
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1992
Proper shipping name : Flammable liquid, toxic, n.o.s.
(Ethanol, Fipronil (ISO))
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : Flammable Liquids, Toxic
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024 Date of first issue: 27.08.2019

Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
EmS Code : F-E, S-D
Marine pollutant : yes

(Ethanol, Fipronil (ISO))

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethanol, Fipronil (ISO))
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
Hazchem Code : 3W
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Chemical name	Environmental compartment	Reference concentration
fipronil	Fresh water	78 ng/l
fipronil	Marine water	0.22 ng/l

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

SAFETY DATA SHEET



Fipronil Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 4789411-00015 Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-

SAFETY DATA SHEET



Fipronil Formulation

Version
10.0

Revision Date:
14.04.2025

SDS Number:
4789411-00015

Date of last issue: 04.12.2024
Date of first issue: 27.08.2019

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN