

Ivermectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

SECTION 1. IDENTIFICATION

Product name : Ivermectin (with Propylene Glycol) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - single exposure (Oral) : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system)

Aspiration hazard : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Ivermectin (with Propylene Glycol) Formula- tion

Version 8.0	Revision Date: 14.04.2025	SDS Number: 4710366-00019	Date of last issue: 28.09.2024 Date of first issue: 30.07.2019
----------------	------------------------------	------------------------------	---

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H225 Highly flammable liquid and vapor.
 H303 May be harmful if swallowed.
 H305 May be harmful if swallowed and enters airways.
 H319 Causes serious eye irritation.
 H371 May cause damage to organs (Central nervous system) if swallowed.
 H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe mist or vapors.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 14.04.2025 SDS Number: 4710366-00019 Date of last issue: 28.09.2024
Date of first issue: 30.07.2019

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,3-Dioxan-5-ol	4740-78-7	>= 30 -< 50
Butanone	78-93-3	>= 10 -< 20
Ivermectin	70288-86-7	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Remove contaminated clothing and shoes.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
May be harmful if swallowed and enters airways.
Causes serious eye irritation.
May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

Ivermectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

- ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases
Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Butanone	78-93-3	CMP	200 ppm	AR OEL
		CMP - CPT	300 ppm	AR OEL
		TWA	75 ppm	ACGIH
		STEL	150 ppm	ACGIH
Ivermectin	70288-86-7	TWA	30 µg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	300 µg/100 cm2	Internal

Ivermectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 14.04.2025 SDS Number: 4710366-00019 Date of last issue: 28.09.2024
Date of first issue: 30.07.2019

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Butanone	78-93-3	MEK	Urine	End of shift	2 mg/l	AR BEI
		methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.
Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 4710366-00019	Date of last issue: 28.09.2024 Date of first issue: 30.07.2019
----------------	------------------------------	------------------------------	---

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: Colorless to pale yellow
Odor	: characteristic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: < -66 °C
Initial boiling point and boiling range	: 81,5 °C
Flash point	: 16 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,04 - 1,08
Density	: No data available
Solubility(ies) Water solubility	: slightly soluble

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 4.167 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:**1,3-Dioxan-5-ol:**

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: Based on data from similar materials

Butanone:

Acute oral toxicity	: LD50 (Rat): > 2.000 - 5.000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 25,5 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 436 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg

Ivermectin:

Acute oral toxicity	: LD50 (Rat): 50 mg/kg LD50 (Mouse): 25 mg/kg LD50 (Monkey): > 24 mg/kg Target Organs: Central nervous system Symptoms: Vomiting, Dilatation of the pupil Remarks: No mortality observed at this dose.
Acute inhalation toxicity	: LC50 (Rat): 5,11 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 406 mg/kg LD50 (Rat): > 660 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**1,3-Dioxan-5-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Butanone:

Assessment	: Repeated exposure may cause skin dryness or cracking.
Species	: Rabbit
Method	: OECD Test Guideline 404

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Result	: No skin irritation
Remarks	: Based on data from similar materials

Ivermectin:

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**1,3-Dioxan-5-ol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Butanone:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Ivermectin:

Species	: Rabbit
Result	: Mild eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**1,3-Dioxan-5-ol:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Butanone:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

|| Result : negative

Ivermectin:

|| Routes of exposure : Dermal
|| Species : Humans
|| Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:**1,3-Dioxan-5-ol:**

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

|| Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Result: negative
Remarks: Based on data from similar materials

Butanone:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-
thesis in mammalian cells (in vitro)
Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay
(in vitro)
Result: negative

|| Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Ivermectin:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-
thesis in mammalian cells (in vitro)

Test system: human diploid fibroblasts

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Ivermectin:**

Species	: Rat
Application Route	: Oral
NOAEL	: 1,5 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Species	: Mouse
Application Route	: Oral
NOAEL	: 2,0 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Butanone:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Ingestion
	Result: negative
	Remarks: Based on data from similar materials

Effects on fetal development	: Test Type: Embryo-fetal development
	Species: Rat
	Application Route: Inhalation
	Method: OECD Test Guideline 414
	Result: negative

Ivermectin:

Effects on fertility	: Test Type: Fertility
	Species: Rat
	Application Route: Oral
	Fertility: NOAEL: 0,6 mg/kg body weight
	Result: Animal testing did not show any effects on fertility.

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 0,2 mg/kg body weight
Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0,4 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected.
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Development
Species: Rabbit
Application Route: Oral
Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:**Butanone:**

Assessment : May cause drowsiness or dizziness.

Ivermectin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

Components:**Ivermectin:**

Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Repeated dose toxicity**Components:****Butanone:**

Species	: Rat
NOAEL	: 14,84 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 90 Days
Method	: OECD Test Guideline 413

Ivermectin:

Species	: Dog
NOAEL	: 0,5 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 14 Weeks
Target Organs	: Central nervous system
Symptoms	: Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species	: Monkey
NOAEL	: 1,2 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Remarks	: No significant adverse effects were reported

Species	: Rat
NOAEL	: 0,4 mg/kg
LOAEL	: 0,8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: spleen, Bone marrow, Kidney

Aspiration toxicity

May be harmful if swallowed and enters airways.

Components:**Butanone:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****Ivermectin:**

Skin contact	: Remarks: Can be absorbed through skin.
Eye contact	: Remarks: May irritate eyes.
Ingestion	: Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vomiting, anorexia, Lack of coordination

Ivermectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,3-Dioxan-5-ol:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10: > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Butanone:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2.993 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 308 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.029 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 1.240 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

Ivermectin:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,003 mg/l Exposure time: 96 h
------------------	---	---

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0048 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,000025 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10.000
M-Factor (Chronic aquatic toxicity)	: 10.000

Persistence and degradability**Components:****1,3-Dioxan-5-ol:**

Biodegradability	: Result: Inherently biodegradable. Remarks: Based on data from similar materials
------------------	--

Butanone:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 98 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---

Ivermectin:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 240 d
------------------	--

Bioaccumulative potential**Components:****1,3-Dioxan-5-ol:**

Partition coefficient: n-octanol/water	: log Pow: -0,65
--	------------------

Butanone:

Partition coefficient: n-octanol/water	: log Pow: 0,3
--	----------------

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Ivermectin:

Bioaccumulation : Bioconcentration factor (BCF): 74

Partition coefficient: n-octanol/water : log Pow: 3,22

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 1193
Proper shipping name	: METHYL ETHYL KETONE SOLUTION
Class	: 3
Packing group	: II
Labels	: 3
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: UN 1193
Proper shipping name	: Ethyl methyl ketone solution
Class	: 3
Packing group	: II
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 364
Packing instruction (passenger aircraft)	: 353

IMDG-Code

UN number	: UN 1193
Proper shipping name	: ETHYL METHYL KETONE SOLUTION (Ivermectin)
Class	: 3

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents : Not applicable
Registry.

Control of precursors and essential chemicals for the : Not applicable
preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Material Safety eChem Portal search results and European Chemicals Agen-
Data Sheet cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
AR BEI : Argentina. Biological Exposure Indices
AR OEL : Argentina. Occupational Exposure Limits

**Ivermectin (with Propylene Glycol) Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.0	14.04.2025	4710366-00019	Date of first issue: 30.07.2019

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AR OEL / CMP	:	TLV (Threshold Limit Value)
AR OEL / CMP - CPT	:	STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8