

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025 Date of first issue: 17.09.2019

---

### SECTION 1. IDENTIFICATION

Product name : Pyrantel Pamoate / Moxidectin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.

**Response:**

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 38,3 %

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	>= 30 -< 50
Glycerine	56-81-5	>= 10 -< 20
Moxidectin	113507-06-5	>= 1 -< 2,5
Ethanol#	64-17-5	>= 0,1 -< 1

# Voluntarily-disclosed substance

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**Pyrantel Pamoate / Moxidectin Formulation**Version  
3.1Revision Date:  
18.06.2025SDS Number:  
4892853-00014Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Pyrantel Pamoate / Moxidectin Formulation**Version  
3.1Revision Date:  
18.06.2025SDS Number:  
4892853-00014Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid breathing vapors.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 µg/m <sup>3</sup> (OEB 2)	Internal
Glycerine	56-81-5	CMP (Mist)	10 mg/m <sup>3</sup>	AR OEL
Moxidectin	113507-06-5	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Ethanol	64-17-5	CMP	1.000 ppm	AR OEL
		Further information: A4 - Not classifiable as a human carcinogen		
		STEL	1.000 ppm	ACGIH

**Engineering measures**

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

**Personal protective equipment**

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
Respiratory protection		: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.	
Filter type Hand protection		: Combined particulates and organic vapor type	
Material		: Chemical-resistant gloves	
Remarks Eye protection		: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	
Skin and body protection		: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.	
Hygiene measures		: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Color	: yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not applicable

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019

---

Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Skin contact Ingestion
--	-----------------------------

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025 Date of first issue: 17.09.2019

---

Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

#### Components:

##### **4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Acute oral toxicity : LD50 (Rat): > 24.000 mg/kg  
LD50 (Mouse): > 24.000 mg/kg  
LD50 (Dog): 2.000 mg/kg

##### **Glycerine:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5.000 mg/kg

##### **Moxidectin:**

Acute oral toxicity : LD50 (Rat): 106 mg/kg  
LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3,28 mg/l  
Exposure time: 5 h  
Test atmosphere: dust/mist  
LC50 (Rat): 2,87 - 4,06 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Remarks: No significant adverse effects were reported

Acute toxicity (other routes of administration) : LD50 (Rat): 394 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 84 mg/kg  
Application Route: Intraperitoneal

**Pyrantel Pamoate / Moxidectin Formulation**

---

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

---

LD50 (Rat): > 640 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 263 mg/kg  
Application Route: Subcutaneous

**Ethanol:**

Acute oral toxicity	:	LD50 (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male): 116,9 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rabbit): > 15.800 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Glycerine:**

Species	:	Rabbit
Result	:	No skin irritation

**Moxidectin:**

Species	:	Rabbit
Result	:	Mild skin irritation

**Ethanol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Glycerine:**

Species	:	Rabbit
Result	:	No eye irritation

**Moxidectin:**

Species	:	Rabbit
Result	:	Moderate eye irritation

**Ethanol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025 Date of first issue: 17.09.2019

---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### **Moxidectin:**

Test Type : Buehler Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

##### **Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

##### **Germ cell mutagenicity**

Not classified based on available information.

#### Components:

##### **4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

##### **Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

##### **Moxidectin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025 Date of first issue: 17.09.2019

---

Test system: Chinese hamster ovary cells  
Result: negative

Test Type: in vitro test  
Test system: Escherichia coli  
Result: negative

Genotoxicity in vivo

: Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Cell type: Liver cells  
Result: negative

### Ethanol:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Glycerine:

Species

: Rat

Application Route

: Ingestion

Exposure time

: 2 Years

Result

: negative

#### Moxidectin:

Species

: Mouse

Application Route

: Oral

Exposure time

: 2 Years

NOAEL

: 4,5 mg/kg body weight

Result

: negative

**Pyrantel Pamoate / Moxidectin Formulation**

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

---

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 4,5 mg/kg body weight  
Result : negative

Species : Dog  
Application Route : Oral  
Exposure time : 1 Years  
NOAEL : 0,5 mg/kg body weight  
Result : negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3.000 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

**Glycerine:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Moxidectin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 0,8 mg/kg body weight  
Symptoms: Reduced fetal weight., Fetal mortality.  
Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

**Pyrantel Pamoate / Moxidectin Formulation**Version  
3.1Revision Date:  
18.06.2025SDS Number:  
4892853-00014Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019

Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 0,8 mg/kg body weight  
Symptoms: Reduced fetal weight., Fetal mortality.  
Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 10 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 10 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 5 mg/kg body weight  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects., No embryotoxic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

**Components:****Moxidectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Species : Dog

**Pyrantel Pamoate / Moxidectin Formulation**

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

---

NOAEL	:	10 mg/kg
LOAEL	:	30 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 d
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	600 mg/kg
Application Route	:	Oral
Exposure time	:	19 d
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	600 mg/kg
Application Route	:	Oral
Exposure time	:	30 d
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	600 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Remarks	:	No significant adverse effects were reported

**Glycerine:**

Species	:	Rat
NOAEL	:	0,167 mg/l
LOAEL	:	0,622 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks
Species	:	Rat
NOAEL	:	8.000 - 10.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y
Species	:	Rabbit
NOAEL	:	5.040 mg/kg
Application Route	:	Skin contact
Exposure time	:	45 Weeks

**Moxidectin:**

Species	:	Mouse
NOAEL	:	3,9 mg/kg
LOAEL	:	15,4 mg/kg
Application Route	:	Oral
Exposure time	:	4 Weeks
Symptoms	:	Tremors
Species	:	Rat
NOAEL	:	3,9 mg/kg
LOAEL	:	7,9 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

Target Organs	:	Central nervous system
Symptoms	:	Tremors, Salivation
Species	:	Dog
NOAEL	:	0,3 mg/kg
LOAEL	:	0,9 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system
Symptoms	:	Tremors, Lachrymation, Salivation
Species	:	Dog
NOAEL	:	1,15 mg/kg
Application Route	:	Oral
Exposure time	:	52 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, Lachrymation

### **Ethanol:**

Species	:	Rat
NOAEL	:	1.730 mg/kg
LOAEL	:	3.200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

##### **4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Ingestion	:	Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea, Headache, Dizziness, Fever
-----------	---	--

#### **Moxidectin:**

Inhalation	:	Remarks: No human information is available.
Skin contact	:	Remarks: No human information is available.
Eye contact	:	Remarks: No human information is available.
Ingestion	:	Remarks: No human information is available.

**Pyrantel Pamoate / Moxidectin Formulation**

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

**4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded  
Chronic aquatic toxicity : Toxic effects cannot be excluded

**Glycerine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54.000 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.955 mg/l  
Exposure time: 48 h  
Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10.000 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

**Moxidectin:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0006 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0002 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,00003 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10.000

M-Factor (Chronic aquatic toxicity) : 10.000

**Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14.200 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1	Revision Date: 18.06.2025	SDS Number: 4892853-00014	Date of last issue: 14.04.2025 Date of first issue: 17.09.2019
----------------	------------------------------	------------------------------	---

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
	EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9,6 mg/l Exposure time: 9 d
Toxicity to microorganisms	: EC50 (Protozoa): 5.800 mg/l Exposure time: 4 h

### Persistence and degradability

#### Components:

##### **Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

##### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

### Bioaccumulative potential

#### Components:

##### **Glycerine:**

Partition coefficient: n-octanol/water : log Pow: -1,75

##### **Moxidectin:**

Partition coefficient: n-octanol/water : log Pow: 4,7

##### **Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0,35

### Mobility in soil

#### Components:

##### **Ethanol:**

Distribution among environmental compartments : log Koc: 0,2

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1 Revision Date: 18.06.2025 SDS Number: 4892853-00014 Date of last issue: 14.04.2025 Date of first issue: 17.09.2019

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Moxidectin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Moxidectin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Moxidectin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 3.1      Revision Date: 18.06.2025      SDS Number: 4892853-00014      Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019

---

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry : Not applicable

Control of precursors and essential chemicals for the preparation of drugs : Ethanol

### The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 18.06.2025  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / STEL : Short-term exposure limit  
AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version  
3.1

Revision Date:  
18.06.2025

SDS Number:  
4892853-00014

Date of last issue: 14.04.2025  
Date of first issue: 17.09.2019

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8