

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version  
9.1

Revision Date:  
2025/06/18

SDS Number:  
4892856-00015

Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Pyrantel Pamoate / Moxidectin Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Specific target organ toxicity - : Category 2 (Central nervous system)  
repeated exposure

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

---

Version 9.1	Revision Date: 2025/06/18	SDS Number: 4892856-00015	Date of last issue: 2025/04/14 Date of first issue: 2019/09/17
----------------	------------------------------	------------------------------	---

---

### Response:

P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 38.3 %

### Other hazards which do not result in classification

None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	>= 30 - < 40	-
Propylene glycol	57-55-6	>= 10 - < 20	2-234
Moxidectin	113507-06-5	>= 1 - < 2.5	-
Polyacrylic acid	9003-01-4	>= 0.1 - < 1	6-898
Ethanol#	64-17-5	>= 0.1 - < 1	2-202

# Voluntarily-disclosed substance

---

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version  
9.1

Revision Date:  
2025/06/18

SDS Number:  
4892856-00015

Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

If swallowed	Get medical attention if irritation develops and persists. : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1	Revision Date: 2025/06/18	SDS Number: 4892856-00015	Date of last issue: 2025/04/14 Date of first issue: 2019/09/17
----------------	------------------------------	------------------------------	---

Methods and materials for containment and cleaning up	<p>: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.</p> <p>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</p> <p>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</p>
---	--

**7. HANDLING AND STORAGE****Handling**

Technical measures	<p>: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.</p>
Local/Total ventilation	<p>: Use only with adequate ventilation.</p>
Advice on safe handling	<p>: Avoid breathing vapours.</p> <p>Do not swallow.</p> <p>Avoid contact with eyes.</p> <p>Avoid prolonged or repeated contact with skin.</p> <p>Wash skin thoroughly after handling.</p> <p>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Take care to prevent spills, waste and minimize release to the environment.</p>
Avoidance of contact	<p>: Oxidizing agents</p>
Hygiene measures	<p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</p> <p>When using do not eat, drink or smoke.</p> <p>Wash contaminated clothing before re-use.</p> <p>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>

**Storage**

Conditions for safe storage	<p>: Keep in properly labelled containers.</p> <p>Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types:</p> <p>Strong oxidizing agents</p>
Packaging material	<p>: Unsuitable material: None known.</p>

**Pyrantel Pamoate / Moxidectin Formulation**Version  
9.1Revision Date:  
2025/06/18SDS Number:  
4892856-00015Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 µg/m <sup>3</sup> (OEB 2)	Internal
Moxidectin	113507-06-5	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Physical state : paste

Colour : yellow

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Up- : No data available  
per flammability limit

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Decomposition temperature : No data available

pH : No data available

Evaporation rate : Not applicable

Auto-ignition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density and / or relative density  
Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Skin contact Ingestion Eye contact
--	---	--

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

#### Components:

##### **4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Acute oral toxicity	:	LD50 (Rat): > 24,000 mg/kg LD50 (Mouse): > 24,000 mg/kg LD50 (Dog): 2,000 mg/kg
---------------------	---	---

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

### Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg  
LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.28 mg/l  
Exposure time: 5 h  
Test atmosphere: dust/mist  
LC50 (Rat): 2.87 - 4.06 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

Acute toxicity (other routes of administration) : LD50 (Rat): 394 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 84 mg/kg  
Application Route: Intraperitoneal  
LD50 (Rat): > 640 mg/kg  
Application Route: Subcutaneous  
LD50 (Mouse): 263 mg/kg  
Application Route: Subcutaneous

### Polyacrylic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Moxidectin:**

Species : Rabbit  
Result : Mild skin irritation

**Polyacrylic acid:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Moxidectin:**

Species : Rabbit  
Result : Moderate eye irritation

**Polyacrylic acid:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Ethanol:**

Species : Rabbit

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Propylene glycol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Moxidectin:**

Test Type : Buehler Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1	Revision Date: 2025/06/18	SDS Number: 4892856-00015	Date of last issue: 2025/04/14 Date of first issue: 2019/09/17
-------------	---------------------------	---------------------------	---

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Moxidectin:**

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: in vitro assay  
Test system: Escherichia coli  
Result: negative

**Genotoxicity in vivo** : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Cell type: Liver cells  
Result: negative

### **Ethanol:**

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1 Revision Date: 2025/06/18 SDS Number: 4892856-00015 Date of last issue: 2025/04/14 Date of first issue: 2019/09/17

---

### Components:

#### **Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Moxidectin:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 4.5 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 4.5 mg/kg body weight  
Result : negative

Species : Dog  
Application Route : Oral  
Exposure time : 1 Years  
NOAEL : 0.5 mg/kg body weight  
Result : negative

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3,000 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

#### **Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1	Revision Date: 2025/06/18	SDS Number: 4892856-00015	Date of last issue: 2025/04/14 Date of first issue: 2019/09/17
----------------	------------------------------	------------------------------	---

Application Route: Ingestion  
Result: negative

Effects on foetal development

- : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Moxidectin:

Effects on fertility

- : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 0.8 mg/kg body weight  
Symptoms: Reduced foetal weight, foetal mortality  
Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Test Type: Three-generation reproduction toxicity study  
Species: Rat

Application Route: Oral  
General Toxicity F1: LOAEL: 0.8 mg/kg body weight  
Symptoms: Reduced foetal weight, foetal mortality  
Result: No effects on fertility, Some evidence of adverse effects on development, based on animal experiments.

Effects on foetal development

- : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 10 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 10 mg/kg body weight  
Result: Skeletal malformations  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development

Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 5 mg/kg body weight  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No teratogenic effects, No embryotoxic effects

Reproductive toxicity - Assessment

- : Some evidence of adverse effects on development, based on animal experiments.

### Ethanol:

Effects on fertility

- : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

**Components:****Moxidectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Species : Dog  
NOAEL : 10 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 3 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 19 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

**Propylene glycol:**

Species : Rat, male  
NOAEL : >= 1,700 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**Moxidectin:**

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Species	:	Mouse
NOAEL	:	3.9 mg/kg
LOAEL	:	15.4 mg/kg
Application Route	:	Oral
Exposure time	:	4 Weeks
Symptoms	:	Tremors
Species	:	Rat
NOAEL	:	3.9 mg/kg
LOAEL	:	7.9 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, Salivation
Species	:	Dog
NOAEL	:	0.3 mg/kg
LOAEL	:	0.9 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system
Symptoms	:	Tremors, Lachrymation, Salivation
Species	:	Dog
NOAEL	:	1.15 mg/kg
Application Route	:	Oral
Exposure time	:	52 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, Lachrymation

**Ethanol:**

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea, Headache, Dizziness, Fever

**Moxidectin:**

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Inhalation	: Remarks: No human information is available.
Skin contact	: Remarks: No human information is available.
Eye contact	: Remarks: No human information is available.
Ingestion	: Remarks: No human information is available.

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

**4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):**

**Ecotoxicology Assessment**

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded

**Propylene glycol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

**Moxidectin:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.00003 mg/l Exposure time: 48 h

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1 Revision Date: 2025/06/18 SDS Number: 4892856-00015 Date of last issue: 2025/04/14 Date of first issue: 2019/09/17

---

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10,000

M-Factor (Chronic aquatic toxicity) : 10,000

### Polyacrylic acid:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 1 mg/l  
Exposure time: 32 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l  
Exposure time: 100 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l

**Pyrantel Pamoate / Moxidectin Formulation**

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

Exposure time: 4 h

**Persistence and degradability****Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Polyacrylic acid:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Bioaccumulative potential****Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

**Moxidectin:**

Partition coefficient: n-octanol/water : log Pow: 4.7

**Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

**Mobility in soil****Components:****Ethanol:**

Distribution among environmental compartments : log Koc: 0.2

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

**Pyrantel Pamoate / Moxidectin Formulation**Version  
9.1Revision Date:  
2025/06/18SDS Number:  
4892856-00015Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Moxidectin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Moxidectin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Moxidectin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1 Revision Date: 2025/06/18 SDS Number: 4892856-00015 Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
Acrylic acid polymer	234

#### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

##### Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=10 - <20	From April 1st, 2025
Ethanol	>=0.1 - <1	-

#### Substances Subject to be Indicated Names

##### Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025
Ethanol	-

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version 9.1      Revision Date: 2025/06/18      SDS Number: 4892856-00015      Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

### **Skin and Eye Damage Substances (ISHL MO Art. 594-2)**

Not applicable

### **Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

### **Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

### **Ordinance on Prevention of Lead Poisoning**

Not applicable

### **Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

### **Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

### **Poisonous and Deleterious Substances Control Law**

Not applicable

### **Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

### **High Pressure Gas Safety Act**

Not applicable

### **Explosive Control Law**

Not applicable

### **Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

### **Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### **Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

---

Version 9.1	Revision Date: 2025/06/18	SDS Number: 4892856-00015	Date of last issue: 2025/04/14 Date of first issue: 2019/09/17
----------------	------------------------------	------------------------------	---

---

### Waste Disposal and Public Cleansing Law

Industrial waste

**The components of this product are reported in the following inventories:**

DSL	: not determined
AICS	: not determined
IECSC	: not determined

---

## 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalu-

# SAFETY DATA SHEET



## Pyrantel Pamoate / Moxidectin Formulation

Version  
9.1

Revision Date:  
2025/06/18

SDS Number:  
4892856-00015

Date of last issue: 2025/04/14  
Date of first issue: 2019/09/17

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN