

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 4910478-00010 Date of last issue: 28.09.2024 Date of first issue: 20.09.2019

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Iron Dextran / Nicotinamide Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum hydroxide	21645-51-2	>= 10 -< 20
Iron dextran	9004-66-4	>= 1 -< 5
Nicotinamide	98-92-0	>= 1 -< 5

### SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

**Iron Dextran / Nicotinamide Formulation**

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 4910478-00010	Date of last issue: 28.09.2024 Date of first issue: 20.09.2019
----------------	------------------------------	------------------------------	---

---

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Metal oxides Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
4910478-00010

Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Aluminum hydroxide	21645-51-2	VLE-PPT (Respirable fraction)	1 mg/m <sup>3</sup> (Aluminum)	NOM-010- STPS-2014
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH

#### Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
4910478-00010

Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	
Hand protection	: Combined particulates and organic vapor type
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: dark brown
Odor	: characteristic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: -1.0 °C
Initial boiling point and boiling range	: 98.5 °C
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper	: No data available

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 4910478-00010      Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : 0.9950 - 1.1500

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation

Skin contact

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 4910478-00010      Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Aluminum hydroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5.09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

##### Iron dextran:

Acute oral toxicity : LD50 (Mouse): 1,000 mg/kg

##### Nicotinamide:

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Aluminum hydroxide:

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
2.0 14.04.2025 4910478-00010 Date of first issue: 20.09.2019

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

## **Nicotinamide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

## **Components:**

## Aluminum hydroxide:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

## **Nicotinamide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days  
Method : OECD Test Guideline 405

## **Respiratory or skin sensitization**

## **Skin sensitization**

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

## **Components:**

## Aluminum hydroxide:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Nicotinamide:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

## Germ cell mutagenicity

Not classified based on available information

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
4910478-00010

Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

### Components:

#### **Aluminum hydroxide:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: equivocal  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

#### **Nicotinamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### Components:

#### **Aluminum hydroxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 86 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 4910478-00010      Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

### Components:

#### **Aluminum hydroxide:**

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

#### **Nicotinamide:**

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
------------------------------	---

#### **STOT-single exposure**

Not classified based on available information.

#### **STOT-repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

### Components:

#### **Aluminum hydroxide:**

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 364 Days
Method	: OECD Test Guideline 426
Remarks	: Based on data from similar materials

Species	: Rat
NOAEL	: > 0.2 mg/kg
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 12 Months
Remarks	: Based on data from similar materials

#### **Nicotinamide:**

Species	: Rat
NOAEL	: 215 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
4910478-00010

Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Aluminum hydroxide:**

Toxicity to fish	:	LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h

##### **Iron dextran:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

##### **Nicotinamide:**

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 560 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): 4,235 mg/l Exposure time: 18 h Method: OECD Test Guideline 209

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 4910478-00010 Date of last issue: 28.09.2024  
Date of first issue: 20.09.2019

---

### Persistence and degradability

#### Components:

##### **Nicotinamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### Bioaccumulative potential

#### Components:

##### **Nicotinamide:**

Partition coefficient: n-octanol/water : log Pow: -0.38

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### **NOM-002-SCT**

Not regulated as a dangerous good

#### **Special precautions for user**

Not applicable

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 4910478-00010	Date of last issue: 28.09.2024 Date of first issue: 20.09.2019
----------------	------------------------------	------------------------------	---

---

### SECTION 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

#### **The ingredients of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

### SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

#### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

# SAFETY DATA SHEET



## Iron Dextran / Nicotinamide Formulation

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 4910478-00010	Date of last issue: 28.09.2024 Date of first issue: 20.09.2019
----------------	------------------------------	------------------------------	---

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8