

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025 Date of first issue: 24.10.2019

Section 1: Identification

Product identifier : Florfenicol (2%) Liquid Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)

Long-term (chronic) aquatic hazard : Category 2

GHS Label elements, including precautionary statements

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H373 May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P260 Do not breathe mist or vapours. P273 Avoid release to the environment.

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0	Revision Date: 18.06.2025	SDS Number: 5207913-00010	Date of last issue: 14.04.2025 Date of first issue: 24.10.2019
----------------	------------------------------	------------------------------	---



Response:

P314 Get medical advice/ attention if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 1 -< 2.5

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Florfenicol (2%) Liquid Formulation

Version 3.0	Revision Date: 18.06.2025	SDS Number: 5207913-00010	Date of last issue: 14.04.2025 Date of first issue: 24.10.2019
----------------	------------------------------	------------------------------	---

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025 Date of first issue: 24.10.2019

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : liquid

Colour : Colorless to pale yellow

Odour : odourless, characteristic, very faint

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025 Date of first issue: 24.10.2019

Particle characteristics
Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form combustible dust concentrations in air during processing, handling or other means.
Can react with strong oxidizing agents.
Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Florfenicol:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg
	LD50 (Mouse): > 2,000 mg/kg
	LD50 (Dog): > 1,280 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.28 mg/l Exposure time: 4 h
Acute dermal toxicity	: Remarks: No data available
Acute toxicity (other routes of administration)	: LD50 (Rat): 1,913 - 2,253 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 100 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Components:

Florfenicol:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Florfenicol:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Florfenicol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative
		Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive

Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Florfenicol:**

Species : Rat
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Liver, Testes

Species : Mouse
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Testes, Blood

Reproductive toxicity

Not classified based on available information.

Components:**Florfenicol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: LOAEL: 12 mg/kg body weight
Result: decreased pup survival, reduced lactation

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
General Toxicity Maternal: NOAEL: 4 mg/kg body weight
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
Result: No teratogenic effects, Fetotoxicity
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development
Species: Mouse
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: 120 mg/kg body weight
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity

Reproductive toxicity - As : Some evidence of adverse effects on sexual function and

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Assessment

fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs	:	Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Florfenicol:

Species	:	Dog
NOAEL	:	3 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis, Brain, Spinal cord

Species	:	Mouse
NOAEL	:	200 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Rat
NOAEL	:	30 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	12 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Liver, gallbladder

Species	:	Rat
NOAEL	:	1 mg/kg
LOAEL	:	3 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Testis

Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information**Toxicity****Components:****Florfenicol:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
	: IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253
	: NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l Exposure time: 72 h Method: ISO 10253
	: EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l Exposure time: 7 d Method: OECD Test Guideline 221
	: NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l Exposure time: 7 d Method: OECD Test Guideline 221
	: EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025 Date of first issue: 24.10.2019

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10
Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Florfenicol:

Partition coefficient: n-octanol/water : log Pow: 0.373
pH: 7

Mobility in soil

Components:

Florfenicol:

Distribution among environmental compartments : Koc: 52
Method: FDA 3.08

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
Transport hazard class(es) : 9
Packing group : III
Labels : 9
Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082
UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Florfenicol)
Transport hazard class(es) : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0 Revision Date: 18.06.2025 SDS Number: 5207913-00010 Date of last issue: 14.04.2025
Date of first issue: 24.10.2019

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 18.06.2025

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Sheet

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

SAFETY DATA SHEET



Florfenicol (2%) Liquid Formulation

Version 3.0	Revision Date: 18.06.2025	SDS Number: 5207913-00010	Date of last issue: 14.04.2025 Date of first issue: 24.10.2019
----------------	------------------------------	------------------------------	---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN