

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tulathromycin Formulation  
Other means of identification : AROVYN INJECTABLE SOLUTION (90779)

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Liver, Eye)

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H361 Suspected of damaging fertility or the unborn child.  
H372 Causes damage to organs (Liver, Eye) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Tulathromycin	217500-96-4	>= 10 -< 20
Hydrochloric acid	7647-01-0	>= 3 -< 5
Citric acid	77-92-9	>= 1 -< 5
Sodium hydroxide	1310-73-2	>= 1 -< 2
3-Mercaptopropane-1,2-diol	96-27-5	>= 0.1 -< 1

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

---

In case of eye contact	and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If swallowed	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	--

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 5297464-00014	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

Materials to avoid	Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases
--------------------	---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permissible concentration	Basis
Tulathromycin	217500-96-4	TWA	300 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
Hydrochloric acid	7647-01-0	Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
		VLE-P	2 ppm	NOM-010-STPS-2014
		C	2 ppm	ACGIH
Sodium hydroxide	1310-73-2	VLE-P	2 mg/m <sup>3</sup>	NOM-010-STPS-2014
		C	2 mg/m <sup>3</sup>	ACGIH

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

---

	exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	: Combined particulates and acidic gas/vapor type
Material	: Chemical-resistant gloves
Remarks Eye protection	: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: Colorless to pale yellow
Odor	: slight
Odor Threshold	: No data available
pH	: 5.1 - 5.7
Melting point/freezing point	: 190 - 192 °C
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

---

Relative density : No data available  
Density : 1.07 g/cm<sup>3</sup>  
Solubility(ies)  
Water solubility : > 1,000 mg/l  
Partition coefficient: n-octanol/water : log Pow: -1.41  
Autoignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity  
Viscosity, kinematic : No data available  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Molecular weight : 806.09 g/mol  
Particle characteristics  
Particle size : Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### Components:

#### **Tulathromycin:**

Acute oral toxicity : LD50 (Dog): > 1,000 mg/kg  
Target Organs: Gastrointestinal tract

LD50 (Rat): > 2,000 mg/kg  
Target Organs: Gastrointestinal tract

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Target Organs: Gastrointestinal tract

#### **Hydrochloric acid:**

Acute inhalation toxicity : LC50 (Rat, male): 8.3 mg/l  
Exposure time: 30 min  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.  
Remarks: No test guideline followed

#### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Sodium hydroxide:**

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### **3-Mercaptopropane-1,2-diol:**

Acute oral toxicity : LD50 (Rat): 648 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 673 mg/kg

#### **Skin corrosion/irritation**

Causes skin irritation.

### Components:

#### **Tulathromycin:**

Species : Rabbit  
Result : No skin irritation

#### **Hydrochloric acid:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

||| Remarks : The test was conducted according to guideline

||| Result : Corrosive after 3 minutes or less of exposure

### Citric acid:

||| Species : Rabbit  
||| Method : OECD Test Guideline 404  
||| Result : No skin irritation

### Sodium hydroxide:

||| Result : Corrosive after 3 minutes or less of exposure

### 3-Mercaptopropane-1,2-diol:

||| Species : Rabbit  
||| Result : Skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Tulathromycin:

||| Species : Rabbit  
||| Result : Irreversible effects on the eye

#### Hydrochloric acid:

||| Species : Bovine cornea  
||| Method : OECD Test Guideline 437  
||| Remarks : The test was conducted according to guideline

||| Result : Irreversible effects on the eye

#### Citric acid:

||| Species : Rabbit  
||| Result : Irritation to eyes, reversing within 21 days  
||| Method : OECD Test Guideline 405

#### Sodium hydroxide:

||| Result : Irreversible effects on the eye  
||| Remarks : Based on skin corrosivity.

#### 3-Mercaptopropane-1,2-diol:

||| Species : Rabbit  
||| Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

### Respiratory sensitization

Not classified based on available information.

### Components:

#### Tulathromycin:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	May cause sensitization by skin contact.
Result	:	Causes sensitization.

#### Hydrochloric acid:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

#### Sodium hydroxide:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Result	:	negative

#### 3-Mercaptopropane-1,2-diol:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Tulathromycin:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

II

### Hydrochloric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: No test guideline followed

### Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: in vitro micronucleus test  
Result: positive  
  
Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### 3-Mercaptopropane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Tulathromycin:

Carcinogenicity - Assessment : No data available

#### Hydrochloric acid:

Species : Rat, male  
Application Route : inhalation (gas)  
Exposure time : 128 weeks

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Result	:	negative
Remarks	:	No test guideline followed

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

#### Components:

##### **Tulathromycin:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL: 100 mg/kg body weight Result: No significant adverse effects were reported
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 15 mg/kg body weight Teratogenicity: NOAEL: 15 mg/kg body weight Result: Postimplantation loss.
		Test Type: Embryo-fetal development Application Route: Oral General Toxicity Maternal: NOAEL: 15 mg/kg body weight Teratogenicity: NOAEL: 15 mg/kg body weight Result: Maternal toxicity observed.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

##### **Citric acid:**

Effects on fetal development	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
------------------------------	---	---

##### **3-Mercaptopropane-1,2-diol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

### STOT-single exposure

Not classified based on available information.

#### Components:

##### **Tulathromycin:**

||| Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Citric acid:**

||| Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Liver, Eye) through prolonged or repeated exposure if swallowed.

#### Components:

##### **Tulathromycin:**

||| Routes of exposure : Oral  
Target Organs : Liver, Eye  
||| Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### **Tulathromycin:**

||| Species : Rat  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver  
||| Symptoms : Liver disorders

||| Species : Dog  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver, Eye  
||| Symptoms : Liver disorders, Eye disease

##### **Hydrochloric acid:**

||| Species : Rat, male  
LOAEL : > 12.5 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y  
Method : OECD Test Guideline 453  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

### Citric acid:

Species	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

### 3-Mercaptopropane-1,2-diol:

Species	:	Rat
LOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	55 Days
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Tulathromycin:

Ingestion	:	Symptoms: Diarrhea, Nausea, Abdominal pain, Vomiting
-----------	---	--

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Tulathromycin:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 4 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.044 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Pseudokirchneriella subcapitata (green algae)): 0.014 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae): 0.0023 mg/l

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

End point: Growth  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Anabaena flos-aquae): 0.00035 mg/l  
End point: Growth  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Synechococcus leopoliensis (blue-green algae)): 0.0028 mg/l  
End point: Growth  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Synechococcus leopoliensis (blue-green algae)): 0.0012 mg/l  
End point: Growth  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 41.1 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

EC10: 0.667 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Hydrochloric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

**Tulathromycin Formulation**Version  
7.0Revision Date:  
14.04.2025SDS Number:  
5297464-00014Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Based on data from similar materials

Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 1 mg/l Exposure time: 33 d Method: OECD Test Guideline 210 Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia pulex (Water flea)): > 1 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Remarks: Based on data from similar materials

**Citric acid:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h

**3-Mercaptopropane-1,2-diol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 - 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	: EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 5297464-00014      Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Tulathromycin:**

Biodegradability : Result: Not readily biodegradable.  
Exposure time: 29 d  
Method: OECD Test Guideline 301B

##### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **3-Mercaptopropane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Tulathromycin:**

Partition coefficient: n-octanol/water : log Pow: -1.41  
pH: 7

##### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

##### **3-Mercaptopropane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -0.84  
Method: OECD Test Guideline 117

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 5297464-00014 Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tulathromycin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Tulathromycin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tulathromycin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### NOM-002-SCT

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Tulathromycin)  
Class : 9  
Packing group : III  
Labels : 9

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Hydrochloric acid

#### **The ingredients of this product are reported in the following inventories:**

IECSC : not determined  
DSL : not determined  
AICS : not determined

### SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

#### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
ACGIH / C : Ceiling limit  
NOM-010-STPS-2014 / VLE- : Ceiling value  
P

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET



## Tulathromycin Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
5297464-00014

Date of last issue: 04.12.2024  
Date of first issue: 13.11.2019

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8