

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Tulathromycin Formulation
Other means of identification : AROVYN INJECTABLE SOLUTION (90779)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE
Telephone : 353-51-601000
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Tulathromycin
Hydrochloric acid
Sodium hydroxide
3-Mercaptopropane-1,2-diol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tulathromycin	217500-96-4	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361 STOT RE 1; H372 (Liver, Eye) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 10 - < 20
Hydrochloric acid	7647-01-0 231-595-7 017-002-01-X 01-2119484862-27	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 EUH071 specific concentra- tion limit Skin Corr. 1A; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % STOT SE 3; H335 >= 10 % EUH071 >= 25 %	>= 3 - < 5
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10
Sodium hydroxide	1310-73-2 215-185-5	Met. Corr. 1; H290 Skin Corr. 1A;	>= 1 - < 2

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

	011-002-00-6	H314 Eye Dam. 1; H318 EUH014, EUH071 specific concentra- tion limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 % EUH071 >= 2 %	
3-Mercaptopropane-1,2-diol	96-27-5 202-495-0	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute oral toxicity: 648 mg/kg Acute dermal toxiciti- ty: 673 mg/kg	>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of damaging fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Metal oxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

7.3 Specific end use(s)

Specific use(s)	: No data available
-----------------	---------------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m ³	FOR-2011-12-06-1358
Tulathromycin	217500-96-4	TWA	300 µg/m ³ (OEB 2)	Internal
Further information: DSEN				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

		Wipe limit	100 µg/100 cm ²	Internal
Hydrochloric acid	7647-01-0	T	5 ppm 7 mg/m ³	FOR-2011-12-06-1358
		TWA	5 ppm 8 mg/m ³	2000/39/EC
Further information: Indicative				
		STEL	10 ppm 15 mg/m ³	2000/39/EC
Further information: Indicative				
Sodium hydroxide	1310-73-2	T	2 mg/m ³	FOR-2011-12-06-1358

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³
Hydrochloric acid	Workers	Inhalation	Long-term local effects	8 mg/m ³
	Workers	Inhalation	Acute local effects	15 mg/m ³
	Consumers	Inhalation	Long-term local effects	8 mg/m ³
	Consumers	Inhalation	Acute local effects	15 mg/m ³
Sodium hydroxide	Consumers	Inhalation	Long-term local effects	1 mg/m ³
	Workers	Inhalation	Long-term local effects	1 mg/m ³
3-Mercaptopropane-1,2-diol	Workers	Ingestion	Long-term systemic effects	0,49 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,074 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,05 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

		weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Citric acid	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine sediment	3,46 mg/kg dry weight (d.w.)
	Soil	33,1 mg/kg dry weight (d.w.)
3-Mercaptopropane-1,2-diol	Fresh water	0,006 mg/l
	Freshwater - intermittent	0,057 mg/l
	Marine water	0,001 mg/l

8.2 Exposure controls

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Respiratory protection	Use appropriate degowning techniques to remove potentially contaminated clothing.
	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to NS EN 14387
Filter type	: Combined particulates and acidic gas/vapour type (E-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: Colorless to pale yellow
Odour	: slight
Odour Threshold	: No data available
Melting point/freezing point	: 190 - 192 °C
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 5,1 - 5,7
Viscosity	
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: > 1.000 mg/l
Partition coefficient: n-	: log Pow: -1,41

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

octanol/water

Vapour pressure : No data available

Relative density : No data available

Density : 1,07 g/cm³

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : 806,09 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Eye contact

Acute toxicity

||| Not classified based on available information.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

Tulathromycin:

Acute oral toxicity : LD50 (Dog): > 1.000 mg/kg
Target Organs: Gastrointestinal tract

LD50 (Rat): > 2.000 mg/kg
Target Organs: Gastrointestinal tract

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Target Organs: Gastrointestinal tract

Hydrochloric acid:

Acute inhalation toxicity : LC50 (Rat, male): 8,3 mg/l
Exposure time: 30 min
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.
Remarks: No test guideline followed

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

3-Mercaptopropane-1,2-diol:

Acute oral toxicity : LD50 (Rat): 648 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 673 mg/kg

Skin corrosion/irritation

||| Causes skin irritation.

Components:

Tulathromycin:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version: 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Species : Rabbit
Result : No skin irritation

Hydrochloric acid:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Remarks : The test was conducted according to guideline

Result : Corrosive after 3 minutes or less of exposure

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

3-Mercaptopropane-1,2-diol:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Tulathromycin:

Species : Rabbit
Result : Irreversible effects on the eye

Hydrochloric acid:

Species : Bovine cornea
Method : OECD Test Guideline 437
Remarks : The test was conducted according to guideline

Result : Irreversible effects on the eye

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Sodium hydroxide:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

3-Mercaptopropane-1,2-diol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Tulathromycin:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Result	:	Causes sensitisation.

Hydrochloric acid:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

Sodium hydroxide:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	negative

3-Mercaptopropane-1,2-diol:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Tulathromycin:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Hydrochloric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: No test guideline followed

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

3-Mercaptopropane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Carcinogenicity

||| Not classified based on available information.

Components:

Tulathromycin:

||| Carcinogenicity - Assessment : No data available

Hydrochloric acid:

||| Species : Rat, male
Application Route : inhalation (gas)
Exposure time : 128 weeks
Result : negative
Remarks : No test guideline followed

Reproductive toxicity

||| Suspected of damaging fertility or the unborn child.

Components:

Tulathromycin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL: 100 mg/kg body weight
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 15 mg/kg body weight
Teratogenicity: NOAEL: 15 mg/kg body weight
Result: Postimplantation loss.

Test Type: Embryo-foetal development
Application Route: Oral
General Toxicity Maternal: NOAEL: 15 mg/kg body weight
Teratogenicity: NOAEL: 15 mg/kg body weight
Result: Maternal toxicity observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

3-Mercaptopropane-1,2-diol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019



Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

||| Not classified based on available information.

Components:

Tulathromycin:

||| Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Citric acid:

||| Assessment : May cause respiratory irritation.

STOT - repeated exposure

||| Causes damage to organs through prolonged or repeated exposure.

Components:

Tulathromycin:

||| Exposure routes : Oral
||| Target Organs : Liver, Eye
||| Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Tulathromycin:

||| Species : Rat
||| NOAEL : 5 mg/kg
||| Application Route : Oral
||| Exposure time : 3 Months
||| Target Organs : Liver
||| Symptoms : Liver disorders

||| Species : Dog
||| NOAEL : 5 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver, Eye
Symptoms	:	Liver disorders, Eye disease

Hydrochloric acid:

Species	:	Rat, male
NOAEL	:	> 12,5 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr
Method	:	OECD Test Guideline 453
Remarks	:	The test was conducted equivalent or similar to guideline Based on data from similar materials

Citric acid:

Species	:	Rat
NOAEL	:	4.000 mg/kg
LOAEL	:	8.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

3-Mercaptopropane-1,2-diol:

Species	:	Rat
NOAEL	:	> 100 mg/kg
LOAEL	:	Ingestion
Application Route	:	55 Days
Exposure time	:	OECD Test Guideline 422
Method	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Tulathromycin:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

|||Ingestion : Symptoms: Diarrhoea, Nausea, Abdominal pain, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tulathromycin:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 4 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0,044 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
	EC10 (Pseudokirchneriella subcapitata (green algae)): 0,014 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Anabaena flos-aquae): 0,0023 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
	EC10 (Anabaena flos-aquae): 0,00035 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Synechococcus leopoliensis (blue-green algae)): 0,0028 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
	EC10 (Synechococcus leopoliensis (blue-green algae)): 0,0012 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Toxicity to microorganisms	: EC50 : 41,1 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209
	EC10 : 0,667 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209
M-Factor (Chronic aquatic toxicity)	: 100
Hydrochloric acid:	
Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials
	EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to microorganisms	: EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic)	: NOEC: > 1 mg/l Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

ic toxicity) Species: Daphnia pulex (Water flea)
Method: OECD Test Guideline 211
Remarks: The test was conducted equivalent or similar to guideline
Based on data from similar materials

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l
Exposure time: 24 h

3-Mercaptopropane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 - 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Tulathromycin:

Biodegradability : Result: Not readily biodegradable.
Exposure time: 29 d
Method: OECD Test Guideline 301B

Citric acid:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

3-Mercaptopropane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Tulathromycin:

Partition coefficient: n-octanol/water : log Pow: -1,41
pH: 7

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1,72

3-Mercaptopropane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -0,84
Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tulathromycin)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tulathromycin)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tulathromycin)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tulathromycin)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Tulathromycin)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0 Revision Date: 14.04.2025 SDS Number: 5300152-00017 Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1

ENVIRONMENTAL
HAZARDS

Quantity 1

100 t

Quantity 2

200 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version
8.0

Revision Date:
14.04.2025

SDS Number:
5300152-00017

Date of last issue: 04.12.2024
Date of first issue: 13.11.2019

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

IECSC : not determined

DSL : not determined

AICS : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H290 : May be corrosive to metals.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.
H361 : Suspected of damaging fertility or the unborn child.
H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
EUH014 : Reacts violently with water.
EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Met. Corr. : Corrosive to metals
Repr. : Reproductive toxicity
Skin Corr. : Skin corrosion

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
FOR-2011-12-06-1358 / TWA	:	Long term exposure limit
FOR-2011-12-06-1358 / T	:	Ceiling

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Classification procedure:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 8.0	Revision Date: 14.04.2025	SDS Number: 5300152-00017	Date of last issue: 04.12.2024 Date of first issue: 13.11.2019
----------------	------------------------------	------------------------------	---

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN