

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025 Date of first issue: 25.11.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Chlorhexidine Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity : Category 2 (Liver)
- repeated exposure

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
Response:
P314 Get medical advice/ attention if you feel unwell.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1	Revision Date: 18.06.2025	SDS Number: 5322112-00014	Date of last issue: 14.04.2025 Date of first issue: 25.11.2019
----------------	------------------------------	------------------------------	---

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol#	64-17-5	>= 5 < 10
Chlorhexidine	55-56-1	>= 5 < 10

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SAFETY DATA SHEET



Chlorhexidine Formulation

Version
2.1

Revision Date:
18.06.2025

SDS Number:
5322112-00014

Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation.

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1	Revision Date: 18.06.2025	SDS Number: 5322112-00014	Date of last issue: 14.04.2025 Date of first issue: 25.11.2019
----------------	------------------------------	------------------------------	---

	<p>Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</p> <p>Hygiene measures</p> <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p> <p>Conditions for safe storage</p> <p>: Keep in properly labeled containers. Store in accordance with the particular national regulations.</p> <p>Materials to avoid</p> <p>: Do not store with the following product types: Strong oxidizing agents Gases</p>
--	---

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permissible concentration	Basis
Ethanol	64-17-5	VLE-CT	1,000 ppm	NOM-010-STPS-2014
		STEL	1,000 ppm	ACGIH
Chlorhexidine	55-56-1	TWA	40 µg/m ³ (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures	<p>: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.</p>
----------------------	--

Personal protective equipment

Respiratory protection	<p>: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.</p>
Filter type	
Hand protection	

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Material	: Chemical-resistant gloves
Remarks Eye protection	: Consider double gloving. : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: light pink
Odor	: No data available
Odor Threshold	: No data available
pH	: 5.0 - 6.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025 Date of first issue: 25.11.2019

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Chlorhexidine:

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg
LD50 Oral (Rabbit): 1,100 mg/kg
LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Chlorhexidine:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

SAFETY DATA SHEET



Chlorhexidine Formulation

Version
2.1

Revision Date:
18.06.2025

SDS Number:
5322112-00014

Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Respiratory sensitization

Not classified based on available information.

Components:

Ethanol:

Test Type : Mouse ear swelling test (MEST)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Result: negative

Chlorhexidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse
Result: negative

Test Type: Cytogenetic assay
Species: Hamster
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET



Chlorhexidine Formulation

Version
2.1

Revision Date:
18.06.2025

SDS Number:
5322112-00014

Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Components:

Chlorhexidine:

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily
NOAEL : 38 mg/kg body weight
Result : negative

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily
NOAEL : 158 mg/kg body weight
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Chlorhexidine:

Effects on fertility : Species: Rat
Fertility: NOAEL: 100 mg/kg body weight

Effects on fetal development : Species: Rat
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Species: Rabbit
Developmental Toxicity: NOAEL: 40 mg/kg body weight

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Chlorhexidine:

Target Organs : Liver
Assessment : May cause damage to organs through prolonged or repeated exposure.

Chlorhexidine FormulationVersion
2.1Revision Date:
18.06.2025SDS Number:
5322112-00014Date of last issue: 14.04.2025
Date of first issue: 25.11.2019**Repeated dose toxicity****Components:****Ethanol:**

Species : Rat
NOAEL : 1,730 mg/kg
LOAEL : 3,200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Chlorhexidine:

Species : Rat
NOAEL : 158 mg/kg
Application Route : Oral
Exposure time : 2 y

Species : Rabbit
LOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 13 Weeks
Target Organs : Skin, Liver

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Chlorhexidine:**

General Information : Symptoms: Headache
Inhalation : Target Organs: Lungs
Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion : Target Organs: Gastrointestinal tract
Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

plants	Exposure time: 72 h EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to microorganisms	: EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h

Chlorhexidine:

Toxicity to fish	: (Fish): 2.088 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.222 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l End point: Growth rate Exposure time: 96 hrs Method: ECOSAR (Ecological Structure Activity Relationships)

Persistence and degradability

Components:

Ethanol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---

Chlorhexidine:

Biodegradability	: Remarks: Not inherently biodegradable.
------------------	--

Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-octanol/water	: log Pow: -0.35
--	------------------

Chlorhexidine:

SAFETY DATA SHEET



Chlorhexidine Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 5322112-00014 Date of last issue: 14.04.2025 Date of first issue: 25.11.2019

Partition coefficient: n-octanol/water : log Pow: 4.85

Mobility in soil

Components:

Ethanol:

Distribution among environmental compartments : log Koc: 0.2

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorhexidine)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine)
Class : 9

SAFETY DATA SHEET



Chlorhexidine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
2.1	18.06.2025	5322112-00014	Date of first issue: 25.11.2019

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorhexidine)
Class	:	9
Packing group	:	III
Labels	:	9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the Registry of Emissions and Pollutant Transfer

Components	CAS-No.	MPU (kg/year)	Transfer/Release (kg/year)
Chlorhexidine	55-56-1	2500 kg/year	100 kg/year

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	18.06.2025
Date format	:	dd.mm.yyyy

SAFETY DATA SHEET



Chlorhexidine Formulation

Version
2.1

Revision Date:
18.06.2025

SDS Number:
5322112-00014

Date of last issue: 14.04.2025
Date of first issue: 25.11.2019

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / STEL	:	Short-term exposure limit
NOM-010-STPS-2014 / VLE- CT	:	Short term exposure limit value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8