

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cloprostenol (with Propylene Glycol) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : Aqueous solution

**Colour** : colourless

**Odour** : characteristic

Not a hazardous substance or mixture.

#### GHS Classification

|| Not a hazardous substance or mixture.

#### GHS label elements

|| No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
4-Chloro-3-methylphenol	59-50-7	>= 0.1 -< 0.25
Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate	55028-72-3	< 0.1

## 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version 6.0	Revision Date: 2025/04/14	SDS Number: 5266428-00013	Date of last issue: 2024/12/04 Date of first issue: 2019/11/14
----------------	------------------------------	------------------------------	---

	Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	: Oxidizing agents
<b>Storage</b>	
Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents
Packaging material	: Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
4-Chloro-3-methylphenol	59-50-7	TWA	200 µg/m3 (OEB 2)	Internal
		Wipe limit	100 µg/100 cm2	Internal
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)- 7-[2-[4-(3-chlorophenoxy)-3- hydroxybut-1-enyl]-3,5- dihydroxycyclopentyl]hept-5- enoate	55028-72-3	TWA	0.01 ug/m3 (OEB 5)	Internal
Further information: RSEN, Skin				
		Wipe limit	0.1 ug/100 cm2	Internal

<b>Engineering measures</b>	: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
-----------------------------	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version 6.0	Revision Date: 2025/04/14	SDS Number: 5266428-00013	Date of last issue: 2024/12/04 Date of first issue: 2019/11/14
----------------	------------------------------	------------------------------	---

No open handling permitted.  
Totally enclosed processes and materials transport systems are required.  
Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 5266428-00013      Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

pH	:	No data available
Melting point/freezing point	:	-6 °C
Initial boiling point and boiling range	:	99 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.02 - 1.08
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	1.56 - 1.62 mm <sup>2</sup> /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

### 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

#### Acute toxicity

Not classified based on available information.

#### Components:

##### 4-Chloro-3-methylphenol:

Acute oral toxicity	: LD50 (Mouse): 600 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.871 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

##### Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Acute oral toxicity	: LD50 (Rat): > 25 mg/kg Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	: LD50 (Rat): > 50 mg/kg Application Route: Subcutaneous  LD50 (Rat): > 50 mg/kg Application Route: Intramuscular  LD50 (Rat): 5 mg/kg Application Route: Intravenous Remarks: No mortality observed at this dose.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14



LD50 (Mouse): 350 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 54.7 mg/kg  
Application Route: Intravenous

TDLo (Monkey): 0.0025 - 0.025 mg/kg  
Application Route: Intramuscular  
Target Organs: Lungs  
Symptoms: Diarrhoea, Vomiting, Rapid respiration

TDLo (Monkey): 0.0013 mg/kg  
Application Route: Intramuscular  
Target Organs: ovaries

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 4-Chloro-3-methylphenol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Corrosive after 1 to 4 hours of exposure

#### Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Remarks	:	Not classified due to lack of data. Can be absorbed through skin.
---------	---	--

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### 4-Chloro-3-methylphenol:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

#### Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### 4-Chloro-3-methylphenol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

##### Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Result	:	Sensitiser
--------	---	------------

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### 4-Chloro-3-methylphenol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

##### Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: equivocal

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal Result: negative
----------------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

II

### Carcinogenicity

Not classified based on available information.

### Components:

**Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:**

||| Remarks : Not classified due to lack of data.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 4-Chloro-3-methylphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:**

Effects on fertility : Test Type: Three-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 0.015 mg/kg body weight  
Fertility: NOAEL: > 0.04 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Species: Cattle  
Application Route: Intramuscular  
General Toxicity - Parent: LOAEL: 0.16  $\mu$ g/kg  
Result: positive  
Remarks: Abortion

Effects on foetal development : Test Type: Development  
Species: Rabbit  
Application Route: Subcutaneous  
Teratogenicity: NOAEL: 0.250  $\mu$ g/kg  
Result: No teratogenic effects

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

Test Type: Development  
Species: Rat  
Application Route: Oral  
Teratogenicity: NOAEL: 100 µg/kg  
Result: No teratogenic effects

Reproductive toxicity - Assessment : May damage fertility.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### 4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

##### Sodium [1α(Z),2β(1E,3R\*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Target Organs : Lungs  
Assessment : Causes damage to organs.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### Sodium [1α(Z),2β(1E,3R\*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Target Organs : Ovary  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### 4-Chloro-3-methylphenol:

Species : Rat  
NOAEL : 200 mg/kg  
LOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

##### Sodium [1α(Z),2β(1E,3R\*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Species : Rat  
NOAEL : 0.05 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 5266428-00013      Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

LOAEL	:	0.15 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Ovary
Species	:	Rat
LOAEL	:	0.0125 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	30 Days
Target Organs	:	Ovary
Species	:	Monkey
NOAEL	:	0.05 mg/kg
LOAEL	:	0.15 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Heart, Testis

### Aspiration toxicity

Not classified based on available information.

### Components:

**Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:**

Not applicable

### Experience with human exposure

#### Components:

**Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:**

General Information	:	Target Organs: Uterus (including cervix) Symptoms: Embryo-foetal toxicity, foetal mortality, menstrual irregularities, miscarriage Target Organs: Lungs Symptoms: Asthma, bronchospasm
Inhalation	:	Target Organs: Lungs Symptoms: bronchospasm, Asthma Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust. Target Organs: Uterus (including cervix) Symptoms: Embryolethal effects, menstrual irregularities
Skin contact	:	Target Organs: Lungs Symptoms: bronchospasm Remarks: Can be absorbed through skin. Target Organs: Uterus (including cervix) Symptoms: Embryolethal effects

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

###### **4-Chloro-3-methylphenol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Chlorella pyrenoidosa (algae)): 2.3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.32 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: 22.86 mg/l Exposure time: 60 h

###### **Sodium [1 $\alpha$ (Z),2 $\beta$ (1E,3R\*),3 $\alpha$ ,5 $\alpha$ ]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

#### Persistence and degradability

##### Components:

###### **4-Chloro-3-methylphenol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 15 d Method: OECD Test Guideline 301
------------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

### II

#### Bioaccumulative potential

#### Components:

#### 4-Chloro-3-methylphenol:

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 5.5 - 13
Partition coefficient: n-octanol/water	:	log Pow: 0.477

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

##### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version 6.0      Revision Date: 2025/04/14      SDS Number: 5266428-00013      Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

ger aircraft)

### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

#### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	--

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

---

||

### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Cloprostenol (with Propylene Glycol) Formulation

Version  
6.0

Revision Date:  
2025/04/14

SDS Number:  
5266428-00013

Date of last issue: 2024/12/04  
Date of first issue: 2019/11/14

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN