

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Levamisole / Oxyclozanide Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Reproductive toxicity : Category 2

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

##### GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.  
H411 Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 5360098-00012      Date of last issue: 28.09.2024  
Date of first issue: 19.12.2019

Precautionary statements : **Prevention:**  
P203 Obtain, read and follow all safety instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P318 IF exposed or concerned, get medical advice.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	$\geq 5 - < 10$
oxyclozanide	2277-92-1	$\geq 3 - < 5$
levamisole hydrochloride	16595-80-5	$\geq 1 - < 2.5$
Citric acid	77-92-9	$\geq 1 - < 5$

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and : Suspected of damaging the unborn child.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

delayed  
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 5360098-00012      Date of last issue: 28.09.2024  
Date of first issue: 19.12.2019

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Total dust)	10 mg/m <sup>3</sup> (Silica)	IN OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
oxyclozanide	2277-92-1	TWA	0.4 mg/m <sup>3</sup> (OEB 2)	Internal
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

- Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

tions  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

##### **oxyclozanide:**

Acute oral toxicity : LD50 (Rat): 3,519 mg/kg  
Target Organs: Central nervous system  
Acute toxicity (other routes of administration) : LDLo (sheep): 10 mg/kg  
Application Route: Intravenous

##### **levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

##### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

---

### II

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Kaolin:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

##### oxyclozanide:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

##### levamisole hydrochloride:

Remarks	: No data available
---------	---------------------

##### Citric acid:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Kaolin:

Species	: Rabbit
Result	: No eye irritation

##### oxyclozanide:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

##### levamisole hydrochloride:

Remarks	: No data available
---------	---------------------

##### Citric acid:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

### Components:

#### **oxyclozanide:**

Exposure routes	: Dermal
Remarks	: Not classified due to lack of data.

#### **levamisole hydrochloride:**

Remarks	: No data available
---------	---------------------

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **oxyclozanide:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
	Test Type: Mouse Lymphoma Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

#### **levamisole hydrochloride:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative

#### **Citric acid:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro micronucleus test Result: positive

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Genotoxicity in vivo	Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	Species: Rat
	Application Route: Ingestion
	Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### oxyclozanide:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

#### levamisole hydrochloride:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 80 mg/kg body weight
Remarks	: No significant adverse effects were reported

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 40 mg/kg body weight
Remarks	: No significant adverse effects were reported

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### oxyclozanide:

Effects on fertility	Test Type: Two-generation reproduction toxicity study
	Species: Rat, male and female
Effects on fertility	Application Route: Oral
	General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight
	Symptoms: Reduced body weight, No effects on embryofetal and postnatal development
	Result: No effects on fertility
	Test Type: Two-generation reproduction toxicity study
Effects on fertility	Species: Rat
	Application Route: Oral
	General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body weight

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

		Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development Result: No effects on fertility
		Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
		Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body weight Result: No fetotoxicity, No teratogenic effects, No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 200 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
		Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 100 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
		Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 32 mg/kg body weight Result: Fetotoxicity, Skeletal malformations
Reproductive toxicity - Assessment	:	Suspected of damaging the unborn child.
<b>levamisole hydrochloride:</b>		
Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### Components:

#### oxclozanide:

Exposure routes : Oral  
Target Organs : Central nervous system  
Assessment : May cause damage to organs.

### Citric acid:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### oxclozanide:

Target Organs : Brain, Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

#### levamisole hydrochloride:

Target Organs : Blood, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### oxclozanide:

Species : Rat  
NOAEL : 9 mg/kg  
LOAEL : 44.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Brain, Liver, spleen, Adrenal gland

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxytoclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Symptoms	: Liver effects
Species	: Dog
NOAEL	: 5 mg/kg
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Brain, Liver
Symptoms	: blood effects, alteration in liver enzymes

### levamisole hydrochloride:

Species	: Rat
NOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Testis

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Blood

Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months

### Citric acid:

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

### Aspiration toxicity

Not classified based on available information.

### Components:

#### oxytoclozanide:

Not applicable

### Experience with human exposure

### Components:

#### oxytoclozanide:

Ingestion	: Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression
-----------	--

#### levamisole hydrochloride:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **oxyclozanide:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.69 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

##### **levamisole hydrochloride:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

##### **Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

### Persistence and degradability

#### Components:

##### **oxyclozanide:**

Stability in water : Hydrolysis: 50 % (156 d)  
Method: OECD Test Guideline 111

##### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

### Bioaccumulative potential

#### Components:

##### oxyclozanide:

Partition coefficient: n-octanol/water	:	log Pow: 3.99
		pH: 7
		Method: OECD Test Guideline 107

##### Citric acid:

Partition coefficient: n-octanol/water	:	log Pow: -1.72
--	---	----------------

### Mobility in soil

#### Components:

##### oxyclozanide:

Distribution among environmental compartments	:	log Koc: 4.83
		Method: OECD Test Guideline 106

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

#### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (oxyclozanide)
Class	:	9

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
2.0	14.04.2025	5360098-00012	Date of first issue: 19.12.2019

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN