

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

SECTION 1: IDENTIFICATION

Product name : Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary medicine

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (ear, Kidney, inner ear)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372 Causes damage to organs (ear, Kidney, inner ear)

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

through prolonged or repeated exposure if swallowed.

Precautionary statements :

Prevention:

P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	5490-27-7	>= 30 -< 60
2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate	6130-64-9	>= 30 -< 60
Procaine hydrochloride	51-05-8	< 10
Chlorphenamine hydrogen maleate	113-92-8	>= 1 -< 3
dexamethasone	50-02-2	< 0.3

SECTION 4. FIRST AID MEASURES

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Sulphur oxides

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Chlorine compounds
Metal oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 5491646-00015 Date of last issue: 25.02.2025
Date of first issue: 10.03.2020

- Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dihydrostreptomycin sulphate	5490-27-7	TWA	4 mg/m ³ (OEB 1)	
	Further information: OTO			
Chlorphenamine hydrogen maleate	113-92-8	TWA	10 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 µg/100 cm ²	Internal
dexamethasone	50-02-2	TWA	10 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures : Use appropriate engineering controls and manufacturing

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	5.0 - 6.0 No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version 4.0	Revision Date: 14.04.2025	SDS Number: 5491646-00015	Date of last issue: 25.02.2025 Date of first issue: 10.03.2020
----------------	------------------------------	------------------------------	---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.17 - 1.21 g/cm ³ No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
------------	---	--

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Dihydrostreptomycin sulphate:**

Acute oral toxicity	:	LD50 (Rat): 9,000 - 25,000 mg/kg LD50 Oral (Mouse): 30,000 mg/kg
---------------------	---	---

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Acute oral toxicity	:	LD50 (Mouse): > 2,000 mg/kg
---------------------	---	-----------------------------

Procaine hydrochloride:

Acute oral toxicity	:	LD50 (Rat): 200 mg/kg
---------------------	---	-----------------------

Chlorphenamine hydrogen maleate:

Acute inhalation toxicity	:	LC50 (Rat): 0.61 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	---	---

Acute toxicity (other routes of administration)	:	LD50 (Rat): 89 mg/kg
---	---	----------------------

dexamethasone:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 6,500 mg/kg
---------------------	---	--

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Result : No skin irritation

Chlorphenamine hydrogen maleate:

Species : Rabbit
Result : No skin irritation

dexamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Result : No eye irritation

Chlorphenamine hydrogen maleate:

Species : Rabbit
Result : Severe irritation

dexamethasone:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Components:**2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

Assessment	: Probability of respiratory sensitisation in humans based on animal testing
------------	--

Chlorphenamine hydrogen maleate:

Exposure routes	: Dermal
Remarks	: No data available

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Result: negative
-----------------------	--

Procaine hydrochloride:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

Chlorphenamine hydrogen maleate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

	Test Type: Mouse Lymphoma Result: negative
--	---

	Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: positive
--	--

	Test Type: DNA damage and repair, unscheduled DNA syn-
--	--

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

	thesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

dexamethasone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro assay Test system: mouse lymphoma cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 5 mg/kg body weight
Result	: negative

Chlorphenamine hydrogen maleate:

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 30 - 60 mg/kg body weight
Result	: negative

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 20 - 50 mg/kg body weight
Result	: negative

Reproductive toxicity

Not classified based on available information.

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Components:**Dihydrostreptomycin sulphate:**

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight
	:	Test Type: Embryo-foetal development Species: Guinea pig Application Route: Intramuscular General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.

Chlorphenamine hydrogen maleate:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 20 mg/kg body weight Result: No effects on fertility, No effects on foetal development
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Reduced embryonic survival, No malformations were observed. Remarks: The significance of these findings for humans is not certain.
	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No significant adverse effects were reported

dexamethasone:

Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: Specific developmental abnormalities, Cleft palate
	:	Species: Rabbit Application Route: Intramuscular Developmental Toxicity: NOAEL: 0.025 mg/kg body weight

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Result: Specific developmental abnormalities

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: ≥ 0.062 mg/kg body weight

Result: Specific developmental abnormalities

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: ≥ 0.02 mg/kg body weight

Result: Skeletal and visceral variations, Fetal growth retardation

Reproductive toxicity - Assessment : May damage the unborn child.

STOT - single exposure

Not classified based on available information.

Components:**Chlorphenamine hydrogen maleate:**

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:**Dihydrostreptomycin sulphate:**

Assessment : Causes damage to organs through prolonged or repeated exposure.

Chlorphenamine hydrogen maleate:

Target Organs : Cardio-vascular system

Assessment : May cause damage to organs through prolonged or repeated exposure.

dexamethasone:

Exposure routes : Oral

Target Organs : Adrenal gland, Immune system, thymus gland

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Dihydrostreptomycin sulphate:**

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Species	: Guinea pig
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: ear
Symptoms	: hearing loss

Species	: Cat
LOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 60 d
Target Organs	: ear
Symptoms	: ataxia, hearing loss, Reduced body weight

Species	: Cat
LOAEL	: 300 mg/kg
Application Route	: Oral
Exposure time	: 21 d
Target Organs	: ear
Symptoms	: ataxia, hearing loss, Reduced body weight

Chlorphenamine hydrogen maleate:

Species	: Rat
NOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 6 Weeks
Remarks	: No significant adverse effects were reported

Species	: Monkey
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 105 Weeks
Target Organs	: Heart

dexamethasone:

Species	: Rat
NOAEL	: 0.0015 mg/kg
Application Route	: Oral
Exposure time	: 7 d
Target Organs	: Liver
Remarks	: Significant toxicity observed in testing

Species	: Rat
LOAEL	: 0.003 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Blood, Adrenal gland, thymus gland
Remarks	: Significant toxicity observed in testing

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

Species	: Dog
LOAEL	: 0.125 mg/kg
Application Route	: Oral
Exposure time	: 6 Weeks
Target Organs	: Adrenal gland
Remarks	: Significant toxicity observed in testing

Species	: Rat
LOAEL	: 0.4 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 8 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Dihydrostreptomycin sulphate:**

General Information	: Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting, Headache, hypotension
---------------------	---

Chlorphenamine hydrogen maleate:

Inhalation	: Symptoms: central nervous system effects Remarks: May cause respiratory tract irritation.
Skin contact	: Remarks: May irritate skin.
Eye contact	: Symptoms: Eye irritation Remarks: May cause irreversible eye damage.
Ingestion	: Symptoms: central nervous system effects Remarks: Based on Human Evidence

dexamethasone:

Ingestion	: Target Organs: Immune system Target Organs: Adrenal gland Target Organs: Bone Symptoms: muscle weakness
-----------	--

Dexamethasone / Chlorphenamine Hydrogen Maleate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-(4-Aminobenzoyloxy)ethyldiethylammonium (6R)-6-(2-phenylacetamido)penicillanate monohydrate:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Procaine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

dexamethasone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 56 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

II**Persistence and degradability****Components:****dexamethasone:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 3.54 d Method: OECD Test Guideline 314
------------------	---	--

Bioaccumulative potential**Components:****Procaine hydrochloride:**

Partition coefficient: n-octanol/water	:	log Pow: 1.389
--	---	----------------

dexamethasone:

Partition coefficient: n-octanol/water	:	log Pow: 1.83
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	: No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

tions.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date	:	14.04.2025
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
-------------	---	------------

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

**Dexamethasone / Chlorphenamine Hydrogen
Maleate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
4.0	14.04.2025	5491646-00015	Date of first issue: 10.03.2020

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN