

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Prednisolone / Chloramphenicol Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : cream
Colour : No data available
Odour : No data available

Suspected of causing cancer. May damage fertility or the unborn child.

GHS Classification

Carcinogenicity : Category 2
Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms : 
Signal word : Danger
Hazard statements : H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Precautionary statements

: Prevention:

P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

: Response:

P318 IF exposed or concerned, get medical advice.

: Storage:

P405 Store locked up.

: Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Suspected of causing cancer. May damage fertility or the unborn child.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chloramphenicol	56-75-7	>= 1 -< 10
prednisolone	50-24-8	>= 0.1 -< 0.25
Basic phenylmercury nitrate	8003-05-2	>= 0.0003 -< 0.0025

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Remove contaminated clothing and shoes.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

In case of eye contact	: Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Suspected of causing cancer. May damage fertility or the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

- : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures

- : Static electricity may accumulate and ignite suspended dust causing an explosion.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

- : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling

- : Do not get on skin or clothing.
Do not breathe dust.
Do not breathe vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact

- : Oxidizing agents

Storage

Conditions for safe storage

- : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Materials to avoid	Store in accordance with the particular national regulations. : Do not store with the following product types: Strong oxidizing agents
Packaging material	: Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Chloramphenicol	56-75-7	TWA	300 µg/m ³ (OEB 2)	
prednisolone	50-24-8	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Basic phenylmercury nitrate	8003-05-2	PC-TWA	0.01 mg/m ³ (Mercury)	CN OEL
		Further information: Skin		
		PC-STEL	0.03 mg/m ³ (Mercury)	CN OEL
		Further information: Skin		
		TWA	0.1 mg/m ³ (Mercury)	ACGIH

Engineering measures	: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.
----------------------	---

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Hand protection	contaminated clothing.
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: cream
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Chloramphenicol:

Acute oral toxicity : LD50 Oral (Rat): 2,500 mg/kg

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Basic phenylmercury nitrate:

Acute oral toxicity : LD50 (Mouse): > 50 - 300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

Components:

prednisolone:

Remarks : No data available

Basic phenylmercury nitrate:

Result : Corrosive after 4 hours or less of exposure
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Components:

Chloramphenicol:

||| Remarks : Mild eye irritation

prednisolone:

||| Remarks : No data available

Basic phenylmercury nitrate:

||| Result : Irreversible effects on the eye
||| Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

prednisolone:

||| Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Chloramphenicol:

||| Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: human diploid fibroblasts
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Result: positive

||| Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Cell type: Bone marrow
Result: positive

Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Result: negative

prednisolone:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Humans
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Chloramphenicol:

||| Remarks : IARC: (International Agency for Research on Cancer)
||| Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

prednisolone:

||| Species : Rat
||| Application Route : Oral
||| Exposure time : 18 Months
||| Result : negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Reproductive toxicity

May damage fertility or the unborn child.

Components:

Chloramphenicol:

Effects on foetal development	: Species: Monkey, female Result: No significant adverse effects were reported
	Species: Mouse Developmental Toxicity: LOAEL: 500 mg/kg body weight Result: Embryo-foetal toxicity, Fetal growth retardation
	Species: Rat Developmental Toxicity: LOAEL: 500 - 2,000 mg/kg body weight Result: Embryo-foetal toxicity, Fetal growth retardation, Teratogenic effects
	Species: Rabbit Developmental Toxicity: LOAEL: 1,000 mg/kg body weight Result: Embryo-foetal toxicity, Fetal growth retardation
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

prednisolone:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Subcutaneous Fertility: NOAEL: 1 mg/kg body weight Result: No effects on fertility
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: LOAEL: 0.5 mg/kg body weight Result: Malformations were observed., Cleft palate
	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: decreased blood formation
	Species: Rat Application Route: Subcutaneous Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No effects on foetal development
Reproductive toxicity - As-	: Some evidence of adverse effects on development, based on

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Assessment animal experiments.

Basic phenylmercury nitrate:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Intraperitoneal injection Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Chloramphenicol:

Exposure routes	: Oral
Target Organs	: Blood, Bone marrow

STOT - repeated exposure

Not classified based on available information.

Components:

Chloramphenicol:

Exposure routes	: Oral, Inhalation
Target Organs	: Blood, Bone marrow, Liver

prednisolone:

Target Organs	: Bone marrow, Adrenal gland, Liver
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Basic phenylmercury nitrate:

Exposure routes	: Oral
Target Organs	: Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Chloramphenicol:

Species	: Dog
Target Organs	: Blood, Bone marrow

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

||| Symptoms : decrease in appetite, Reduced body weight

prednisolone:

||| Species : Rat
||| LOAEL : 0.6 mg/kg
||| Application Route : Oral
||| Exposure time : 63 Days
||| Target Organs : Bone marrow

||| Species : Dog
||| LOAEL : 2.5 mg/kg
||| Application Route : Oral
||| Exposure time : 6 Weeks
||| Target Organs : Adrenal gland

||| Species : Rabbit
||| LOAEL : 1 mg/kg
||| Application Route : Oral
||| Exposure time : 24 Weeks
||| Target Organs : Liver

Basic phenylmercury nitrate:

||| Species : Rat
||| NOAEL : < 1.25 mg/kg
||| Application Route : Ingestion
||| Exposure time : 2 yr
||| Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Chloramphenicol:

||| General Information : Target Organs: Blood
||| Target Organs: Bone marrow
||| Symptoms: aplastic anemia, confusion, Diarrhoea, Fever, Headache, Nausea, Vomiting

prednisolone:

||| Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

prednisolone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 85 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l Exposure time: 7 d
--	---	---

Basic phenylmercury nitrate:

Toxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.001 - 0.01 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): > 0.0001 - 0.001 mg/l Exposure time: 32 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 5710727-00011 Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

ic toxicity)	Exposure time: 35 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: NOEC (Bacteria): > 0.001 - 0.01 mg/l Exposure time: 18 h Remarks: Based on data from similar materials

Persistence and degradability

Components:

Basic phenylmercury nitrate:

Biodegradability	: Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---

Bioaccumulative potential

Components:

prednisolone:

Partition coefficient: n-octanol/water	: log Pow: 1.46
--	-----------------

Basic phenylmercury nitrate:

Partition coefficient: n-octanol/water	: log Pow: 1.27
--	-----------------

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 5710727-00011 Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWs : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Listed

List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 5710727-00011 Date of last issue: 2024/09/28 Date of first issue: 2020/04/23

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CN OEL	: Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	: 8-hour, time-weighted average
CN OEL / PC-TWA	: Permissible concentration - time weighted average
CN OEL / PC-STEL	: Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Prednisolone / Chloramphenicol Formulation

Version
3.0

Revision Date:
2025/04/14

SDS Number:
5710727-00011

Date of last issue: 2024/09/28
Date of first issue: 2020/04/23

medations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN