

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	5710729-00010	2023/09/30
			Date of first issue: 2020/04/23

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Prednisolone / Chloramphenicol Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable


---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Chloramphenicol	56-75-7	$\geq 1$ -< 10
prednisolone	50-24-8	$\geq 0.025$ -< 0.25
Basic phenylmercury nitrate	8003-05-2	$\geq 0.0003$ -< 0.0025

**4. FIRST AID MEASURES**

- |   |  |
|---|--|
| General advice  | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.   |
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention.   |
| In case of skin contact                                     | : In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.  |
| In case of eye contact                                      | : If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.   |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.  |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>Suspected of causing cancer.<br>May damage fertility or the unborn child. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment  |

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

## Prednisolone / Chloramphenicol Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 5710729-00010	Date of last issue: 2023/09/30 Date of first issue: 2020/04/23
----------------	------------------------------	------------------------------	---

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe dust.<br>Do not breathe vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chloramphenicol	56-75-7	TWA	300 µg/m <sup>3</sup> (OEB 2)	
prednisolone	50-24-8	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Basic phenylmercury nitrate	8003-05-2	NAB	0.1 mg/m <sup>3</sup> (Mercury)	ID OEL
Further information: Skin				
		PSD	0.03 mg/m <sup>3</sup> (Mercury)	ID OEL

## Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	5710729-00010	2023/09/30
			Date of first issue: 2020/04/23

Further information: Skin				
		TWA	0.1 mg/m <sup>3</sup> (Mercury)	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : cream

Colour : No data available

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

Particle characteristics  
Particle size : No data available

**10. STABILITY AND REACTIVITY**

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Chloramphenicol:**

Acute oral toxicity : LD50 Oral (Rat): 2,500 mg/kg

**prednisolone:**

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg  
Application Route: Intraperitoneal

**Basic phenylmercury nitrate:**

Acute oral toxicity : LD50 (Mouse): > 50 - 300 mg/kg

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****prednisolone:**

Remarks : No data available

**Basic phenylmercury nitrate:**

Result : Corrosive after 4 hours or less of exposure

Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Chloramphenicol:**

Remarks : Mild eye irritation

**prednisolone:**

Remarks : No data available

**Basic phenylmercury nitrate:**

Result : Irreversible effects on the eye

Remarks : Based on skin corrosivity.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****prednisolone:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.



**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

**Components:****Chloramphenicol:**

Genotoxicity in vitro	: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: human diploid fibroblasts Result: positive  Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: positive  Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: Chromosome aberration test in vitro Test system: mammalian cells Result: positive
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: Mouse Cell type: Bone marrow Result: positive  Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative  Test Type: Micronucleus test Species: Rat Cell type: Bone marrow Result: negative

**prednisolone:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: Mouse Lymphoma Result: negative  Test Type: sister chromatid exchange assay Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative  Test Type: sister chromatid exchange assay

**Prednisolone / Chloramphenicol Formulation**

Version 3.0	Revision Date: 2025/04/14	SDS Number: 5710729-00010	Date of last issue: 2023/09/30 Date of first issue: 2020/04/23
----------------	------------------------------	------------------------------	---

Species: Humans  
Result: negative

**Carcinogenicity**

Suspected of causing cancer.

**Components:****Chloramphenicol:**

Remarks : IARC: (International Agency for Research on Cancer)

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**prednisolone:**

Species : Rat  
Application Route : Oral  
Exposure time : 18 Months  
Result : negative

**Reproductive toxicity**

May damage fertility or the unborn child.

**Components:****Chloramphenicol:**

Effects on foetal development : Species: Monkey, female  
Result: No significant adverse effects were reported

Species: Mouse  
Developmental Toxicity: LOAEL: 500 mg/kg body weight  
Result: Embryo-foetal toxicity, Fetal growth retardation

Species: Rat  
Developmental Toxicity: LOAEL: 500 - 2,000 mg/kg body weight  
Result: Embryo-foetal toxicity, Fetal growth retardation, Teratogenic effects

Species: Rabbit  
Developmental Toxicity: LOAEL: 1,000 mg/kg body weight  
Result: Embryo-foetal toxicity, Fetal growth retardation

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

**prednisolone:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 1 mg/kg body weight

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	5710729-00010	2023/09/30
			Date of first issue: 2020/04/23

	Result: No effects on fertility
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: LOAEL: 0.5 mg/kg body weight Result: Malformations were observed., Cleft palate
	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: decreased blood formation
	Species: Rat Application Route: Subcutaneous Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

**Basic phenylmercury nitrate:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Intraperitoneal injection Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:****Chloramphenicol:**

Exposure routes	: Oral
Target Organs	: Blood, Bone marrow

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Chloramphenicol:**

Exposure routes	: Oral, Inhalation
Target Organs	: Blood, Bone marrow, Liver

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

**prednisolone:**

Target Organs	: Bone marrow, Adrenal gland, Liver
Assessment	: Causes damage to organs through prolonged or repeated exposure.

**Basic phenylmercury nitrate:**

Exposure routes	: Oral
Target Organs	: Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Chloramphenicol:**

Species	: Dog
Target Organs	: Blood, Bone marrow
Symptoms	: decrease in appetite, Reduced body weight

**prednisolone:**

Species	: Rat
LOAEL	: 0.6 mg/kg
Application Route	: Oral
Exposure time	: 63 Days
Target Organs	: Bone marrow

Species	: Dog
LOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 6 Weeks
Target Organs	: Adrenal gland

Species	: Rabbit
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 24 Weeks
Target Organs	: Liver

**Basic phenylmercury nitrate:**

Species	: Rat
NOAEL	: < 1.25 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr
Remarks	: Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

# Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	5710729-00010	2023/09/30
			Date of first issue: 2020/04/23

## Experience with human exposure

### Components:

#### **Chloramphenicol:**

General Information	:	Target Organs: Blood Target Organs: Bone marrow Symptoms: aplastic anemia, confusion, Diarrhoea, Fever, Headache, Nausea, Vomiting
---------------------	---	---

#### **prednisolone:**

Ingestion	:	Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities
-----------	---	---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **prednisolone:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 85 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h  EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l Exposure time: 7 d

#### **Basic phenylmercury nitrate:**

Toxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.001 - 0.01 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials  EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.01

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	2025/04/14	5710729-00010	2023/09/30
			Date of first issue: 2020/04/23

	- 0.1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 0.0001 - 0.001 mg/l Exposure time: 32 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 35 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: NOEC (Bacteria): > 0.001 - 0.01 mg/l Exposure time: 18 h Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Basic phenylmercury nitrate:**

Biodegradability	: Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---

**Bioaccumulative potential****Components:****prednisolone:**

Partition coefficient: n-octanol/water	: log Pow: 1.46
--	-----------------

**Basic phenylmercury nitrate:**

Partition coefficient: n-octanol/water	: log Pow: 1.27
--	-----------------

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	: Do not dispose of waste into sewer.
---------------------	---------------------------------------

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

Contaminated packaging : Dispose of in accordance with local regulations.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

**IATA-DGR**

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

**IMDG-Code**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION**

Revision Date : 2025/04/14

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits



**Prednisolone / Chloramphenicol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.0	2025/04/14	5710729-00010	Date of first issue: 2020/04/23

---

ACGIH / TWA	: 8-hour, time-weighted average
ID OEL / NAB	: Long term exposure limit
ID OEL / PSD	: Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN