

Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Prednisolone / Chloramphenicol Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 5710730-00009 Date of last issue: 30.09.2023
Date of first issue: 23.04.2020

Response:

P318 IF exposed or concerned, get medical advice.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chloramphenicol	56-75-7	$\geq 1 - < 5$
prednisolone	50-24-8	$\geq 0.1 - < 0.25$
Basic phenylmercury nitrate	8003-05-2	$\geq 0.0002 - < 0.0025$

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
Suspected of causing cancer.
May damage fertility or the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 5710730-00009 Date of last issue: 30.09.2023
Date of first issue: 23.04.2020

7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not breathe vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chloramphenicol	56-75-7	TWA	300 µg/m ³ (OEB 2)	
prednisolone	50-24-8	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Basic phenylmercury nitrate	8003-05-2	TWA	0.1 mg/m ³ (Mercury)	IN OEL
Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.				
		TWA	0.1 mg/m ³ (Mercury)	ACGIH

- Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapour type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|-----------------------------------|---|-------------------|
| Appearance | : | cream |
| Colour | : | No data available |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling | : | No data available |

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

range

Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Can react with strong oxidizing agents.

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Chloramphenicol:

Acute oral toxicity : LD50 Oral (Rat): 2,500 mg/kg

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Basic phenylmercury nitrate:

Acute oral toxicity : LD50 (Mouse): > 50 - 300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Components:

prednisolone:

||Remarks : No data available

Basic phenylmercury nitrate:

||Result : Corrosive after 4 hours or less of exposure
||Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Chloramphenicol:

||Remarks : Mild eye irritation

prednisolone:

||Remarks : No data available

Basic phenylmercury nitrate:

||Result : Irreversible effects on the eye
||Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

prednisolone:

||Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Chloramphenicol:

||Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: human diploid fibroblasts
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

		Result: positive
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Test system: mammalian cells Result: positive
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Mouse Cell type: Bone marrow Result: positive
		Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative
		Test Type: Micronucleus test Species: Rat Cell type: Bone marrow Result: negative
prednisolone:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Mouse Lymphoma Result: negative
		Test Type: sister chromatid exchange assay Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative
		Test Type: sister chromatid exchange assay Species: Humans Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Chloramphenicol:

Remarks	:	IARC: (International Agency for Research on Cancer)
---------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

Reproductive toxicity

May damage fertility or the unborn child.

Components:

Chloramphenicol:

Effects on foetal development : Species: Monkey, female
Result: No significant adverse effects were reported

Species: Mouse
Developmental Toxicity: LOAEL: 500 mg/kg body weight
Result: Embryo-foetal toxicity, Fetal growth retardation

Species: Rat
Developmental Toxicity: LOAEL: 500 - 2,000 mg/kg body weight
Result: Embryo-foetal toxicity, Fetal growth retardation, Teratogenic effects

Species: Rabbit
Developmental Toxicity: LOAEL: 1,000 mg/kg body weight
Result: Embryo-foetal toxicity, Fetal growth retardation

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

	Species: Rat
	Application Route: Subcutaneous
	Developmental Toxicity: NOAEL: 25 mg/kg body weight
	Result: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Basic phenylmercury nitrate:

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Mouse
	Application Route: Intraperitoneal injection
	Result: positive
	Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Chloramphenicol:

Exposure routes	: Oral
Target Organs	: Blood, Bone marrow

STOT - repeated exposure

Not classified based on available information.

Components:

Chloramphenicol:

Exposure routes	: Oral, Inhalation
Target Organs	: Blood, Bone marrow, Liver

prednisolone:

Target Organs	: Bone marrow, Adrenal gland, Liver
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Basic phenylmercury nitrate:

Exposure routes	: Oral
Target Organs	: Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Repeated dose toxicity

Components:

Chloramphenicol:

Species	:	Dog
Target Organs	:	Blood, Bone marrow
Symptoms	:	decrease in appetite, Reduced body weight

prednisolone:

Species	:	Rat
LOAEL	:	0.6 mg/kg
Application Route	:	Oral
Exposure time	:	63 Days
Target Organs	:	Bone marrow

Species	:	Dog
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	6 Weeks
Target Organs	:	Adrenal gland

Species	:	Rabbit
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	24 Weeks
Target Organs	:	Liver

Basic phenylmercury nitrate:

Species	:	Rat
NOAEL	:	< 1.25 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Chloramphenicol:

General Information	:	Target Organs: Blood Target Organs: Bone marrow Symptoms: aplastic anemia, confusion, Diarrhoea, Fever, Headache, Nausea, Vomiting
---------------------	---	---

prednisolone:

Ingestion	:	Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities
-----------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

prednisolone:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 85 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.23 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea)

Basic phenylmercury nitrate:

Toxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.001 - 0.01 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to microorganisms	:	NOEC (Bacteria): > 0.001 - 0.01 mg/l Exposure time: 18 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: > 0.0001 - 0.001 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l
Exposure time: 35 d
Species: Mysidopsis bahia (opossum shrimp)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

Components:

Basic phenylmercury nitrate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1.46

Basic phenylmercury nitrate:

Partition coefficient: n-octanol/water : log Pow: 1.27

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average

IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET

according to the Globally Harmonized System



Prednisolone / Chloramphenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	14.04.2025	5710730-00009	Date of first issue: 23.04.2020

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN