

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Oxytetracycline (10%) Formulation

Other means of identification : ENGEMYCIN (A003308)
COOPERS ENGEMYCIN 100 OXYTETRACYCLINE
HYDROCHLORIDE 100MG/ML INJECTION (37256)

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid, Aqueous solution

Colour : No data available

Odour : No data available

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child. Very toxic to aquatic life with long lasting effects.

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 1

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360D May damage the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P203 Obtain, read and follow all safety instructions before use.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318 IF exposed or concerned, get medical advice.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P333 + P317 If skin irritation or rash occurs: Get medical help.
P337 + P317 If eye irritation persists: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage the unborn child.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
oxytetracycline	79-57-2	>= 10 -< 20
Ethanolamine	141-43-5	>= 1 -< 2.5
Sodium hydroxymethanesulphonate	149-44-0	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air. Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
	Further information: DSEN			
Ethanolamine	141-43-5	Wipe limit	100 µg/100 cm ²	Internal
		PC-TWA	8 mg/m ³	CN OEL
		PC-STEL	15 mg/m ³	CN OEL
		TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hand protection	
Material	: Chemical-resistant gloves
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid, Aqueous solution
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

oxytetracycline:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg
LD50 (Mouse): 2,240 mg/kg
Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 4,840 mg/kg
Application Route: Intramuscular
LD50 (Mouse): 3,500 mg/kg
Application Route: Subcutaneous

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,089 mg/kg

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	LD50 (Rabbit, female): 1,018 mg/kg

Sodium hydroxymethanesulphinate:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

oxytetracycline:

Remarks	:	No data available
---------	---	-------------------

Ethanolamine:

Species	:	Rabbit
Result	:	Corrosive after 3 minutes to 1 hour of exposure

Sodium hydroxymethanesulphinate:

Species	:	Rat
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

oxytetracycline:

Remarks	:	No data available
---------	---	-------------------

Ethanolamine:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Sodium hydroxymethanesulphinate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

oxytetracycline:

Test Type	:	Human repeat insult patch test (HRIPT)
Result	:	Sensitiser

Ethanolamine:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Sodium hydroxymethanesulphinate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

oxytetracycline:

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Result: negative
-----------------------	---	--

Test Type: Mouse Lymphoma
Metabolic activation: Metabolic activation
Result: positive

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: equivocal

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: equivocal

Test Type: in vivo assay
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Ethanolamine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Sodium hydroxymethanesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: positive

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

oxytetracycline:

Species	: Mouse
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative
Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Result	: equivocal
Target Organs	: Adrenal gland, Pituitary gland
Remarks	: The mechanism or mode of action may not be relevant in humans.
Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

May damage the unborn child.

Components:

oxytetracycline:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 18 mg/kg body weight Result: No effects on fertility, No effect on reproduction capacity, No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: LOAEL: 48 mg/kg body weight Result: Postimplantation loss., Skeletal malformations
	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight Embryo-foetal toxicity: NOAEL: 1,500 mg/kg body weight Result: No teratogenic effects

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 2,100 mg/kg body weight
Result: No teratogenic effects
Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Intramuscular
Embryo-foetal toxicity: LOAEL: 41.5 mg/kg body weight
Result: Postimplantation loss., No foetal abnormalities

Test Type: Embryo-foetal development
Species: Dog
Application Route: Intramuscular
Embryo-foetal toxicity: LOAEL: 20.75 mg/kg body weight
Result: Skeletal and visceral variations, Postimplantation loss.

Reproductive toxicity - Assessment

: Positive evidence of adverse effects on development from human epidemiological studies.

Ethanolamine:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Sodium hydroxymethanesulphonate:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

oxytetracycline:

Species : Rat
LOAEL : 198 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Mouse
LOAEL : 7,990 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 125 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Testis
Remarks : Significant toxicity observed in testing

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Species	:	Rat
NOAEL	:	40 mg/kg
LOAEL	:	100 mg/kg
Application Route	:	Intraperitoneal
Exposure time	:	14 Days
Target Organs	:	Kidney

Ethanolamine:

Species	:	Rat
NOAEL	:	> 120 mg/kg
Application Route	:	Ingestion
Exposure time	:	> 75 Days
Remarks	:	Based on data from similar materials

Species	:	Rat
NOAEL	:	>= 0.15 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Sodium hydroxymethanesulphonate:

Species	:	Rat
NOAEL	:	600 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

oxytetracycline:

Ingestion	:	Symptoms: Gastrointestinal disturbance, tooth discoloration
		Remarks: May cause birth defects.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

oxytetracycline:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 621 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
	EC50 (Moina macrocopa (Water flea)): 126.7 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Anabaena): 0.032 mg/l Exposure time: 72 h
	NOEC (Anabaena): 0.0031 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (activated sludge): 17.9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC (activated sludge): 0.2 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ethanolamine:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic)	: NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

ic toxicity)

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Sodium hydroxymethanesulphinate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 10 mg/l
Exposure time: 4 h

Persistence and degradability

Components:

Ethanolamine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 21 d
Method: OECD Test Guideline 301A

Sodium hydroxymethanesulphinate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

Bioaccumulative potential

Components:

Ethanolamine:

Partition coefficient: n-octanol/water : log Pow: -2.3
Method: OECD Test Guideline 107

Sodium hydroxymethanesulphinate:

Partition coefficient: n-octanol/water : log Pow: < 0.3

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Oxytetracycline)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Oxytetracycline)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger) : 964

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 5495948-00014	Date of last issue: 2025/02/07 Date of first issue: 2020/03/10
----------------	------------------------------	------------------------------	---

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	: This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWs : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 5495948-00014 Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

|| Catalogue of Specially Controlled Hazardous Chemicals : Not listed

|| List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

|| List of Controlled Ozone Depleting Substances Import and Export : Not listed

|| List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

|| List of Priority Controlled Chemicals : Not listed

|| List of Key Controlled New Pollutants : Listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version 4.0	Revision Date: 2025/04/14	SDS Number: 5495948-00014	Date of last issue: 2025/02/07 Date of first issue: 2020/03/10
----------------	------------------------------	------------------------------	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CN OEL	: Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
CN OEL / PC-TWA	: Permissible concentration - time weighted average
CN OEL / PC-STEL	: Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Oxytetracycline (10%) Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
5495948-00014

Date of last issue: 2025/02/07
Date of first issue: 2020/03/10

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN