

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Oxfendazole / Oxclozanide Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary medicine

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Balıkhisar Mah. Köyiçi Küme Evleri No: 765/A
Çubuk Yolu 2. Km
Akyurt / Ankara / TÜRKİYE

Telephone : +90 312 840 53 00

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

National Poison Control Center (UZEM): 114
Emergency: 1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure, Category 2 H371: May cause damage to organs.

Specific target organ toxicity - repeated exposure, Category 2 H373: May cause damage to organs through prolonged or repeated exposure.

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling T.R. SEA No 28848 and subsequent amendments

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 7942488-00009	Date of last issue: 06.04.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360FD May damage fertility. May damage the unborn child. H371 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

oxclozanide

oxfendazole

2.3 Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. KKDIK Registration No.	SEA Classification	Concentration (% w/w)
oxclozanide	2277-92-1 218-904-0	Repr. 2; H361d STOT SE 2; H371 (Central nervous system) STOT RE 2; H373 (Brain, Liver)	>= 30 - < 50

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

		Aquatic Acute 1; H400 Aquatic Chronic 1; H410	
oxfendazole	53716-50-0 258-714-5	Repr. 1B; H360FD STOT RE 2; H373 (Liver, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 20 - < 25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation. May damage fertility. May damage the unborn child.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)
Metal oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 7942488-00009	Date of last issue: 06.04.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

	Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

7.3 Specific end use(s)

Specific use(s)	: No data available
-----------------	---------------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust	15 mg/m ³ Value type (Form of exposure): ZOAD/TWA (Total dust) Basis: TR OEL DU Further information: Allowable occupational exposure limit values of mineral dusts
	5 mg/m ³ Value type (Form of exposure): ZOAD/TWA (Respirable part) Basis: TR OEL DU Further information: Allowable occupational exposure limit values of mineral dusts

Components	CAS-No.	Value type (Form	Control parameters	Basis
------------	---------	------------------	--------------------	-------

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

		(of exposure)		
oxclozanide	2277-92-1	TWA	0.4 mg/m ³ (OEB 2)	Internal
oxfendazole	53716-50-0	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to TS EN 143
Filter type	: Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: powder
Colour	: white to off-white, light cream, cream
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling	: No data available

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

range	
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: 0,88 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

oxclozanide:

Acute oral toxicity : LD50 (Rat): 3.519 mg/kg
Target Organs: Central nervous system

Acute toxicity (other routes of administration) : LDLo (sheep): 10 mg/kg
Application Route: Intravenous

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg
LD50 (Dog): 1.600 mg/kg
LD50 (sheep): 250 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

oxclozanide:

Remarks : Not classified due to lack of data.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxyclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

oxfendazole:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

oxyclozanide:

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

oxfendazole:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

oxyclozanide:

Exposure routes	:	Dermal
Remarks	:	Not classified due to lack of data.

Germ cell mutagenicity

Not classified based on available information.

Components:

oxyclozanide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
		Test Type: Mouse Lymphoma Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
		Test Type: unscheduled DNA synthesis assay

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxylozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Species: Rat
Cell type: Liver cells
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Oral
Result: positive

Carcinogenicity

Not classified based on available information.

Components:

oxylozanide:

Remarks : Not classified due to lack of data.

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years
Symptoms : No adverse effects
Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Symptoms : No adverse effects
Target Organs : Liver

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

oxylozanide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: NOAEL: 25 - 35 mg/kg body weight
Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity - Parent: LOAEL: 75 - 100 mg/kg body weight
Symptoms: Reduced body weight, No effects on embryofoetal and postnatal development
Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: LOAEL: 75 - 100 mg/kg body weight
Result: No fetotoxicity, No teratogenic effects

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity - Parent: LOAEL: 80 - 160 mg/kg body weight
Result: No fetotoxicity, No teratogenic effects, No effects on fertility

Effects on foetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 200 mg/kg body weight
Result: No fetotoxicity, No teratogenic effects

Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 100 mg/kg body weight
Result: No fetotoxicity, No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 32 mg/kg body weight
Result: Fetotoxicity, Skeletal malformations

Reproductive toxicity - Assessment

: Suspected of damaging the unborn child.

oxfendazole:

Effects on fertility

: Test Type: Fertility/early embryonic development
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 17 mg/kg body weight
Target Organs: Testes

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0,9 mg/kg body weight

Target Organs: Liver

Result: No effects on fertility

Test Type: Fertility

Species: Mouse

Application Route: Oral

Duration of Single Treatment: 1 Months

Fertility: NOAEL: 750 mg/kg body weight

Target Organs: Testes

Result: Effects on fertility

Effects on foetal development

: Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Fetal effects

Test Type: Embryo-foetal development

Species: Rat

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Developmental Toxicity: NOAEL: 108 mg/kg body weight

Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 0,625 mg/kg body weight

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause damage to organs.

Components:

oxclozanide:

Exposure routes

: Oral

Target Organs

: Central nervous system

Assessment

: May cause damage to organs.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

oxclozanide:

Target Organs	:	Brain, Liver
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

oxfendazole:

Exposure routes	:	Oral
Target Organs	:	Liver, Testis
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

oxclozanide:

Species	:	Rat
NOAEL	:	9 mg/kg
LOAEL	:	44,5 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Brain, Liver, spleen, Adrenal gland
Symptoms	:	Liver effects

Species	:	Dog
NOAEL	:	5 mg/kg
LOAEL	:	25 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Brain, Liver
Symptoms	:	blood effects, alteration in liver enzymes

oxfendazole:

Species	:	Rat
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Blood, Liver, Testis

Species	:	Rat
NOAEL	:	3,8 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver, Testis

Species	:	Mouse
---------	---	-------

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

NOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Liver
Species	:	Mouse
NOAEL	:	37,5 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Lymph nodes, thymus gland
Species	:	Dog
NOAEL	:	13,5 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Target Organs	:	Liver

Aspiration toxicity

Not classified based on available information.

Components:

oxclozanide:

|| Not applicable

Experience with human exposure

Components:

oxclozanide:

|| Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Central nervous system depression

SECTION 12: Ecological information

12.1 Toxicity

Components:

oxclozanide:

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxylozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,69 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2,7 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,059 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,023 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Components:

oxylozanide:

Stability in water : Hydrolysis: 50 %(156 d)
Method: OECD Test Guideline 111

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

12.3 Bioaccumulative potential

Components:

oxyclozanide:

Partition coefficient: n-octanol/water : log Pow: 3,99
pH: 7
Method: OECD Test Guideline 107

oxfendazole:

Partition coefficient: n-octanol/water : log Pow: 1,95

12.4 Mobility in soil

Components:

oxyclozanide:

Distribution among environmental compartments : log Koc: 4,83
Method: OECD Test Guideline 106

oxfendazole:

Distribution among environmental compartments : log Koc: 3,2

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Waste management needs to comply with provisions laid down in Waste Management Regulation (TR Official Gazette, 2015, Number: 29314) and with the respective national provisions legally enforced
Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole, oxclozanide)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole, oxclozanide)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole, oxclozanide)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxfendazole, oxclozanide)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (oxfendazole, oxclozanide)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 7942488-00009	Date of last issue: 06.04.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

RID

Packing group : III

Classification Code : M7

Hazard Identification Number : 90

Labels : 9

IMDG

Packing group : III

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956

Packing instruction (LQ) : Y956

Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956

Packing instruction (LQ) : Y956

Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 7942488-00009 Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, : Not applicable
placing on the market and use of certain dangerous
substances, mixtures and articles (Annex 17)

Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published) : Not applicable

Regulation on prevention of major industrial accidents. Reg number 30702

	Quantity 1	Quantity 2	
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

Regulation on Import and Export of Certain Hazardous Chemicals, No. 32087, 2023 : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
The SDS has been prepared by: Name: Gökhan Ardiç; Contact email: sds@chemleg.com; Telephone number: +90 216 706 1307; Certificate Number: Lonca KDU 34 / 2020.08; Certificate Date: 22 September 2020; Valid Until: 22 September 2025

Full text of H-Statements

H360FD : May damage fertility. May damage the unborn child.
H361d : Suspected of damaging the unborn child.
H371 : May cause damage to organs if swallowed.
H373 : May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version 5.0	Revision Date: 14.04.2025	SDS Number: 7942488-00009	Date of last issue: 06.04.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

The Turkish SDS has been prepared according to the Regulation on Safety Data Sheets for Hazardous Substances and Mixtures No. 29204.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Repr.	: Reproductive toxicity
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
TR OEL DU	: Türkiye. Regulation on Dust Control. Occupational Dust Exposure Limit Values (Annex 1)
TR OEL DU / ZOAD/TWA	: Time Weighted Average Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Oxfendazole / Oxclozanide Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
7942488-00009

Date of last issue: 06.04.2024
Date of first issue: 19.03.2021

Classification of the mixture:

Repr. 1B	H360FD
STOT SE 2	H371
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TR / EN