

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Spiramycin Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|----------------|-----------|-----------------------|
| 2-Pyrrolidone | 616-45-5 | >= 30 -< 60 |
| Benzyl alcohol | 100-51-6 | >= 1 -< 10 |
| Spiramycin | 8025-81-8 | < 10 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

| | |
|---|---|
| In case of eye contact | Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction. Causes serious eye irritation. |
| Protection of first-aiders | : May damage fertility. May damage the unborn child. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Nitrogen oxides (NO _x) Carbon oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. |

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

- : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures

- : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

- : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling

- : Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow.

Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage

- : Keep in properly labelled containers.

Store locked up.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid

- : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|--|-------|
| | | | | |

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

| | | | | |
|------------|-----------|-----|--------------------|----------|
| Spiramycin | 8025-81-8 | TWA | 1000 ug/m3 (OEB 1) | Internal |
|------------|-----------|-----|--------------------|----------|

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : 8.0 - 10.0

Melting point/freezing point : No data available

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

| | |
|--|--|
| Initial boiling point and boiling range | : No data available |
| Flash point | : No data available |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Flammability (liquids) | : No data available |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Relative density | : No data available |
| Density | : 0.950 - 1.150 g/cm ³ |
| Solubility(ies) | |
| Water solubility | : No data available |
| Partition coefficient: n-octanol/water | : Not applicable |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | |
| Viscosity, kinematic | : No data available |
| Explosive properties | : Not explosive |
| Oxidizing properties | : The substance or mixture is not classified as oxidizing. |
| Molecular weight | : No data available |
| Particle characteristics | |
| Particle size | : Not applicable |

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

| | |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Can react with strong oxidizing agents. |
| Conditions to avoid | : None known. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Spiramycin:

Acute oral toxicity : LD50 (Mouse, adult): 2,900 mg/kg
LD50 (Rat, adult): 3,550 mg/kg
LD50 (Dog, adult): 5,200 mg/kg

Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

| | |
|---|---|
| | LD50 (Rabbit, adult): 4,300 mg/kg |
| Acute inhalation toxicity | : Remarks: No data available |
| Acute toxicity (other routes of administration) | : LD50 (Mouse): 130 mg/kg Application Route: Intravenous |
| | LD50 (Rat): 170 mg/kg Application Route: Intravenous |
| | LD50 (Rabbit): 182 mg/kg Application Route: Intravenous |

Skin corrosion/irritation

Not classified based on available information.

Components:**2-Pyrrolidone:**

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

Benzyl alcohol:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**2-Pyrrolidone:**

| | | |
|---------|---|---|
| Species | : | Rabbit |
| Result | : | Irritation to eyes, reversing within 7 days |

Benzyl alcohol:

| | | |
|---------|---|--|
| Species | : | Rabbit |
| Result | : | Irritation to eyes, reversing within 21 days |
| Method | : | OECD Test Guideline 405 |

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

Components:

2-Pyrrolidone:

| | | |
|-----------------|---|--------------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Method | : | OECD Test Guideline 429 |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Benzyl alcohol:

| | | |
|-----------------|---|--|
| Test Type | : | Human repeat insult patch test (HRIPT) |
| Exposure routes | : | Skin contact |
| Species | : | Humans |
| Result | : | positive |
| Assessment | : | Probability or evidence of low to moderate skin sensitisation rate in humans |

Spiramycin:

| | | |
|-----------------|---|------------------------|
| Test Type | : | Magnusson-Kligman-Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | Not a skin sensitizer. |

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials |
| | | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative |
| Genotoxicity in vivo | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative |

Spiramycin Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 4.0 | Revision Date: 2025/04/14 | SDS Number: 7947476-00012 | Date of last issue: 2024/09/28 Date of first issue: 2021/03/19 |
|----------------|------------------------------|------------------------------|---|

Benzyl alcohol:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative |

Spiramycin:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative |
| | : Test Type: Cytogenetic assay Test system: Chinese hamster ovary cells Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test Test system: Mouse Result: negative |

Carcinogenicity

Not classified based on available information.

Components:**2-Pyrrolidone:**

| | |
|-------------------|--|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 18 month(s) |
| Result | : negative |
| Remarks | : Based on data from similar materials |

Benzyl alcohol:

| | |
|-------------------|---------------------------|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 103 weeks |
| Method | : OECD Test Guideline 451 |
| Result | : negative |

Spiramycin:

| | |
|-------------------|------------------------|
| Species | : Rat, male and female |
| Application Route | : Oral |
| Exposure time | : 2 Years |
| Result | : negative |

Spiramycin FormulationVersion
4.0Revision Date:
2025/04/14SDS Number:
7947476-00012Date of last issue: 2024/09/28
Date of first issue: 2021/03/19**Reproductive toxicity**

May damage fertility. May damage the unborn child.

Components:**2-Pyrrolidone:**

| | |
|------------------------------------|--|
| Effects on fertility | : Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments. |

Benzyl alcohol:

| | |
|-------------------------------|---|
| Effects on fertility | : Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative |

Spiramycin:

| | |
|-------------------------------|--|
| Effects on fertility | : Test Type: Fertility Species: Rat, male Target Organs: Reproductive organs Result: alteration in sperm morphology, Effects on male reproductive organs |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: 100 mg/kg body weight Developmental Toxicity: LOAEL: 200 mg/kg body weight Embryo-foetal toxicity: LOAEL: 200 mg/kg body weight |

STOT - single exposure

Not classified based on available information.

Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****2-Pyrrolidone:**

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | 207 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 3 Months |
| Method | : | OECD Test Guideline 408 |

Benzyl alcohol:

| | | |
|-------------------|---|-----------------------------|
| Species | : | Rat |
| NOAEL | : | 1.072 mg/l |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time | : | 28 Days |
| Method | : | OECD Test Guideline 412 |

Spiramycin:

| | | |
|-------------------|---|----------------------|
| Species | : | Rat, male and female |
| NOAEL | : | 140 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 13 Weeks |
| Target Organs | : | Immune system |

| | | |
|-------------------|---|------------------------|
| Species | : | Rat, male and female |
| LOAEL | : | 5.6 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 32 d |
| Target Organs | : | Central nervous system |

| | | |
|-------------------|---|---|
| Species | : | Dog, male and female |
| NOAEL | : | 75 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 2 yr |
| Target Organs | : | Kidney, male reproductive organs, optic nerve |

| | | |
|---------------------|---|----------------------|
| Species | : | Dog, male and female |
| LOAEL | : | 169 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 4 Weeks |
| Number of exposures | : | 2 injections per day |
| Target Organs | : | spleen, Kidney |

| | | |
|-------------------|---|----------------------|
| Species | : | Dog, male and female |
| LOAEL | : | 50 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 4 Weeks |

SAFETY DATA SHEET



Spiramycin Formulation

Version 4.0 Revision Date: 2025/04/14 SDS Number: 7947476-00012 Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

|| Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Spiramycin:

|| General Information : May cause
Symptoms: Nausea, Vomiting, Diarrhoea

Further information

Components:

Spiramycin:

|| Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Pyrrolidone:

|| Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h

|| Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h
EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l
Exposure time: 72 h

|| Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Benzyl alcohol:

|| Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

Contaminated packaging : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

SAFETY DATA SHEET



Spiramycin Formulation

Version
4.0

Revision Date:
2025/04/14

SDS Number:
7947476-00012

Date of last issue: 2024/09/28
Date of first issue: 2021/03/19

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN