

# SAFETY DATA SHEET



## Spiramycin Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 7947469-00013 Date of last issue: 28.09.2024 Date of first issue: 19.03.2021

---

### Section 1: Identification

**Product identifier** : Spiramycin Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

**GHS Label elements, including precautionary statements**

Hazard pictograms :

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H360FD May damage fertility. May damage the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

# SAFETY DATA SHEET



## Spiramycin Formulation

---

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7947469-00013	Date of last issue: 28.09.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

---

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	616-45-5	>= 30 -< 50
Benzyl alcohol	100-51-6	>= 1 -< 10
Spiramycin	8025-81-8	< 0.1

---

### Section 4: First-aid measures

**Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

**Spiramycin Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Most important symptoms and effects, both acute and delayed**

Risks : May cause an allergic skin reaction.  
Causes serious eye irritation.  
May damage fertility. May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures****Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides

**Special protective actions for fire-fighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.

**Spiramycin Formulation**

---

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7947469-00013	Date of last issue: 28.09.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

---

Evacuate area.

---

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage****Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.

# SAFETY DATA SHEET



## Spiramycin Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 7947469-00013	Date of last issue: 28.09.2024 Date of first issue: 19.03.2021
----------------	------------------------------	------------------------------	---

Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
------------------	--

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Spiramycin	8025-81-8	TWA	1000 ug/m3 (OEB 1)	Internal

Appropriate engineering control measures	: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
--	---

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

**Spiramycin Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

Filter type : Recommended guidelines, use respiratory protection.  
Hand protection : Organic vapour type  
Material : Chemical-resistant gloves

---

**Section 9: Physical and chemical properties**

Appearance : Aqueous solution  
Colour : light yellow  
Odour : No data available  
Odour Threshold : No data available  
pH : 8.0 - 10.0  
Melting point/freezing point : No data available  
Initial boiling point and boiling range : No data available  
Flash point : No data available  
Evaporation rate : No data available  
Flammability (solid, gas) : Not applicable  
Flammability (liquids) : No data available  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available  
Vapour pressure : No data available  
Relative vapour density : No data available  
Relative density : No data available  
Density : 0.950 - 1.150 g/cm<sup>3</sup>  
Solubility(ies)  
Water solubility : No data available  
Partition coefficient: n-octanol/water : Not applicable  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available

# SAFETY DATA SHEET



## Spiramycin Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
7947469-00013

Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

---

### Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	--

#### Components:

##### 2-Pyrrolidone:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

**Spiramycin Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Spiramycin:**

Acute oral toxicity : LD50 (Mouse, adult): 2,900 mg/kg  
LD50 (Rat, adult): 3,550 mg/kg  
LD50 (Dog, adult): 5,200 mg/kg  
LD50 (Rabbit, adult): 4,300 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Mouse): 130 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 170 mg/kg  
Application Route: Intravenous  
LD50 (Rabbit): 182 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Spiramycin Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

**Components:****2-Pyrrolidone:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

**Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

**Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

**Spiramycin:**

Test Type	:	Magnusson-Kligman-Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

# SAFETY DATA SHEET



## Spiramycin Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
<b>Benzyl alcohol:</b>	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
<b>Spiramycin:</b>	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
	Test Type: Cytogenetic assay Test system: Chinese hamster ovary cells Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Mouse Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2-Pyrrolidone:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 18 month(s)

**Spiramycin Formulation**Version  
4.0Revision Date:  
14.04.2025SDS Number:  
7947469-00013Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

Result	:	negative
Remarks	:	Based on data from similar materials

**Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

**Spiramycin:**

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****2-Pyrrolidone:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Benzyl alcohol:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

## SAFETY DATA SHEET



## Spiramycin Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
4.0 14.04.2025 7947469-00013 Date of first issue: 19.03.2021

## **Spiramycin:**

Effects on fertility	<ul style="list-style-type: none"> <li>Test Type: Fertility</li> <li>Species: Rat, male</li> <li>Target Organs: Reproductive organs</li> <li>Result: alteration in sperm morphology, Effects on male reproductive organs</li> </ul>
Effects on foetal development	<ul style="list-style-type: none"> <li>Test Type: Embryo-foetal development</li> <li>Species: Rabbit</li> <li>Application Route: Oral</li> <li>General Toxicity Maternal: 100 mg/kg body weight</li> <li>Developmental Toxicity: LOAEL: 200 mg/kg body weight</li> <li>Embryo-foetal toxicity: LOAEL: 200 mg/kg body weight</li> </ul>

## STOT - single exposure

Not classified based on available information

## STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

## Components:

## 2-Pyrrolidone:

Species : Rat  
NOAEL : 207 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

## **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

## **Spiramycin:**

Species : Rat, male and female  
NOAEL : 140 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Immune system

Species	: Rat, male and female
LOAEL	: 5.6 mg/kg
Application Route	: Intravenous
Exposure time	: 32 d
Target Organs	: Central nervous system

**Spiramycin Formulation**

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

Species	:	Dog, male and female
NOAEL	:	75 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	Kidney, male reproductive organs, optic nerve
Species	:	Dog, male and female
LOAEL	:	169 mg/kg
Application Route	:	Intravenous
Exposure time	:	4 Weeks
Number of exposures	:	2 injections per day
Target Organs	:	spleen, Kidney
Species	:	Dog, male and female
LOAEL	:	50 mg/kg
Application Route	:	Intravenous
Exposure time	:	4 Weeks
Target Organs	:	Central nervous system

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Spiramycin:**

General Information	:	May cause Symptoms: Nausea, Vomiting, Diarrhoea
---------------------	---	--

**Further information****Components:****Spiramycin:**

Remarks	:	No data available
---------	---	-------------------

---

**Section 12: Ecological information****Toxicity****Components:****2-Pyrrolidone:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

## SAFETY DATA SHEET



## Spiramycin Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
4.0 14.04.2025 7947469-00013 Date of first issue: 19.03.2021

plants	Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209
<b>Benzyl alcohol:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

## Persistence and degradability

## Components:

## 2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

## Bioaccumulative potential

## Components:

## 2-Pyrrolidone:

Partition coefficient:  $n = 1.0$  Log Pow: -0.71

# SAFETY DATA SHEET



## Spiramycin Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

||| octanol/water      Method: OECD Test Guideline 107

### Benzyl alcohol:

||| Partition coefficient: n-octanol/water : log Pow: 1.05

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable

# SAFETY DATA SHEET



## Spiramycin Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 7947469-00013      Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/> Sheet

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

# SAFETY DATA SHEET



## Spiramycin Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
7947469-00013

Date of last issue: 28.09.2024  
Date of first issue: 19.03.2021

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN