

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

## SECTION 1: IDENTIFICATION

Product name : Calcium / Magnesium Chloride Formulation

**Manufacturer or supplier's details**

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

## SECTION 2. HAZARDS IDENTIFICATION

**GHS Classification**

Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

Precautionary statements :

**Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
P405 Store locked up.

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Boric acid	10043-35-3	$\geq 0.3$ -< 10
Magnesium chloride	7786-30-3	< 10
4-Chloro-3-methylphenol	59-50-7	< 1

**SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May damage fertility. May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

**Calcium / Magnesium Chloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Chlorine compounds  
Boron oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

## Calcium / Magnesium Chloride Formulation

Version 5.0      Revision Date: 14.04.2025      SDS Number: 7665386-00010      Date of last issue: 06.04.2024  
Date of first issue: 10.12.2020

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m <sup>3</sup> (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m <sup>3</sup> (Borate)	ACGIH
Magnesium chloride	7786-30-3	TWA	OEB 2 ( $\geq 100 < 1000 \mu\text{g}/\text{m}^3$ )	Internal
4-Chloro-3-methylphenol	59-50-7	TWA	200 $\mu\text{g}/\text{m}^3$ (OEB 2)	Internal
		Wipe limit	100 $\mu\text{g}/100 \text{ cm}^2$	Internal

- Engineering measures : Use appropriate engineering controls and manufacturing

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

**Personal protective equipment**

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Particulates type  |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.   |
- 

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- |  |   |                           |
|--|---|---------------------------|
| Appearance                                       | : | liquid                    |
| Colour   | : | translucent, light yellow |
| Odour  | : | No data available         |
| Odour Threshold                                  | : | No data available         |
| pH   | : | 3.0 - 4.0                 |
| Melting point/freezing point                     | : | No data available         |
| Initial boiling point and boiling range          | : | No data available         |
| Flash point                                      | : | No data available         |
| Evaporation rate                                 | : | No data available         |
| Flammability (solid, gas)                        | : | Not applicable            |
| Flammability (liquids)                           | : | No data available         |
| Upper explosion limit / Upper flammability limit | : | No data available         |
| Lower explosion limit / Lower                    | : | No data available         |

**Calcium / Magnesium Chloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

flammability limit

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.000 - 1.200 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

**Acute toxicity**

Not classified based on available information.

**Components:****Boric acid:**

Acute oral toxicity	: LD50 (Rat): 3,450 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.03 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Magnesium chloride:**

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: The test was conducted according to guideline Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: The test was conducted according to guideline Based on data from similar materials

**4-Chloro-3-methylphenol:**

Acute oral toxicity	: LD50 (Mouse): 600 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.871 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Boric acid:**

Species	: Rabbit
Result	: No skin irritation

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

**Magnesium chloride:**

Species	: reconstructed human epidermis (RhE)
Method	: Regulation (EC) No. 440/2008, Annex, B.46
Remarks	: The test was conducted equivalent or similar to guideline Based on data from similar materials
Result	: No skin irritation

**4-Chloro-3-methylphenol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 1 to 4 hours of exposure

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Boric acid:**

Species	: Rabbit
Result	: No eye irritation

**Magnesium chloride:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: The test was conducted according to guideline Based on data from similar materials

**4-Chloro-3-methylphenol:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Boric acid:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig



## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

Method	: OECD Test Guideline 406
Result	: negative

**Magnesium chloride:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: The test was conducted according to guideline Based on data from similar materials

**4-Chloro-3-methylphenol:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	---

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Boric acid:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: equivocal  Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

**Magnesium chloride:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
-----------------------	--

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	7665386-00010	06.04.2024
			Date of first issue: 10.12.2020

Genotoxicity in vivo	Remarks:	Based on data from similar materials
	Test Type:	Bacterial reverse mutation assay (AMES)
	Result:	negative
	Test Type:	Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species:	Mouse
	Application Route:	Intraperitoneal injection
	Method:	OECD Test Guideline 474
	Result:	negative
	Remarks:	The test was conducted according to guideline

**4-Chloro-3-methylphenol:**

Genotoxicity in vitro	Test Type:	Bacterial reverse mutation assay (AMES)
	Result:	negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Boric acid:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative

**Magnesium chloride:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	96 weeks
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	The test was conducted equivalent or similar to guideline Based on data from similar materials

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****Boric acid:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: positive
Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Rabbit

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	7665386-00010	06.04.2024
			Date of first issue: 10.12.2020

	Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Magnesium chloride:**

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: The test was conducted according to guideline Based on data from similar materials
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
-------------------------------	---

**4-Chloro-3-methylphenol:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****4-Chloro-3-methylphenol:**

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

**STOT - repeated exposure**

Not classified based on available information.

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

**Repeated dose toxicity****Components:****Boric acid:**

Species	: Rat
NOAEL	: 100 mg/kg
LOAEL	: 334 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

**Magnesium chloride:**

Species	: Rat
NOAEL	: 308 mg/kg
LOAEL	: 1,600 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

**4-Chloro-3-methylphenol:**

Species	: Rat
NOAEL	: 200 mg/kg
LOAEL	: 400 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Boric acid:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l Exposure time: 72 h

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	7665386-00010	06.04.2024
			Date of first issue: 10.12.2020

Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 6.4 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10.8 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10: 35.4 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Magnesium chloride:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,119.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 548.4 mg/l  
Exposure time: 48 h  
Remarks: No test guideline followed

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 321 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : NOEC (activated sludge): > 900 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

**4-Chloro-3-methylphenol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	7665386-00010	06.04.2024
			Date of first issue: 10.12.2020

	EC10 (Chlorella pyrenoidosa (algae)): 2.3 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.32 mg/l
	Exposure time: 21 d
	Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: 22.86 mg/l
	Exposure time: 60 h

**Persistence and degradability****Components:****4-Chloro-3-methylphenol:**

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: 78 %
	Exposure time: 15 d
	Method: OECD Test Guideline 301

**Bioaccumulative potential****Components:****Boric acid:**

Bioaccumulation	: Species: Cyprinus carpio (Carp)
	Bioconcentration factor (BCF): $\leq 3.2$
	Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	: log Pow: -1.09

**4-Chloro-3-methylphenol:**

Bioaccumulation	: Species: Cyprinus carpio (Carp)
	Bioconcentration factor (BCF): 5.5 - 13
Partition coefficient: n-octanol/water	: log Pow: 0.477

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	: Do not dispose of waste into sewer.
	Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste han-

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

ding site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

**Special precautions for user**

Not applicable

## Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	7665386-00010	06.04.2024
			Date of first issue: 10.12.2020

## SECTION 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

DSL : not determined

AICS : not determined

IECSC : not determined

## SECTION 16: ANY OTHER RELEVANT INFORMATION

**Further information**

Revision Date : 14.04.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



**Calcium / Magnesium Chloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	7665386-00010	Date of first issue: 10.12.2020

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN