

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version
9.0

Revision Date:
14.04.2025

SDS Number:
7665402-00012

Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Calcium / Magnesium Chloride Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024 Date of first issue: 10.12.2020

P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

Boric acid

Additional Labelling

EUH208 Contains 4-Chloro-3-methylphenol. May produce an allergic reaction.

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Boric acid	10043-35-3 233-139-2 005-007-00-2	Repr. 1B; H360FD	>= 1 - < 10
4-Chloro-3-methylphenol	59-50-7 200-431-6 604-014-00-3	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute)	>= 0,1 - < 0,25

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version
9.0

Revision Date:
14.04.2025

SDS Number:
7665402-00012

Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

		aquatic toxicity): 1	
Substances with a workplace exposure limit :			
Magnesium chloride	7786-30-3 232-094-6		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.
May damage fertility. May damage the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Chlorine compounds
Boron oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

Calcium / Magnesium Chloride Formulation

Version 9.0	Revision Date: 14.04.2025	SDS Number: 7665402-00012	Date of last issue: 28.09.2024 Date of first issue: 10.12.2020
----------------	------------------------------	------------------------------	---

employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

7.3 Specific end use(s)

Specific use(s)	: No data available
-----------------	---------------------

Calcium / Magnesium Chloride Formulation

Version
9.0

Revision Date:
14.04.2025

SDS Number:
7665402-00012

Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Magnesium chloride	7786-30-3	TWA	OEB 2 (>= 100 < 1000 µg/m3)	Internal
4-Chloro-3-methylphenol	59-50-7	TWA	200 µg/m3 (OEB 2)	Internal
		Wipe limit	100 µg/100 cm2	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Magnesium chloride	Consumers	Ingestion	Long-term systemic effects	7 mg/kg bw/day
Boric acid	Workers	Skin contact	Long-term systemic effects	392 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	8,3 mg/m3
	Consumers	Ingestion	Acute systemic effects	0,98 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,98 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,15 mg/m3
	Consumers	Skin contact	Long-term systemic effects	196 mg/kg bw/day
4-Chloro-3-methylphenol	Workers	Inhalation	Long-term systemic effects	6,289 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,567 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,551 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,783 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,892 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Magnesium chloride	Fresh water	1,6 mg/l
	Freshwater - intermittent	5,48 mg/l
	Marine water	0,16 mg/l
	Sewage treatment plant	42 mg/l
	Fresh water sediment	1050 mg/kg dry weight (d.w.)
	Marine sediment	105 mg/kg dry weight (d.w.)
	Soil	1045 mg/kg dry

Calcium / Magnesium Chloride FormulationVersion
9.0Revision Date:
14.04.2025SDS Number:
7665402-00012Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

		weight (d.w.)
Boric acid	Fresh water	2,9 mg/l
	Intermittent use/release	13,7 mg/l
	Marine water	2,9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5,7 mg/kg dry weight (d.w.)
4-Chloro-3-methylphenol	Fresh water	0,015 mg/l
	Intermittent use/release	0,015 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	2,286 mg/l
	Fresh water sediment	13,981 mg/kg dry weight (d.w.)
	Marine sediment	13,981 mg/kg dry weight (d.w.)
	Soil	6,399 mg/kg dry weight (d.w.)

8.2 Exposure controls**Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Skin and body protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type (P)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	: liquid
Colour	: translucent, light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: 3,0 - 4,0
Melting point/freezing point	: No data available

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1,000 - 1,200 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	: No data available
Particle size	: Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

||| Not classified based on available information.

Components:**Boric acid:**

Acute oral toxicity	: LD50 (Rat): 3.450 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2,03 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

4-Chloro-3-methylphenol:

Acute oral toxicity	: LD50 (Mouse): 600 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2,871 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg

Magnesium chloride:

Acute oral toxicity	: LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 423
---------------------	--

Calcium / Magnesium Chloride FormulationVersion
9.0Revision Date:
14.04.2025SDS Number:
7665402-00012Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Assessment: The substance or mixture has no acute oral toxicity

Remarks: The test was conducted according to guideline
Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: The test was conducted according to guideline
Based on data from similar materials

Skin corrosion/irritation

||| Not classified based on available information.

Components:**Boric acid:**

||| Species : Rabbit
||| Result : No skin irritation

4-Chloro-3-methylphenol:

||| Species : Rabbit
||| Method : OECD Test Guideline 404
||| Result : Corrosive after 1 to 4 hours of exposure

Magnesium chloride:

||| Species : reconstructed human epidermis (RhE)
||| Method : Regulation (EC) No. 440/2008, Annex, B.46
||| Remarks : The test was conducted equivalent or similar to guideline
Based on data from similar materials

||| Result : No skin irritation

Serious eye damage/eye irritation

||| Not classified based on available information.

Components:**Boric acid:**

||| Species : Rabbit
||| Result : No eye irritation

4-Chloro-3-methylphenol:

||| Species : Rabbit
||| Method : OECD Test Guideline 405
||| Result : Irreversible effects on the eye

Magnesium chloride:

||| Species : Rabbit
||| Method : OECD Test Guideline 405

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Result	:	No eye irritation
Remarks	:	The test was conducted according to guideline Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Boric acid:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

4-Chloro-3-methylphenol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	Probability or evidence of low to moderate skin sensitisation rate in humans	

Magnesium chloride:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	The test was conducted according to guideline Based on data from similar materials	

Germ cell mutagenicity

Not classified based on available information.

Components:

Boric acid:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: equivocal
		Test Type: Chromosome aberration test in vitro Result: negative

Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Genotoxicity in vivo:

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

4-Chloro-3-methylphenol:

Genotoxicity in vitro:

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Magnesium chloride:

Genotoxicity in vitro:

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo:

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: The test was conducted according to guideline

Carcinogenicity

Not classified based on available information.

Components:**Boric acid:**

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Magnesium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : The test was conducted equivalent or similar to guideline
Based on data from similar materials

Reproductive toxicity

May damage fertility. May damage the unborn child.

Calcium / Magnesium Chloride FormulationVersion
9.0Revision Date:
14.04.2025SDS Number:
7665402-00012Date of last issue: 28.09.2024
Date of first issue: 10.12.2020**Components:****Boric acid:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

4-Chloro-3-methylphenol:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative

Magnesium chloride:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: The test was conducted according to guideline Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials

STOT - single exposure

Not classified based on available information.
--

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024 Date of first issue: 10.12.2020

Components:

4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Boric acid:

Species	:	Rat
NOAEL	:	100 mg/kg
LOAEL	:	334 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

4-Chloro-3-methylphenol:

Species	:	Rat
NOAEL	:	200 mg/kg
LOAEL	:	400 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

Magnesium chloride:

Species	:	Rat
NOAEL	:	308 mg/kg
LOAEL	:	1.600 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Boric acid:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 52,4 mg/l

Calcium / Magnesium Chloride FormulationVersion
9.0Revision Date:
14.04.2025SDS Number:
7665402-00012Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

		Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 17,5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 : 35,4 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: 6,4 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
4-Chloro-3-methylphenol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Chlorella pyrenoidosa (algae)): 2,3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 : 22,86 mg/l Exposure time: 60 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Magnesium chloride:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2.119,3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 548,4 mg/l Exposure time: 48 h

Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

		Remarks: No test guideline followed
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline
		NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline
Toxicity to microorganisms	:	NOEC (activated sludge): > 900 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: The test was conducted according to guideline
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10: 321 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

12.2 Persistence and degradability**Components:****4-Chloro-3-methylphenol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 15 d Method: OECD Test Guideline 301
------------------	---	--

12.3 Bioaccumulative potential**Components:****Boric acid:**

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): <= 3,2 Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	:	log Pow: -1,09

4-Chloro-3-methylphenol:

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 5,5 - 13
Partition coefficient: n-octanol/water	:	log Pow: 0,477

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version 9.0 Revision Date: 14.04.2025 SDS Number: 7665402-00012 Date of last issue: 28.09.2024 Date of first issue: 10.12.2020

RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

DSL : not determined
AICS : not determined
IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.

Calcium / Magnesium Chloride Formulation

Version 9.0	Revision Date: 14.04.2025	SDS Number: 7665402-00012	Date of last issue: 28.09.2024 Date of first issue: 10.12.2020
----------------	------------------------------	------------------------------	---

H360FD : May damage fertility. May damage the unborn child.
H400 : Very toxic to aquatic life.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Repr. 1B

H360FD

Classification procedure:

Calculation method

SAFETY DATA SHEET



Calcium / Magnesium Chloride Formulation

Version
9.0

Revision Date:
14.04.2025

SDS Number:
7665402-00012

Date of last issue: 28.09.2024
Date of first issue: 10.12.2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN