

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

**SECTION 1: IDENTIFICATION**

Product name : Imidocarb Formulation

**Manufacturer or supplier's details**

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Kidney)

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.  
H371 May cause damage to organs (Central nervous system) if swallowed.  
H373 May cause damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

## Imidocarb Formulation

Version 3.1	Revision Date: 09.05.2025	SDS Number: 7677534-00013	Date of last issue: 14.04.2025 Date of first issue: 15.12.2020
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	>= 30 -< 60
imidocarb	27885-92-3	>= 3 -< 10

**SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms	: Suspected of damaging the unborn child.

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

and effects, both acute and delayed		May cause damage to organs if swallowed. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	09.05.2025	7677534-00013	14.04.2025
			Date of first issue: 15.12.2020

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local/Total ventilation     | : | Use only with adequate ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Advice on safe handling     | : | Do not breathe mist or vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.                                                       |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations.                                                                                                                                                                                                                                                                                                                                                                               |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents                                                                                                                                                                                                                                                                                                                                                                                                                                |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL

## Imidocarb Formulation

Version 3.1      Revision Date: 09.05.2025      SDS Number: 7677534-00013      Date of last issue: 14.04.2025  
Date of first issue: 15.12.2020

		TWA (Total (vapour and particles))	150 ppm 474 mg/m <sup>3</sup>	AU OEL
imidocarb	27885-92-3	TWA	55 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	550 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : Colorless to pale yellow

Odour : No data available

Odour Threshold : No data available

pH : 4.0 - 5.5

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.900 - 1.100 g/cm <sup>3</sup> No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	----------------------------------------------------------

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	------------------------------------------------------------------------

**Components:****Propylene glycol:**

Acute oral toxicity	: LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**imidocarb:**

Acute oral toxicity	: LD50 (Rat): 1,216 - 1,652 mg/kg LD50 (Mouse): 544 - 702 mg/kg LD50 (Rabbit): 317 mg/kg
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Remarks: No data available
Acute toxicity (other routes of administration)	: LD50 (Rat): 32.7 mg/kg Application Route: Intravenous

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

LD50 (Mouse): 22.3 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**imidocarb:**

Remarks : No data available

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

**imidocarb:**

Remarks : No data available

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Propylene glycol:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**imidocarb:**

Remarks : No data available



## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**imidocarb:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	09.05.2025	7677534-00013	14.04.2025
			Date of first issue: 15.12.2020

---

Result : negative

**imidocarb:**

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 240 mg/kg body weight  
Result : negative  
Target Organs : Mammary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**imidocarb:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 135 mg/kg body weight  
Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 45 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 76 mg/kg body weight  
Result: Effects on foetal development, No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 19 mg/kg body weight

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

May cause damage to organs (Central nervous system) if swallowed.

**Components:****imidocarb:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

May cause damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

**Components:****imidocarb:**

Target Organs : Liver, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**imidocarb:**

Species : Rat  
LOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Rat  
NOAEL : 76 mg/kg  
LOAEL : 415 mg/kg  
Application Route : Oral  
Exposure time : 90 Days

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

Target Organs	:	Liver
Species	:	Dog
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, Kidney
Symptoms	:	muscle twitching, Salivation, recumbency, ataxia, splayed legs
Species	:	Rat
NOAEL	:	15 mg/kg
LOAEL	:	60 mg/kg
Application Route	:	Oral
Exposure time	:	104 Weeks
Target Organs	:	Liver, Kidney, Blood
Species	:	Monkey
NOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****imidocarb:**

Inhalation	:	Target Organs: Central nervous system Symptoms: Salivation, muscle twitching, Tremors, Lachry- mation, ataxia, lethargy Remarks: Based on Animal Evidence
------------	---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

**Persistence and degradability****Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Bioaccumulative potential****Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

**imidocarb:**

Partition coefficient: n-octanol/water : log Pow: 3.88

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Environmentally hazardous : no

**IATA-DGR**

UN/ID No. : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Packing instruction (cargo aircraft) : Not applicable  
 Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 EmS Code : Not applicable  
 Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Hazchem Code : Not applicable

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)  
 Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcino-

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

gens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

DSL	:	not determined
AICS	:	not determined
IECSC	:	not determined

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date	:	09.05.2025
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>

Date format	:	dd.mm.yyyy
-------------	---	------------

**Full text of other abbreviations**

AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
--------	---	--------------------------------------------------------------------

AU OEL / TWA	:	Exposure standard - time weighted average
--------------	---	-------------------------------------------

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

## Imidocarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.1	09.05.2025	7677534-00013	Date of first issue: 15.12.2020

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN