

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2025/04/14	6008068-00014	2025/02/07
			Date of first issue: 2020/06/05

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Oxytetracycline Solid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

H360D May damage the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : May form explosive dust-air mixture during processing, handling or other means.
lines of the emergency as-
sumed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Oxytetracycline Solid Formulation

Version 7.0	Revision Date: 2025/04/14	SDS Number: 6008068-00014	Date of last issue: 2025/02/07 Date of first issue: 2020/06/05
----------------	------------------------------	------------------------------	---

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
oxytetracycline	79-57-2	76	9-271

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.
May cause an allergic skin reaction.
Causes serious eye damage.
May damage the unborn child.
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2025/04/14	6008068-00014	2025/02/07
			Date of first issue: 2020/06/05

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE**Handling**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
-

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2025/04/14	6008068-00014	2025/02/07
			Date of first issue: 2020/06/05

- Local/Total ventilation : Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Storage**
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis

Oxytetracycline Solid Formulation

Version 7.0	Revision Date: 2025/04/14	SDS Number: 6008068-00014	Date of last issue: 2025/02/07 Date of first issue: 2020/06/05
----------------	------------------------------	------------------------------	---

oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Impermeable protective gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit : No data available

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	1.5 - 3.0
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	Not applicable
Density and / or relative density Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Incompatible materials	:	Avoid dust formation.
Hazardous decomposition products	:	Oxidizing agents
	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:**oxytetracycline:**

Acute oral toxicity	:	LD50 (Rat): 4,800 mg/kg
	:	LD50 (Mouse): 2,240 mg/kg
	:	Remarks: Evidence of phototoxicity was observed
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 4,840 mg/kg
	:	Application Route: Intramuscular
	:	LD50 (Mouse): 3,500 mg/kg
	:	Application Route: Subcutaneous

Skin corrosion/irritation

Causes severe burns.

Components:**oxytetracycline:**

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**oxytetracycline:**

Remarks : No data available

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**oxytetracycline:**

Test Type	: Human repeat insult patch test (HRIPT)
Result	: Sensitiser

Germ cell mutagenicity

Not classified based on available information.

Components:**oxytetracycline:**

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Result: negative Test Type: Mouse Lymphoma Metabolic activation: Metabolic activation Result: positive Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: equivocal Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: equivocal Test Type: in vivo assay Species: Mouse Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Components:**oxytetracycline:**

Species	: Mouse
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Result	: equivocal
Target Organs	: Adrenal gland, Pituitary gland
Remarks	: The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

May damage the unborn child.

Components:**oxytetracycline:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 18 mg/kg body weight Result: No effects on fertility, No effect on reproduction capacity, No significant adverse effects were reported
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: LOAEL: 48 mg/kg body weight Result: Postimplantation loss., Skeletal malformations
-------------------------------	--

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 1,500 mg/kg body weight
Result: No teratogenic effects
Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 2,100 mg/kg body weight
Result: No teratogenic effects

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Intramuscular
 Embryo-foetal toxicity: LOAEL: 41.5 mg/kg body weight
 Result: Postimplantation loss., No foetal abnormalities

Test Type: Embryo-foetal development
 Species: Dog
 Application Route: Intramuscular
 Embryo-foetal toxicity: LOAEL: 20.75 mg/kg body weight
 Result: Skeletal and visceral variations, Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****oxytetracycline:**

Species	: Rat
LOAEL	: 198 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Species	: Mouse
LOAEL	: 7,990 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 125 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Testis
Remarks	: Significant toxicity observed in testing

Species	: Rat
NOAEL	: 40 mg/kg
LOAEL	: 100 mg/kg

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Application Route	: Intraperitoneal
Exposure time	: 14 Days
Target Organs	: Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****oxytetracycline:**

Ingestion	: Symptoms: Gastrointestinal disturbance, tooth discoloration Remarks: May cause birth defects.
-----------	--

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****oxytetracycline:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 621 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 EC50 (Moina macrocopa (Water flea)): 126.7 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Anabaena): 0.032 mg/l Exposure time: 72 h NOEC (Anabaena): 0.0031 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (activated sludge): 17.9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC (activated sludge): 0.2 mg/l Exposure time: 3 h

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Oxytetracycline)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Oxytetracycline)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Oxytetracycline)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
Oxytetracycline

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
(4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-3,5,6,10,12,12a-hexahydroxy-6-methyl-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracen-2-carboxamide	648	76

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/07
7.0	2025/04/14	6008068-00014	Date of first issue: 2020/06/05

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN