

Phthalylsulfathiazole / Sulfamerazine Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 5939808-00011 Date of last issue: 28.09.2024
Date of first issue: 26.05.2020

Section 1: Identification

Product identifier : Phthalylsulfathiazole / Sulfamerazine Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification**Classification of the substance or mixture**

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	>= 70 -< 90

Phthalylsulfathiazole / Sulfamerazine Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 5939808-00011 Date of last issue: 28.09.2024
 Date of first issue: 26.05.2020

Phthalylsulfathiazole	85-73-4	>= 10 -< 20
Aluminum hydroxide	21645-51-2	>= 10 -< 20
Sulfamerazine	127-79-7	>= 1 -< 10

Section 4: First-aid measures

Description of necessary first-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap.
 Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention if symptoms occur.
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

- Risks : Contact with dust can cause mechanical irritation or drying of the skin.
 Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : No special precautions are necessary for first aid responders.

Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical

- Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
 Exposure to combustion products may be a hazard to health.

- Hazardous combustion prod-** : Carbon oxides

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version 3.0	Revision Date: 14.04.2025	SDS Number: 5939808-00011	Date of last issue: 28.09.2024 Date of first issue: 26.05.2020
----------------	------------------------------	------------------------------	---

Products	Nitrogen oxides (NO _x) Sulphur oxides Metal oxides
----------	--

Special protective actions for fire-fighters

Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	: Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
----------------------	--

Environmental precautions

Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---

Methods and materials for containment and cleaning up

Methods for cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-------------------------	--

Section 7: Handling and storage**Precautions for safe handling**

Technical measures	: Static electricity may accumulate and ignite suspended dust
--------------------	---

Phthalylsulfathiazole / Sulfamerazine Formula- tion

Version 3.0 Revision Date: 14.04.2025 SDS Number: 5939808-00011 Date of last issue: 28.09.2024
Date of first issue: 26.05.2020

causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.
Advice on safe handling : Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	PEL (long term) (Respirable dust)	2 mg/m ³	SG OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
Phthalylsulfathiazole	85-73-4	TWA	OEB 2 ($\geq 100 < 1000 \mu\text{g}/\text{m}^3$)	Internal

Phthalylsulfathiazole / Sulfamerazine Formula- tion

Version 3.0 Revision Date: 14.04.2025 SDS Number: 5939808-00011 Date of last issue: 28.09.2024
Date of first issue: 26.05.2020

Aluminum hydroxide	21645-51-2	TWA (Respirable particulate matter)	1 mg/m ³ (Aluminium)	ACGIH
Sulfamerazine	127-79-7	TWA	OEB 2 ($\geq 100 < 1000 \mu\text{g}/\text{m}^3$)	Internal

Appropriate engineering control measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : fine powder

Colour : White to light yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version 3.0	Revision Date: 14.04.2025	SDS Number: 5939808-00011	Date of last issue: 28.09.2024 Date of first issue: 26.05.2020
----------------	------------------------------	------------------------------	---

dling or other means.

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	practically insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Incompatible materials	: Avoid dust formation.
Hazardous decomposition products	: Oxidizing agents
	: No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:**Kaolin:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Phthalylsulfathiazole:

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Aluminum hydroxide:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 5.09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials

Sulfamerazine:

Acute oral toxicity	: LD50 (Mouse): 25,000 mg/kg
---------------------	------------------------------

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Skin corrosion/irritation

Not classified based on available information.

Components:**Kaolin:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Phthalylsulfathiazole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Aluminum hydroxide:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Kaolin:**

Species	: Rabbit
Result	: No eye irritation

Phthalylsulfathiazole:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Aluminum hydroxide:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Components:**Aluminum hydroxide:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Aluminum hydroxide:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test
	Method: OECD Test Guideline 476
	Result: negative
	Test Type: Chromosome aberration test in vitro
	Result: positive
	Remarks: Based on data from similar materials
	Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro)
	Result: equivocal
	Remarks: Based on data from similar materials
	Test Type: in vitro micronucleus test
	Result: positive
	Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Rat
	Application Route: Ingestion
	Method: OECD Test Guideline 474
	Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Aluminum hydroxide:**

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 86 weeks
Result	: negative
Remarks	: Based on data from similar materials

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Reproductive toxicity

Not classified based on available information.

Components:**Aluminum hydroxide:**

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Aluminum hydroxide:**

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 364 Days
Method	: OECD Test Guideline 426
Remarks	: Based on data from similar materials

Species	: Rat
NOAEL	: > 0.2 mg/kg
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 12 Months
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Section 12: Ecological information**Toxicity****Components:****Phthalylsulfathiazole:****Ecotoxicology Assessment**

Acute aquatic toxicity	:	Toxic effects cannot be excluded
------------------------	---	----------------------------------

Chronic aquatic toxicity	:	Toxic effects cannot be excluded
--------------------------	---	----------------------------------

Aluminum hydroxide:

Toxicity to fish	:	LL50 (Salmo trutta (brown trout)): > 100 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae/aquatic plants	:	EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h
----------------------------------	---	---

Sulfamerazine:

Toxicity to fish	:	LC50 (Morone saxatilis (striped bass)): > 100 mg/l Exposure time: 96 h
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 227 mg/l Exposure time: 48 h
---	---	--

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Phthalylsulfathiazole:**

Partition coefficient: n-octanol/water	:	log Pow: -2
--	---	-------------

Sulfamerazine:

Partition coefficient: n-octanol/water	:	log Pow: 0.728
--	---	----------------

Mobility in soil

No data available

Other adverse effects

No data available

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Safety Data eChem Portal search results and European Chemicals Agen-
Sheet cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions)
Regulations - First Schedule Permissible Exposure Limits of
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

**Phthalylsulfathiazole / Sulfamerazine Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.0	14.04.2025	5939808-00011	Date of first issue: 26.05.2020

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN