

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Section 1: Identification

Product name : Cypermethrin Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H361f Suspected of damaging fertility.
H371 May cause damage to organs (Nervous system).
H410 Very toxic to aquatic life with long lasting effects.

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Soya oil	8001-22-7	>= 90 -<= 100
Cypermethrin	52315-07-8	>= 2.5 -< 10

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	14.04.2025	6116909-00013	30.09.2023
			Date of first issue: 15.07.2020

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging fertility. May cause damage to organs.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cypermethrin	52315-07-8	TWA	50 µg/m ³ (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : -30 °C

Initial boiling point and boiling range : 210 °C

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Flash point	:	208 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.92 - 0.94
Density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Cypermethrin:**

Acute oral toxicity	:	LD50 (Rat, female): 367 mg/kg LD50 (Rat, male): 891 mg/kg
	:	
Acute dermal toxicity	:	LD50 (Rat): > 4,800 mg/kg LD50 (Rabbit): > 2,400 mg/kg
	:	

Skin corrosion/irritation

Not classified based on available information.

Components:**Cypermethrin:**

Species	:	Rabbit
Method	:	Draize Test
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Cypermethrin:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Cypermethrin:**

Test Type	: Magnusson-Kligman-Test
Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Result	: Not a skin sensitizer.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Cypermethrin:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Result: negative Test Type: Microbial mutagenesis assay (Ames test) Result: negative Test Type: sister chromatid exchange assay Test system: Human lymphocytes Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Rat Application Route: Oral Result: positive Test Type: In vivo micronucleus test Species: Rat Application Route: Dermal Result: positive Test Type: In vivo micronucleus test Species: Rat Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility.

Components:**Cypermethrin:**

Effects on fertility	: Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 68 mg/kg body weight Symptoms: Effects on fertility, male reproductive effects, Testicular effects Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: NOAEL: 6.25 mg/kg body weight Target Organs: male reproductive organs, Testis
Effects on foetal development	: Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 5 mg/kg body weight Symptoms: No effects on foetal development, No effect on reproduction capacity, Reduced body weight Test Type: Reproduction/Developmental toxicity screening test Species: Rabbit Application Route: Oral Teratogenicity: NOAEL: 30 mg/kg body weight Symptoms: No effects on foetal development Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Oral Teratogenicity: NOAEL: 17.5 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

May cause damage to organs (Nervous system).

Components:**Cypermethrin:**

Target Organs	: Nervous system
---------------	------------------

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

|| Assessment : May cause damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Soya oil:**

Species	: Rat
NOAEL	: 4,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 h

Cypermethrin:

Species	: Rat
NOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Central nervous system

Species	: Rabbit
NOAEL	: 12.5 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Central nervous system

Species	: Dog
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Symptoms	: anxiety, central nervous system effects

Species	: Rabbit
NOAEL	: 20 mg/kg
Application Route	: Dermal
Exposure time	: 3 Weeks
Target Organs	: male reproductive organs
Symptoms	: reduced body weight gain, reduced food consumption

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Cypermethrin:**

General Information	: Target Organs: Nervous system
	Symptoms: muscle weakness, central nervous system effects

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Remarks: Based on Human Evidence
 The most common side effects are:
 Remarks: paraesthesias

Further information**Components:****Cypermethrin:**

Remarks : Dermal absorption possible

Section 12: Ecological information**Ecotoxicity****Components:****Cypermethrin:**

Toxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow trout)): 0.39 µg/l Exposure time: 96 h
		EC50 (Cyprinodon variegatus (sheepshead minnow)): 0.95 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0036 µg/l Exposure time: 48 h
		EC50 (Americamysis): 0.00475 µg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	100,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.14 µg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): 0.000781 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	100,000

Persistence and degradability**Components:****Cypermethrin:**

Stability in water : Degradation half life (DT50): 17 d

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Bioaccumulative potential**Components:****Soya oil:**

Partition coefficient: n-octanol/water	:	log Pow: > 4
	:	Remarks: Calculation

Cypermethrin:

Bioaccumulation	:	Bioconcentration factor (BCF): 488
Partition coefficient: n-octanol/water	:	log Pow: 6.6

Mobility in soil**Components:****Cypermethrin:**

Distribution among environmental compartments	:	log Koc: 5.58
Stability in soil	:	

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s.

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

(Cypermethrin)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Cypermethrin)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Cypermethrin)

Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 3Z
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further informationSources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	14.04.2025	6116909-00013	Date of first issue: 15.07.2020

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN