

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Warfarin Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

## 2. HAZARDS IDENTIFICATION

**GHS classification of chemical product**

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 2

Acute toxicity (Dermal) : Category 4

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Blood)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H301 Toxic if swallowed.  
H312 Harmful in contact with skin.  
H330 Fatal if inhaled.  
H360D May damage the unborn child.  
H372 Causes damage to organs (Blood) through prolonged or repeated exposure.

## Warfarin Formulation

Version 8.1      Revision Date: 2025/06/20      SDS Number: 6111705-00014      Date of last issue: 2025/04/14  
Date of first issue: 2020/07/15

## Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Important symptoms and out- : Dust contact with the eyes can lead to mechanical irritation.  
lines of the emergency as- Contact with dust can cause mechanical irritation or drying of  
sumed the skin.  
May form combustible dust concentrations in air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Petrolatum	8009-03-8	>= 90 - <= 100	-
Paraffin waxes and Hydrocarbon waxes	8002-74-2	>= 1 - < 10	2-10, 8-414
White mineral oil (petroleum)	8042-47-5	>= 1 - < 10	9-1700

# SAFETY DATA SHEET



## Warfarin Formulation

Version 8.1	Revision Date: 2025/06/20	SDS Number: 6111705-00014	Date of last issue: 2025/04/14 Date of first issue: 2020/07/15
----------------	------------------------------	------------------------------	---

Warfarin	81-81-2	$\geq 1 - < 10$	5-3652
----------	---------	-----------------	--------

### 4. FIRST AID MEASURES

- |   |   |
|---|---|
| General advice  | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| If inhaled  | : If inhaled, remove to fresh air.<br>If not breathing, give artificial respiration.<br>If breathing is difficult, give oxygen.<br>Get medical attention immediately.   |
| In case of skin contact                                     | : In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.  |
| In case of eye contact                                      | : If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.  |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Call a physician or poison control centre immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.   |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>Toxic if swallowed.<br>Harmful in contact with skin.<br>Fatal if inhaled.<br>May damage the unborn child.<br>Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : Treat symptomatically and supportively.   |

### 5. FIREFIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : High volume water jet   |
| Specific hazards during fire-fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Do not use a solid water stream as it may scatter and spread |

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/06/20	6111705-00014	2025/04/14
			Date of first issue: 2020/07/15

---

**7. HANDLING AND STORAGE****Handling**

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe dust, fume, gas, mist, vapours or spray.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact    | : | Oxidizing agents  |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.  |

**Storage**

- |                             |   |  |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations. |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |
| Packaging material          | : | Unsuitable material: None known.   |

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/06/20	6111705-00014	2025/04/14
			Date of first issue: 2020/07/15

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Petrolatum	8009-03-8	OEL-M (Mist)	3 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Group 1: carcinogenic to humans				
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m <sup>3</sup>	ACGIH
Warfarin	81-81-2	8h-OEL-M	0.01 mg/m <sup>3</sup>	JP ISHL OEL 577-2(2)
		TWA (Inhalable particulate matter)	0.01 mg/m <sup>3</sup>	ACGIH
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Impermeable protective gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

## Warfarin Formulation

Version 8.1	Revision Date: 2025/06/20	SDS Number: 6111705-00014	Date of last issue: 2025/04/14 Date of first issue: 2020/07/15
----------------	------------------------------	------------------------------	---

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	: paste
Colour	: pink
Odour	: characteristic
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: 320 °C
Flammability (solid, gas)	: May form combustible dust concentrations in air.
Flammability (liquids)	: Not applicable
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 178 °C
Decomposition temperature	: No data available
pH	: No data available
Evaporation rate	: Not applicable
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: practically insoluble

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density	:	
Relative density	:	0.80 - 0.84
Density	:	No data available
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Toxic if swallowed.  
Harmful in contact with skin.  
Fatal if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 281 mg/kg Method: Calculation method
---------------------	---	--



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Acute inhalation toxicity : Acute toxicity estimate: 0.25 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 2,000 mg/kg  
Method: Calculation method

**Components:****Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: The test was conducted according to guideline

**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Warfarin:**

Acute oral toxicity : LD50 (Rat): 5.62 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.001 - 0.005 mg/l

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 40 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

**White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

**Warfarin:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

**White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No eye irritation

**Warfarin:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Petrolatum:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	The test was conducted according to guideline

**White mineral oil (petroleum):**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Warfarin:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/06/20	6111705-00014	2025/04/14
			Date of first issue: 2020/07/15

---

**Components:****Petrolatum:**

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: The test was conducted according to guideline  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: The test was conducted according to guideline  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: The test was conducted equivalent or similar to guideline
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: The test was conducted according to guideline Based on data from similar materials

**White mineral oil (petroleum):**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Remarks: Based on data from similar materials

**Warfarin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Result: equivocal

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Paraffin waxes and Hydrocarbon waxes:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

**White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline  
Based on data from similar materials

**White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Warfarin:**

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Humans, female  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Blood) through prolonged or repeated exposure.

**Components:****Warfarin:**

Exposure routes	:	Ingestion
Target Organs	:	Blood
Assessment	:	Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Petrolatum:**

Species	:	Rat
NOAEL	:	5,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

**Paraffin waxes and Hydrocarbon waxes:**

Species	:	Rat
LOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline Based on data from similar materials

Species	:	Rat
LOAEL	:	> 25 mg/kg
Application Route	:	Skin contact
Exposure time	:	2 yr
Method	:	OECD Test Guideline 453
Remarks	:	The test was conducted equivalent or similar to guideline Based on data from similar materials

**White mineral oil (petroleum):**

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

  

Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Method : OECD Test Guideline 412

**Warfarin:**

Species	: Rat
LOAEL	: < 10 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Aspiration toxicity**

Not classified based on available information.

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Petrolatum:**

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
---	---

Toxicity to algae/aquatic plants	: NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
----------------------------------	---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
--	---

**Paraffin waxes and Hydrocarbon waxes:**

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: The test was conducted according to guideline Based on data from similar materials
------------------	--

Toxicity to daphnia and other	: EL50 (Daphnia magna (Water flea)): > 100 mg/l
-------------------------------	---



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/06/20	6111705-00014	2025/04/14
			Date of first issue: 2020/07/15

---

aquatic invertebrates		Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials  NOELR (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to microorganisms	:	NOEC: > 1 mg/l Exposure time: 10 min Remarks: Based on data from similar materials
<b>White mineral oil (petroleum):</b>		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 1,000 mg/l

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d

**Warfarin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 105 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 83.2 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (Photobacterium phosphoreum): 67.5 mg/l  
Exposure time: 5 min

**Persistence and degradability****Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

**Paraffin waxes and Hydrocarbon waxes:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

**White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Warfarin:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92.7 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****Warfarin:**

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF):  $\leq 21.6$

Partition coefficient: n-octanol/water : log Pow: 0.7

**Mobility in soil**

No data available

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Warfarin)

Class : 6.1  
Packing group : II  
Labels : 6.1  
Environmentally hazardous : no

**IATA-DGR**

UN/ID No. : UN 2811  
Proper shipping name : Toxic solid, organic, n.o.s.  
(Warfarin)

Class : 6.1  
Packing group : II  
Labels : Toxic  
Packing instruction (cargo aircraft) : 676  
Packing instruction (passenger aircraft) : 669

**IMDG-Code**

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Warfarin)

# SAFETY DATA SHEET



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

Class : 6.1  
Packing group : II  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 154

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Paraffin wax	$\geq 1$ - $< 10$	-

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

3-( $\alpha$ -Acetonylbenzyl)-4-hydroxycoumarin	$\geq 1$ - $< 10$	-
Mineral oil	$\geq 1$ - $< 10$	-

**Substances Subject to be Indicated Names**

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Paraffin wax	-
3-( $\alpha$ -Acetonylbenzyl)-4-hydroxycoumarin	-
Mineral oil	-

**Skin and Eye Damage Substances (ISHL MO Art. 594-2)**

Chemical name
Warfarin

**Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Toxic and infectious substances (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Toxic and infectious substances (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP ISHL OEL 577-2(2) : Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

JP ISHL OEL 577-2(2) / 8h-OEL-M : 8-hour Occupational Exposure Limit-Mean

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
8.1	2025/06/20	6111705-00014	Date of first issue: 2020/07/15

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN