

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : Warfarin Formulation

**1.2 Relevant identified uses of the substance or mixture and uses advised against**Use of the Sub-  
stance/Mixture : Veterinary productRecommended restrictions  
on use : Not applicable**1.3 Details of the supplier of the safety data sheet**Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person  
responsible for the SDS : EHSDATASTEWARD@msd.com**1.4 Emergency telephone number**

+1-908-423-6000

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity, Category 3	H301: Toxic if swallowed.
Acute toxicity, Category 2	H330: Fatal if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Reproductive toxicity, Category 1A	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

H312 Harmful in contact with skin.  
H330 Fatal if inhaled.  
H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Hazardous components which must be listed on the label:

Warfarin

**Additional Labelling**

Restricted to professional users.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Warfarin	81-81-2 201-377-6 607-056-00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Acute Tox. 1; H310 Eye Irrit. 2; H319 Repr. 1A; H360D STOT RE 1; H372 (Blood)	>= 1 - < 2,5

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

		Aquatic Chronic 2; H411	
--	--	----------------------------	--

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                            |   |  |
|----------------------------|---|--|
| General advice             | : | In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.   |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                  |
| If inhaled                 | : | If inhaled, remove to fresh air.<br>If not breathing, give artificial respiration.<br>If breathing is difficult, give oxygen.<br>Get medical attention immediately.  |
| In case of skin contact    | : | In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact     | : | If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.   |
| If swallowed               | : | If swallowed, DO NOT induce vomiting.<br>Call a physician or poison control centre immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.              |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |   |
|-------|---|---|
| Risks | : | Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br><br>Toxic if swallowed.<br>Harmful in contact with skin.<br>Fatal if inhaled.<br>May damage the unborn child.<br>Causes damage to organs through prolonged or repeated exposure. |
|-------|---|---|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |   |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not use a solid water stream as it may scatter and spread fire.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

**5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**6.2 Environmental precautions**

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe dust, fume, gas, mist, vapours or spray.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.  |

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

- Strong oxidizing agents
- Self-reactive substances and mixtures
- Organic peroxides
- Flammable liquids
- Flammable solids
- Pyrophoric liquids
- Pyrophoric solids
- Self-heating substances and mixtures
- Substances and mixtures, which in contact with water, emit flammable gases
- Explosives
- Gases

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	OEL-RL (Fumes)	4 mg/m <sup>3</sup>	ZA OEL
Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				
Warfarin	81-81-2	OEL-RL (inhalable fraction)	0,02 mg/m <sup>3</sup>	ZA OEL
Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006**

Substance name	Environmental Compartment	Value
Petrolatum	Oral (Secondary Poisoning)	9,33 mg/kg food

**8.2 Exposure controls****Engineering measures**

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**Personal protective equipment**

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type (A-P)

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	:	paste
Colour	:	pink
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	320 °C
Flash point	:	178 °C
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

---

Relative density	:	0,80 - 0,84
Density	:	No data available
Solubility(ies)		
Water solubility	:	practically insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions	:	May form combustible dust concentrations in air. Can react with strong oxidizing agents.
---------------------	---	---

**10.4 Conditions to avoid**

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

**10.5 Incompatible materials**

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Toxic if swallowed.  
Harmful in contact with skin.  
Fatal if inhaled.

**Product:**

Acute oral toxicity	: Acute toxicity estimate: 281 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: 0,25 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: 2.000 mg/kg Method: Calculation method

**Components:****Warfarin:**

Acute oral toxicity	: LD50 (Rat): 5,62 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0,001 - 0,005 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 40 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Warfarin:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Warfarin:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Warfarin:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Warfarin:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal
		Test Type: In vitro mammalian cell gene mutation test Result: equivocal
		Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

May damage the unborn child.

**Components:****Warfarin:**

Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Humans, female Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	:	Positive evidence of adverse effects on development from human epidemiological studies.

**STOT - single exposure**

Not classified based on available information.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**STOT - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Components:****Warfarin:**

Exposure routes	: Ingestion
Target Organs	: Blood
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Warfarin:**

Species	: Rat
LOAEL	: < 10 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Aspiration toxicity**

Not classified based on available information.

---

**SECTION 12: Ecological information****12.1 Toxicity****Components:****Warfarin:**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 105 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 83,2 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50 (Photobacterium phosphoreum): 67,5 mg/l Exposure time: 5 min
Toxicity to fish (Chronic toxicity)	: NOEC: 2 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,059 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

**12.2 Persistence and degradability****Components:****Warfarin:**

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

Biodegradation: 92,7 %  
Exposure time: 28 d

## 12.3 Bioaccumulative potential

**Components:****Warfarin:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): <= 21,6

Partition coefficient: n-octanol/water : log Pow: 0,7

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14: Transport information****14.1 UN number**

ADN : UN 2811

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

---

ADR : UN 2811  
 RID : UN 2811  
 IMDG : UN 2811  
 IATA : UN 2811

**14.2 UN proper shipping name**

ADN : TOXIC SOLID, ORGANIC, N.O.S.  
 (Warfarin)  
 ADR : TOXIC SOLID, ORGANIC, N.O.S.  
 (Warfarin)  
 RID : TOXIC SOLID, ORGANIC, N.O.S.  
 (Warfarin)  
 IMDG : TOXIC SOLID, ORGANIC, N.O.S.  
 (Warfarin)  
 IATA : Toxic solid, organic, n.o.s.  
 (Warfarin)

**14.3 Transport hazard class(es)**

	Class	Subsidiary risks
ADN	: 6.1	
ADR	: 6.1	
RID	: 6.1	
IMDG	: 6.1	
IATA	: 6.1	

**14.4 Packing group**

**ADN**  
 Packing group : II  
 Classification Code : T2  
 Hazard Identification Number : 60  
 Labels : 6.1

**ADR**  
 Packing group : II  
 Classification Code : T2  
 Hazard Identification Number : 60  
 Labels : 6.1  
 Tunnel restriction code : (D/E)

**RID**  
 Packing group : II  
 Classification Code : T2  
 Hazard Identification Number : 60  
 Labels : 6.1

**IMDG**  
 Packing group : II  
 Labels : 6.1  
 EmS Code : F-A, S-A

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

**IATA (Cargo)**

Packing instruction (cargo aircraft)	:	676
Packing instruction (LQ)	:	Y644
Packing group	:	II
Labels	:	Toxic

**IATA (Passenger)**

Packing instruction (passenger aircraft)	:	669
Packing instruction (LQ)	:	Y644
Packing group	:	II
Labels	:	Toxic

**14.5 Environmental hazards****ADN**

Environmentally hazardous	:	no
---------------------------	---	----

**ADR**

Environmentally hazardous	:	no
---------------------------	---	----

**RID**

Environmentally hazardous	:	no
---------------------------	---	----

**IMDG**

Marine pollutant	:	no
------------------	---	----

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks	:	Not applicable for product as supplied.
---------	---	---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS	:	not determined
------	---	----------------

DSL	:	not determined
-----	---	----------------

IECSC	:	not determined
-------	---	----------------

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version
-------------------	---	--

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

H300	: Fatal if swallowed.
H310	: Fatal in contact with skin.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H360D	: May damage the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H411	: Toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
STOT RE	: Specific target organ toxicity - repeated exposure
ZA OEL	: South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
ZA OEL / OEL-RL	: Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	20.06.2025	6111711-00014	Date of first issue: 15.07.2020

---

- United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Acute Tox. 3	H301
Acute Tox. 2	H330
Acute Tox. 4	H312
Repr. 1A	H360D
STOT RE 1	H372

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN