

# SAFETY DATA SHEET



## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 6300143-00013 Date of last issue: 28.09.2024 Date of first issue: 02.09.2020

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the unborn child.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

# SAFETY DATA SHEET



## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
6300143-00013

Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

### Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

### Hazardous components which must be listed on the label:

Boric acid

#### Additional Labelling

EUH208 Contains 4-Chloro-3-methylphenol. May produce an allergic reaction.

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Boric acid	10043-35-3 233-139-2 005-007-00-2	Repr. 1B; H360FD	>= 1 - < 10
4-Chloro-3-methylphenol	59-50-7 200-431-6 604-014-00-3	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3;	>= 0,1 - < 0,25

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
6300143-00013Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

		H412	
		M-Factor (Acute aquatic toxicity): 1	

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : May produce an allergic reaction.  
May damage fertility. May damage the unborn child.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
6300143-00013Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Oxides of phosphorus  
Boron oxides

**5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**6.2 Environmental precautions**

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and dis-

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
6300143-00013Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

**7.3 Specific end use(s)**

Specific use(s)	: No data available
-----------------	---------------------

# Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 6300143-00013 Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
4-Chloro-3-methylphenol	59-50-7	TWA	200 µg/m <sup>3</sup> (OEB 2)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Boric acid	Workers	Skin contact	Long-term systemic effects	392 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	8,3 mg/m <sup>3</sup>
	Consumers	Ingestion	Acute systemic effects	0,98 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,98 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,15 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	196 mg/kg bw/day
4-Chloro-3-methylphenol	Workers	Inhalation	Long-term systemic effects	6,289 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	3,567 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,551 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	1,783 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,892 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Boric acid	Fresh water	2,9 mg/l
	Intermittent use/release	13,7 mg/l
	Marine water	2,9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5,7 mg/kg dry weight (d.w.)
4-Chloro-3-methylphenol	Fresh water	0,015 mg/l
	Intermittent use/release	0,015 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	2,286 mg/l
	Fresh water sediment	13,981 mg/kg dry weight (d.w.)

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
6300143-00013Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

	Marine sediment	13,981 mg/kg dry weight (d.w.)
	Soil	6,399 mg/kg dry weight (d.w.)

**8.2 Exposure controls****Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

**Personal protective equipment**

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

## Hand protection

Material : Chemical-resistant gloves

## Remarks

Skin and body protection : Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially contaminated clothing.

## Respiratory protection

: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

## Filter type

: Particulates type (P)

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : Colorless to pale yellow  
Odour : No data available  
Odour Threshold : No data available

pH : 3,7

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET



## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version 10.0      Revision Date: 14.04.2025      SDS Number: 6300143-00013      Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

---

Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Molecular weight	: No data available
Particle size	: Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**

Version 10.0 Revision Date: 14.04.2025 SDS Number: 6300143-00013 Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

---

Hazardous reactions : Can react with strong oxidizing agents.

**10.4 Conditions to avoid**

Conditions to avoid : None known.

**10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

||| Not classified based on available information.

**Components:****Boric acid:**

Acute oral toxicity : LD50 (Rat): 3.450 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2,03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**4-Chloro-3-methylphenol:**

Acute oral toxicity : LD50 (Mouse): 600 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2,871 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

**Skin corrosion/irritation**

||| Not classified based on available information.

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
6300143-00013Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020**Components:****Boric acid:**

Species	:	Rabbit
Result	:	No skin irritation

**4-Chloro-3-methylphenol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Corrosive after 1 to 4 hours of exposure

**Serious eye damage/eye irritation****|||** Not classified based on available information.**Components:****Boric acid:**

Species	:	Rabbit
Result	:	No eye irritation

**4-Chloro-3-methylphenol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation****|||** Not classified based on available information.**Respiratory sensitisation****|||** Not classified based on available information.**Components:****Boric acid:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**4-Chloro-3-methylphenol:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
6300143-00013

Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

### Germ cell mutagenicity

|| Not classified based on available information.

### Components:

#### Boric acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: equivocal
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

#### 4-Chloro-3-methylphenol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

### Carcinogenicity

|| Not classified based on available information.

### Components:

#### Boric acid:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Result	: negative

### Reproductive toxicity

|| May damage fertility. May damage the unborn child.

### Components:

#### Boric acid:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: positive

# Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
6300143-00013

Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

## 4-Chloro-3-methylphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

## STOT - single exposure

Not classified based on available information.

### Components:

## 4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

## STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

### Components:

## Boric acid:

Species	:	Rat
NOAEL	:	100 mg/kg
LOAEL	:	334 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

## 4-Chloro-3-methylphenol:

Species	:	Rat
NOAEL	:	200 mg/kg
LOAEL	:	400 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

## Aspiration toxicity

Not classified based on available information.

## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
6300143-00013

Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

###### **Boric acid:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 52,4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 17,5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 : 35,4 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 6,4 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

###### **4-Chloro-3-methylphenol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC10 (Chlorella pyrenoidosa (algae)): 2,3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**

Version 10.0 Revision Date: 14.04.2025 SDS Number: 6300143-00013 Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

---

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 : 22,86 mg/l Exposure time: 60 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

**12.2 Persistence and degradability****Components:****4-Chloro-3-methylphenol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 15 d Method: OECD Test Guideline 301
------------------	---	--

**12.3 Bioaccumulative potential****Components:****Boric acid:**

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): <= 3,2 Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	:	log Pow: -1,09

**4-Chloro-3-methylphenol:**

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 5,5 - 13
Partition coefficient: n-octanol/water	:	log Pow: 0,477

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

**12.6 Other adverse effects****Product:**

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**

Version 10.0 Revision Date: 14.04.2025 SDS Number: 6300143-00013 Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

---

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14: Transport information****14.1 UN number**

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

**14.2 UN proper shipping name**

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

**14.4 Packing group**

**ADN** : Not regulated as a dangerous good

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**

---

Version 10.0	Revision Date: 14.04.2025	SDS Number: 6300143-00013	Date of last issue: 28.09.2024 Date of first issue: 02.09.2020
-----------------	------------------------------	------------------------------	---

---

<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good
<b>IATA (Cargo)</b>	:	Not regulated as a dangerous good
<b>IATA (Passenger)</b>	:	Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks : Not applicable for product as supplied.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

DSL	:	not determined
AICS	:	not determined
IECSC	:	not determined

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

---

**SECTION 16: Other information**

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
H360FD	:	May damage fertility. May damage the unborn child.
H400	:	Very toxic to aquatic life.
H412	:	Harmful to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard

**Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation**

Version 10.0	Revision Date: 14.04.2025	SDS Number: 6300143-00013	Date of last issue: 28.09.2024 Date of first issue: 02.09.2020
-----------------	------------------------------	------------------------------	---

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Repr. 1B

H360FD

**Classification procedure:**

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET



## Calcium Gluconate / Magnesium Hypophosphate Hexahydrate Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
6300143-00013

Date of last issue: 28.09.2024  
Date of first issue: 02.09.2020

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN