

# SAFETY DATA SHEET



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025 Date of first issue: 20.11.2020

---

### Section 1: Identification

**Product identifier** : Milbemycin Oxime / Lufenuron / Praziquantel Formulation

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

#### Manufacturer or supplier's details

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Skin sensitisation : Category 1  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Lungs, Liver, Stomach)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

#### GHS Label elements, including precautionary statements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

# SAFETY DATA SHEET



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025 Date of first issue: 20.11.2020

---

H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</p> <p><b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.</p>
--------------------------	---	--

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 30 -< 50
Glycerine	56-81-5	>= 10 -< 20
Lufenuron (ISO)	103055-07-8	>= 2.5 -< 10
Sucrose	57-50-1	>= 1 -< 10
praziquantel	55268-74-1	>= 1 -< 10

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Milbemycin Oxime	129496-10-2	>= 0.25 -< 1
------------------	-------------	--------------

---

**Section 4: First-aid measures****Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Most important symptoms and effects, both acute and delayed**

Risks : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
May cause an allergic skin reaction.  
May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures****Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020**Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Metal oxides  
Chlorine compounds

**Special protective actions for fire-fighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

**Section 7: Handling and storage****Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

**Section 8: Exposure controls/personal protection****Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
Glycerine	56-81-5	PEL (long term) (Mist)	10 mg/m <sup>3</sup>	ACGIH
Lufenuron (ISO)	103055-07-8	TWA	200 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
Sucrose	57-50-1	Wipe limit PEL (long term)	100 µg/100 cm <sup>2</sup>	Internal
praziquantel	55268-74-1	TWA	10 mg/m <sup>3</sup>	ACGIH
Milbemycin Oxime	129496-10-2	TWA	0.5 mg/m <sup>3</sup> (OEB 2)	Internal
			0.1 mg/m <sup>3</sup> (OEB2)	Internal

**Appropriate engineering  
control measures**

- : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Individual protection measures, such as personal protective equipment (PPE)**

## Eye/face protection

- : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

## Skin protection

- : Work uniform or laboratory coat.

## Respiratory protection

- : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

## Filter type

- : Combined particulates and organic vapour type

## Hand protection

- : Chemical-resistant gloves

## Material

---

**Section 9: Physical and chemical properties**

# SAFETY DATA SHEET



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.1      Revision Date: 09.05.2025      SDS Number: 7567904-00013      Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Appearance	:	solid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1      Revision Date: 09.05.2025      SDS Number: 7567904-00013      Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Molecular weight : No data available  
Particle characteristics  
Particle size : No data available

---

**Section 10: Stability and reactivity**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Glycerine:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

**Lufenuron (ISO):**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

LD50 (Mouse): &gt; 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,350 mg/m<sup>3</sup>  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): &gt; 2,000 mg/kg

**Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

**praziquantel:**Acute oral toxicity : LD50 (Rat): 2,480 mg/kg  
LD50 (Mouse): 2,454 mg/kg  
LD50 (Dog): > 200 mg/kg  
LD50 (Rabbit): 1,050 mg/kg**Milbemycin Oxime:**Acute oral toxicity : LD50 (Rat): 532 - 863 mg/kg  
LD50 (Mouse): 722 - 946 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 1,200 mg/m<sup>3</sup>  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Glycerine:**Species : Rabbit  
Result : No skin irritation**Lufenuron (ISO):**Species : Rabbit  
Method : Draize Test  
Result : No skin irritation**praziquantel:**Species : Rabbit  
Method : Draize Test

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Remarks : slight irritation

**Milbemycin Oxime:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species : Rabbit  
Result : No eye irritation

**Glycerine:**

Species : Rabbit  
Result : No eye irritation

**Lufenuron (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

**praziquantel:**

Species : Rabbit  
Result : Mild eye irritation  
Method : Draize Test

**Milbemycin Oxime:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Starch:**

Test Type : Maximisation Test  
Exposure routes : Skin contact

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Species : Guinea pig  
Result : negative

**Lufenuron (ISO):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : May cause sensitisation by skin contact.  
Result : Sensitiser

**praziquantel:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Milbemycin Oxime:**

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Lufenuron (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1

Revision Date: 09.05.2025

SDS Number: 7567904-00013

Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Test Type: Mouse Lymphoma  
Test system: Chinese hamster cells  
Result: negative

Test Type: Cytogenetic assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells  
Species: Rat  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

**praziquantel:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Result: negative

**Milbemycin Oxime:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Glycerine:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Lufenuron (ISO):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 month(s)  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**praziquantel:**

Species : Hamster  
Application Route : Oral  
Exposure time : 80 weeks  
NOAEL : 100 mg/kg body weight  
Result : negative  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : No significant adverse effects were reported

**Reproductive toxicity**

May damage the unborn child.

**Components:****Glycerine:**

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Lufenuron (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 8.3 mg/kg wet weight  
Early Embryonic Development: NOAEL: 20.9 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 500 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Symptoms: No adverse effects  
Remarks: No significant adverse effects were reported

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight  
Embryo-foetal toxicity: 8.3 mg/kg body weight  
Result: foetal abnormalities

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**praziquantel:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Remarks: No significant adverse effects were reported

Test Type: Fertility  
Species: Mouse  
Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Development  
Species: Rat  
Remarks: No significant adverse effects were reported

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1	Revision Date: 09.05.2025	SDS Number: 7567904-00013	Date of last issue: 14.04.2025 Date of first issue: 20.11.2020
----------------	------------------------------	------------------------------	---

Test Type: Development  
Species: Mouse  
Remarks: No significant adverse effects were reported

**Milbemycin Oxime:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Dog  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

Test Type: Embryo-foetal development  
Species: Dog  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Lufenuron (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

**Components:****Lufenuron (ISO):**

Exposure routes : Oral  
Target Organs : Central nervous system, Lungs, Liver, Stomach  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Milbemycin Oxime:**

Exposure routes : Ingestion

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Target Organs : Central nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Starch:**

Species : Rat  
NOAEL : >= 2,000 mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

**Glycerine:**

Species : Rat  
NOAEL : 0.167 mg/l  
LOAEL : 0.622 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 8,000 - 10,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

Species : Rabbit  
NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

**Lufenuron (ISO):**

Species : Rat  
NOAEL : 5.34 mg/kg  
Application Route : oral (feed)  
Exposure time : 4 Months  
Target Organs : Central nervous system, digestive system  
Symptoms : central nervous system effects

Species : Rat  
NOAEL : 1.93 mg/kg  
Application Route : oral (feed)  
Exposure time : 2 yr  
Symptoms : central nervous system effects, Convulsions

Species : Mouse  
NOAEL : 2.12 mg/kg  
Application Route : oral (feed)

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Exposure time : 18 Months  
Target Organs : Central nervous system, Liver, Prostate  
Symptoms : central nervous system effects, Convulsions

Species : Dog  
NOAEL : 7.02 mg/kg  
Application Route : oral (feed)  
Exposure time : 1 yr  
Target Organs : Central nervous system, Liver, Lungs  
Symptoms : Convulsions, Fatality, Irregularities

**praziquantel:**

Species : Rat  
NOAEL : 1,000 mg/kg  
Application Route : Oral  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 60 mg/kg  
LOAEL : 180 mg/kg  
Application Route : Oral  
Target Organs : Gastrointestinal tract  
Remarks : No significant adverse effects were reported

**Milbemycin Oxime:**

Species : Rat  
NOAEL : 3 mg/kg  
LOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Symptoms : Liver disorders, Blood disorders

Species : Dog  
LOAEL : 8.6 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Days  
Symptoms : Tremors

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Lufenuron (ISO):**

General Information : Remarks: May be harmful if swallowed.  
May cause neurotoxic effects.

**praziquantel:**

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1      Revision Date: 09.05.2025      SDS Number: 7567904-00013      Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Inhalation : Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions

**Milbemycin Oxime:**

Ingestion : Symptoms: Salivation, Convulsions, Diarrhoea, Weakness, Vomiting, Tremors, Coma  
Remarks: Based on Animal Evidence

---

**Section 12: Ecological information****Toxicity****Components:****Glycerine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l  
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

**Lufenuron (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 73,100 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.042 µg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

EC50 (Daphnia magna (Water flea)): 0.41 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

EC50 (Scenedesmus subspicatus): 17 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10,000  
Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l  
Exposure time: 359 d  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8.38 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 90 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

NOEC (Chironomus riparius (harlequin fly)): 2 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

**praziquantel:**

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 29.2 mg/l  
Exposure time: 96 hrs  
Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): 31.6 mg/l  
Exposure time: 96 hrs  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

**Milbemycin Oxime:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.16 µg/l

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**Version  
4.1Revision Date:  
09.05.2025SDS Number:  
7567904-00013Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.03 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: > 87 µg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 µg/l

M-Factor (Chronic aquatic toxicity) : 10,000

**Persistence and degradability****Components:****Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

**Bioaccumulative potential****Components:****Glycerine:**

Partition coefficient: n-octanol/water : log Pow: -1.75

**Lufenuron (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 28  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.12

**Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

**praziquantel:**

Partition coefficient: n-octanol/water : log Pow: 2.012  
pH: 7

**Milbemycin Oxime:**

**Milbemycin Oxime / Lufenuron / Praziquantel  
Formulation**

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

Bioaccumulation : Bioconcentration factor (BCF): 440

Partition coefficient: n-octanol/water : log Pow: 7

**Mobility in soil****Components:****Lufenuron (ISO):**

Distribution among environmental compartments : log Koc: 5.38  
Method: OECD Test Guideline 106

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number : UN 3077

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Milbemycin Oxime, Lufenuron (ISO))

Transport hazard class(es) : 9

Packing group : III

Labels : 9

Environmental hazards : yes

**IATA-DGR**

UN/ID No. : UN 3077

UN proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Milbemycin Oxime, Lufenuron (ISO))

Transport hazard class(es) : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

# SAFETY DATA SHEET



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.1 Revision Date: 09.05.2025 SDS Number: 7567904-00013 Date of last issue: 14.04.2025 Date of first issue: 20.11.2020

---

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Milbemycin Oxime, Lufenuron (ISO))  
Transport hazard class(es) : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## Section 16: Other information

Revision Date : 09.05.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

# SAFETY DATA SHEET



## Milbemycin Oxime / Lufenuron / Praziquantel Formulation

Version 4.1      Revision Date: 09.05.2025      SDS Number: 7567904-00013      Date of last issue: 14.04.2025  
Date of first issue: 20.11.2020

---

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN