

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

SECTION 1: IDENTIFICATION

Product name : Milbemycin Oxime / Lufenuron Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Central nervous system, Lungs, Liver, Stomach)

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H372 Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Lufenuron (ISO)	103055-07-8	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30
Starch	9005-25-8	< 10
Milbemycin Oxime	129496-10-2	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

In case of eye contact	: Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If swallowed	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	: Use personal protective equipment.
-------------------------------	--------------------------------------

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.1	09.05.2025	6365213-00012	14.04.2025
			Date of first issue: 21.09.2020

tive equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.

Milbemycin Oxime / Lufenuron Formulation

Version 4.1 Revision Date: 09.05.2025 SDS Number: 6365213-00012 Date of last issue: 14.04.2025
 Date of first issue: 21.09.2020

Materials to avoid : Store in accordance with the particular national regulations.
 : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Lufenuron (ISO)	103055-07-8	TWA	200 µg/m ³ (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH
Starch	9005-25-8	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m ³ (OEB2)	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : brown

Odour : odourless

Milbemycin Oxime / Lufenuron Formulation

Version 4.1	Revision Date: 09.05.2025	SDS Number: 6365213-00012	Date of last issue: 14.04.2025 Date of first issue: 21.09.2020
----------------	------------------------------	------------------------------	---

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

Components:**Lufenuron (ISO):**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 2,000 mg/kg
---------------------	---	--

Acute inhalation toxicity	:	LC50 (Rat): 2,350 mg/m ³ Test atmosphere: dust/mist
---------------------------	---	---

Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
-----------------------	---	------------------------------

Cellulose:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	---	--

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Milbemycin Oxime:

Acute oral toxicity : LD50 (Rat): 532 - 863 mg/kg

LD50 (Mouse): 722 - 946 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1,200 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Lufenuron (ISO):**

Species	: Rabbit
Method	: Draize Test
Result	: No skin irritation

Milbemycin Oxime:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Lufenuron (ISO):**

Species	: Rabbit
Result	: No eye irritation
Method	: Draize Test

Starch:

Species	: Rabbit
Result	: No eye irritation

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Milbemycin Oxime:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Lufenuron (ISO):**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Result	:	Sensitiser

Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Milbemycin Oxime:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Lufenuron (ISO):**

Genotoxicity in vitro	:	Test Type: Ames test
		Result: negative

Test Type: Mouse Lymphoma
Test system: Chinese hamster cells
Result: negative

Test Type: Cytogenetic assay
Test system: Chinese hamster ovary cells
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-
--

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

thesis in mammalian cells (in vitro)

Test system: rat hepatocytes

Result: negative

Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Result: negative

Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells

Species: Rat

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Milbemycin Oxime:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Result: negative

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Carcinogenicity

Not classified based on available information.

Components:**Lufenuron (ISO):**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	18 month(s)
Result	:	negative

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

Cellulose:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

Reproductive toxicity

May damage the unborn child.

Components:**Lufenuron (ISO):**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 8.3 mg/kg wet weight Early Embryonic Development: NOAEL: 20.9 mg/kg body weight Result: Animal testing did not show any effects on fertility.
----------------------	---	---

Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 500 mg/kg body weight Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Symptoms: No adverse effects Remarks: No significant adverse effects were reported
-------------------------------	---	---

	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight Embryo-foetal toxicity: 8.3 mg/kg body weight Result: foetal abnormalities
--	---	---

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Milbemycin Oxime:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Dog
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

Test Type: Embryo-foetal development
Species: Dog
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

Components:**Lufenuron (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:**Lufenuron (ISO):**

Exposure routes : Oral
Target Organs : Central nervous system, Lungs, Liver, Stomach

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Milbemycin Oxime:

Exposure routes : Ingestion
Target Organs : Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity**Components:****Lufenuron (ISO):**

Species : Rat
NOAEL : 5.34 mg/kg
Application Route : oral (feed)
Exposure time : 4 Months
Target Organs : Central nervous system, digestive system
Symptoms : central nervous system effects

Species : Rat
NOAEL : 1.93 mg/kg
Application Route : oral (feed)
Exposure time : 2 yr
Symptoms : central nervous system effects, Convulsions

Species : Mouse
NOAEL : 2.12 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months
Target Organs : Central nervous system, Liver, Prostate
Symptoms : central nervous system effects, Convulsions

Species : Dog
NOAEL : 7.02 mg/kg
Application Route : oral (feed)
Exposure time : 1 yr
Target Organs : Central nervous system, Liver, Lungs
Symptoms : Convulsions, Fatality, Irregularities

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Starch:

Species : Rat
NOAEL : $\geq 2,000$ mg/kg

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Milbemycin Oxime:

Species : Rat
NOAEL : 3 mg/kg
LOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Symptoms : Liver disorders, Blood disorders

Species : Dog
LOAEL : 8.6 mg/kg
Application Route : Ingestion
Exposure time : 3 Days
Symptoms : Tremors

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Lufenuron (ISO):**

General Information : Remarks: May be harmful if swallowed.
May cause neurotoxic effects.

Milbemycin Oxime:

Ingestion : Symptoms: Salivation, Convulsions, Diarrhoea, Weakness,
Vomiting, Tremors, Coma
Remarks: Based on Animal Evidence

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Lufenuron (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 73,100 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.042 µg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
- EC50 (Daphnia magna (Water flea)): 0.41 µg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC50 (Scenedesmus subspicatus): 17 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l
Exposure time: 33 d
Method: OECD Test Guideline 210
- NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l
Exposure time: 359 d
Method: OECD Test Guideline 229
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8.38 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- NOEC (Daphnia magna (Water flea)): 90 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- NOEC (Chironomus riparius (harlequin fly)): 2 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Cellulose:

- Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Milbemycin Oxime:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.16 µg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.03 µg/l
Exposure time: 48 h
- Toxicity to algae/aquatic : EC50: > 87 µg/l

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

plants Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 µg/l

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****Lufenuron (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 28
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.12

Milbemycin Oxime:

Bioaccumulation : Bioconcentration factor (BCF): 440

Partition coefficient: n-octanol/water : log Pow: 7

Mobility in soil**Components:****Lufenuron (ISO):**

Distribution among environmental compartments : log Koc: 5.38
Method: OECD Test Guideline 106

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 2Z
Environmentally hazardous	: yes

Milbemycin Oxime / Lufenuron Formulation

Version 4.1	Revision Date: 09.05.2025	SDS Number: 6365213-00012	Date of last issue: 14.04.2025 Date of first issue: 21.09.2020
----------------	------------------------------	------------------------------	---

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date	: 09.05.2025
Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	: 8-hour, time-weighted average
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
4.1	09.05.2025	6365213-00012	Date of first issue: 21.09.2020

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN